RBB
43 d

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1937

AND OF THE


Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1936

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1938


22501407661

WELLCOME LIBRARY INSTITUTE

PROVINCE NOVA SCOTIA

REPORT OF THE

Department of Public Health

FOR THE

Year ending November 30th, 1937

AND OF THE

Deputy Registrar General

CONTAINING THE

Vital Statistics of the Province

For the Year ending December 31st, 1936

HALIFAX, N. S.
PROVINCIAL SECRETARY
KING'S PRINTER
1938

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call No. AnnRep
WA28
KA8
N93
1937

To His Honour,

THE HONOURABLE ROBERT IRWIN,

Lieutenant-Governor of Nova Scotia.

Sir:—

I beg to present herewith the Report of the Department of the Public Health for the year ending November 30th, 1937 and of the Deputy Registrar General containing the Vital Statistics of the Province for the year ending December 31st, 1936.

I have the honour to be,

Sir,

Your most obedient Servant,

F. R. DAVIS,

Minister of Health

REPORT OF THE CHIEF HEALTH OFFICER

To the Honourable Frank R. Davis, M.D., F.A.C.S.,
Minister of Health.

Sir:—

I beg to submit my report for the fiscal year ending November 30th, 1937.

Health conditions in the province during the year were entirely satisfactory. There were fewer deaths and a lesser incidence of the combined infectious diseases than in the year just preceding. Communicable diseases with the exception of whooping cough and diphtheria, show either decreases or a tendency to follow the downward trend of recent years. There were no epidemics and most principal causes of death, with the exceptions, heart affections and cancer, show diminution. Particularly noticeable are the favourable morbidity and mortality record of Typhoid fever, epidemic meningitis, enteritis and dysentry. For the sixth consecutive year not one case of smallpox occurred. Deaths from accidental causes were twenty seven fewer than in 1935. The infant mortality rate is the lowest ever recorded. This is significant for the reason that the number of infant deaths is accepted by health students as one of most reliable indexes available in determining whether or not Public Health is advancing or retrogressing.

In Hygiene, as with the other sciences, there can be no standing still. The past decade has seen a more marked and more rapid development in health organization than in any other similar period of time. While the prevention and control of diseases are not wholly technical problems nevertheless today the health officer or worker must be technically trained. In addition he must understand human nature and possess sufficient common sense to enable him to deal successfully with the people while attempting to educate them and improve their environment.

With each succeeding year additional burdens are being placed upon the health department, which increases the

task of providing a service adequate to the public at large. Intimate touch has been kept with public health development in many places and an endeavour has been made to so adapt the provincial program as to make it suitable to the various needs as they arise. Fellowships have been procured through the International Health Division of the Rockefeller Foundation for the special training of certain staff members. Dr. C. J. W. Beckwith returned from Toronto University in July where he persued studies leading to a diploma in Public Health, and was, at once, placed as director of a health unit, which is being organized on Cape Breton Island. Dr. J. S. Robertson is now taking a similar course. Dr. Harold Robertson is in attendance at John Hopkins University, Baltimore, where he is receiving training in Vital Statistics and Epidemiology. Two nurses are being given courses in Public Health Nursing, one in Toronto and the other in Montreal. When all of these return and are interlocked with the existing organization, we shall have the nucleus of a real health department.

Heart Disease

In Nova Scotia, as well as in Canada, heart disease is the leading cause of death and the mortality rate from it has for some years been on the increase, and paralleling a corresponding decrease in deaths from the communicable diseases. The lowering in incidence and mortality of the acute infections has not come about by chance but as a result of vigilance on the part of health organizations, coupled with education of the public in the methods of prevention and treatment. Many heart affections are due to inevitable degenerative changes taking place with age. On the other hand many others are the result of preventable causes, consequently heart disease as a whole should receive a greater share of interest than has been accorded it, as a public health problem. In early life the majority of heart disorders follow acute rheumatic fever, diphtheria, whooping cough, septic sore throat and other infections, in adult life syphilis is a very important factor, consequently prevention of the diseases mentioned and proper treatment of these when acquired, will undoubtedly help to lessen the heart disorders which manifest themselves in middle life, often with fatal termination.

Cancer

During the five year period just past, deaths from cancer were as follows:

1932 - 628; 1933 - 638; 1934 - 688;
1935 - 617; 1936 - 687.

Cancer now stands second to heart disease as a cause of death and as in the case of the latter, the rate appears to be increasing. That affections like cancer, heart and artery diseases, all associated with upper age groupings, should show increases, is only to be expected, for there has been, of recent years, a decided ageing of the population. For years we have been successful in reducing the infant mortality rate and fewer people are dying of tuberculosis. The barriers placed against all acute infections have increased the prospect of more people reaching at least middle life. With more surviving the hazards of infancy and escaping epidemic diseases we must expect an increase in the crude death rate from cancer and the degenerative diseases. When however, the specific rates are studied and due allowance is made for better diagnosing, the increased prevalence is not so apparent.

While in many large centres, enormous sums of money are being spent on cancer research, we do not yet know the exact cause of it, nor do we know of any specific or quick cure for the condition after it has become well established. We do know however, that many forms of it can be cured if discovered early and treated efficiently. The aim then should be to find the cases as early as possible and to provide them with appropriate medical or surgical care. In order that this may be accomplished there must be co-operation between the people and the medical profession. All should study and remember the danger signs of this disease and report promptly whenever anything suspicious is observed.

To assist with the early discovery of cases and to insure effectual treatment of those found a tumour diagnostic service has been provided at the Provincial Labroatory and a Cancer Clinic established in connection with the Victoria General Hospital. Through the laboratory, physicians and hospitals may have suspected tissues examined without charge and patients suffering from, or thought to be suffering from

cancer, may be sent to the clinic for treatment or study. Surgery together with the judicious use of radium and X-ray is not only curing many of the early cases, but is lessening the sufferings of the more advanced ones and altogether returning many to their homes to continue their everyday avocations. Discharged patients are sent back to their physicians for follow up supervision and when necessary are returnep to the clinic for further treatment.

Tuberculosis

It is satisfactory to report a lower mortality rate from tuberculosis in 1936 than in the previous year. The death rate per 100,000 population now stands at 90.

The mortality from tuberculosis is slowly declining and much speculation has been indulged in as to the causes of this decline. Many reasons have been suggested by many observers. Among the more commonly advanced factors are institutional care, tuberculosis programs, education, improved living conditions and tuberculization. Just how much credit should be given each, it is impossible to say with any certainty. It is however, more or less safe to assume that a combination of all the named forces has been at work in producing the apparently consistent decline. While there may be agencies at work, over which we have little control nevertheless education has undoubtedly had its effect, improved living standards have contributed indirectly, hospitals and sanatoria have played their part and general antituberculosis schemes have had a marked influence. It has been said that tuberculosis rates will drop, even if nothing is done. This may, to an extent, be true, but there is evidence at hand, from studies made in many places, that rates will drop much more rapidly where reasonable antituberculosis programs are in operation.

In any tuberculosis movement, institutional beds are essential. These should be provided in sufficient numbers, with a proper distribution throughout the province. The construction of local hospital units would appear to best solve this phase of the question, particularly when it is essential to get the greatest return possible from every dollar

expended. After sufficient beds have been provided there will still be, for some years at least, many cases to be cared for in the homes. This can quite properly be done, in suitable homes, with an adequate follow up nursing service. Such follow up work should be done by public health nurses who have been given special training in tuberculosis. From whatever angle one studies the situation the need of more local hospital provision for the tuberculous pushes itself to the front. Today in many parts of the world this practice is common and consistently good results have been obtained where such systems are in operation.

In the year just past 573 persons received treatment in the Nova Scotia Sanatorium and 269 in the four general hospitals with special units. The work of the sanatorium has been of its usual high order and the hospital units have developed into centres where pneumothorax treatment is successfully carried out in addition to the usual rest cure.

The field work so important in any tuberculosis plan has been enlarged and improved, resulting in increased effectiveness and popularity. Surveys of young adult groups and normal school students have been made and the task of supervising contacts has been continued as far as feasible.

Elsewhere will be found the reports of the Divisional Health Officers and travelling diagnosticians giving valuable detailed information respecting the tuberculosis problem.

Whooping Cough

This disease like measles appears to come in regularly recurring epidemics. In 1936 it was prevalent, resulting in the sacrifice of 98 lives. In this province as elsewhere, it destroys more lives than any other acute infection. Most cases occur in young children and the mortality rate in infancy is distressingly high. The most infectious period is in the early stage, usually before the characteristic "whoop" manifests itself, as a consequence the disease is difficult to control. Its spread depends more upon the action of parents than that of the health officer, who is ordinarily unable to restrict the movements of children. Under no circumstances should

infants be wilfully exposed to this infection, by taking them to places where the disease is known to exist. The proper place for a baby is in the home. A great deal of experimental work is now being carried out with a vaccine which, it is thought, will be found valuable as a preventive.

Diphtheria

There were 17 deaths from diphtheria in 1936 and in the five year period 1932 to 1936 both years inclusive, 58 deaths. While this represents a gain when contrasted with the previous five year period, it is still not satisfactory for the reason that diphtheria is one disease which is definitely preventable; and if preventable, "Why not prevented". It appears that our failure to control diphtheria completely is largely due to apathy of parents, in responding to the advice of health educators who have been emphasizing and reemphasizing the possibility of its eradication for some years.

Diphtheria is made preventable by the use of a preparation known as toxoid. A small quantity of this preparation is injected beneath the skin on three occasions, three weeks apart, with little or no discomfort, particularly in infants. It is preferably given during the first year of life when reactions following its use are not met with, in fact reactions are rare in children under six years. It is important that plain toxoid of reliable manufacture should be used. The one dose treatment, advocated by some, with alum precipitated toxoid should be discontinued and instead three doses of the unmodified product given.

Diphtheria then can be almost completely wiped out if parents will see to it that their babies are promptly immunized as soon as they are six months old. A satisfactory start has been made with toxoiding in several centres and there are indications that others will soon take up the work. In the past eighteen months over 10,000 children have been given this protection.

Measles

In the calendar year 1936 six deaths occurred in the province from this disease. There were 24 deaths in 1935.

Measles recur at intervals with striking regularity, particularly in urban centres, hence periods of rise or fall in its incidence can be forecast with some assurance. In 1933 we ventured the opinion that 1934 would be a "measles year". The disease did strike late in the year and continued through the first half of 1935. It is usually conceded that we cannot hope to abolish measles entirely, consequently efforts are directed to measures which tend to avoid its complications or reduce these to a minimum. Immune serum has been used in an attempt to control it, but the difficulty of procuring an adequate supply stands in the way of making this measure generally applicable.

Scarlet Fever

Scarlet Fever claimed 9 lives in the past year. In 1935 there were 9 deaths from this cause, in 1934 eleven, in 1933 ten and in 1932 eighteen. While the virulence of this particular type of infection appears to have lessened of late years, nevertheless it is something to be reckoned with, especially in early life. Children should be screened from the infection during the first few years of life particularly. As they advance in years they become less susceptible to it until finally a considerable degree of immunity develops. In the prevention of Scarlet Fever a protective agent known as toxin is coming more and more into favour and a serum is frequently used for treatment purposes.

Infantile Paralysis

In 1932 four persons died of Infantile Paralysis; in 1933 six; in 1934 four; in 1935 two; and in 1936 one.

Early in July 1937 this disease again appeared. Between that time and the first of November fifty four cases were reported with four deaths. While its presence was most disturbing to both health officials and parents, at no time was there a suggestion of an epidemic. Perhaps no other disease has attracted so much attention in the past few years as so called Infantile Paralysis. This, no doubt, is due to its crippling sequelae and also to the fact that we have no certain knowledge as to the exact channels through which it is propagated.

As each case occurred throughout the summer and autumn, it was promptly isolated and all other measures considered of benefit in the control of any infection were made use of. While there are differences of opinion respecting the effectiveness of convalescent serum, nevertheless it was used. From supplies prepared in the Public Health Laboratory we were able to meet the demands of the province. Certain nasal sprays have been suggested as preventives. One of these was widely used in the City of Toronto with disappointing results.

Small Pox and Vaccination

Between 1900 and 1920 Small Pox in North America was generally of a mild type. This led people to believe the disease had lost its old time virulence and as a consequence the process of vaccination was neglected. Of recent years Small Pox of a malignant type suddenly appeared in two Canadian cities which stimulated the inhabitants of those centres to renewed interest in the necessity of the protection afforded by vaccination. While we have not had a single case of Small Pox in this province for some years, it may be introduced at any time, consequently all parents are advised to have their children protected by successful vaccination.

Typhoid Fever

There were 4 deaths from Typhoid Fever in 1936, and seven in 1935. We have been favoured during the past decade, with a low incidence of this disease. Most of the cases occurring have been traced to carriers. Improved sanitation has been responsible for the satisfactory decrease in Typhoid. Through the protection of water supplies and adequate disposal of sewage the people have reasonable assurance against the devastating outbreaks which were too common in the past. While formerly many communities expected to have several deaths each season from this cause, now the appearance of a single case arouses the health official and a search for the source is, at once instituted.

During the year the department field force did some really spectacular work in searching out foci of infection. As a result no fewer than five Typhoid Carriers were located.

Venereal Diseases

In 1936 twenty nine deaths were reported as due directly to the so-called Venereal Diseases. This of course does not give a true picture of their prevalence, since a search of mortality tables will reveal many deaths indirectly due to these. Many innocent children are infected because their parents did not receive proper or adequate treatment and many inmates of mental hospitals owe their condition to Syphilis. Syphilis is not a respector of age or class and it ranks among its victims rich and poor, old and young. If an expectant mother is affected with this disease and remains untreated, the child is either destroyed or a syphilitic one is almost sure to be born. If, on the other hand, proper treatment of the mother is instituted before the fifth month of pregnancy and continued vigorously throughout the remaining months a healthy child will ensue.

The control of the venereal diseases depends, to a large extent, upon early discovery, prompt treatment and prevention of exposure. When a health department attempts to make practical application of these factors it is caught up in a network of difficulties that arise on almost every side. Ignorance, obstinacy, resistance to governmental regulations, stigma, sex, immorality, failure of physicians to report cases seen and the weakness of human nature all militate against success. While considerable progress has been made by providing treatment for infected persons, nevertheless if these diseases are to be brought completely under control the real start must be made in the home where education tending to uplift public morals must have its beginning.

Infant Mortality

An examination of statistical tables for the year 1936 reveals 781 infant deaths with a rate per 1000 living births of 66.1, the lowest ever recorded in Nova Scotia. This pronounced reduction is one of the most encouraging signs in the entire field of Public Health, since it is generally accepted, that the infant death rate is the most reliable index we possess of measuring healthfulness and of assessing the worth of existing health programmes. Only a few years ago one hundred out

of every one thousand born alive died before their first anniversary. A falling infant death rate is indicative of improvement in child health and care. Education on the feeding and general oversight of the infant, has been, to a large extent responsible for the satisfactory improvement.

Maternal Mortality

Deaths of mothers in childbirth and from complications attending childbirth numbered 51 in 1936, yielding a rate of 4.3. This represents a substantial gain when contrasted with the rate of 5.3 the year before. While our maternal mortality rate compares favorably with the other provinces, there is still room for some improvement. It appears to be on a slightly downward trend and the hope is expressed that a continuance of efforts to promote maternal care, will still further affect it favourably. Every expectant mother must be taught the value of pre-natal attention, the importance of periodic examinations by a competent physician and the general care she should have before, at the time, and after the child is born. During the year pre-natal and post-natal letters were sent to hundreds of mothers and prospective mothers. These letters gave simple yet detailed instructions respecting the care she should take of herself, as well as specific information on the methods to be employed in rearing a healthy child.

Accidental Deaths

There were 325 accidental deaths in the province during the year 1639 A partial analysis of these show automobiles and cycles responsible for 60; drowning for 49; burns for 16; mines and quarries for 19; suicides for 33; and water transportation for 20.

Accidents although perhaps technically outside the field of public health, are so numerous that one is almost forced to comment upon them, inasmuch as it is thought many are preventable. In the prevention of violent deaths, enforcement of regulations nd encouragement of safety campaigns are important. It is realized however that laws or regulations

will not prevent fatal accidents unless citizens show a disposition to support and obey them. The schools are doing splendid work in teaching safety to children but the pre-school children do not benefit from this instruction, consequently the responsibility of keeping the younger ones off the streets rests upon parents.

Milk

The protection of the public health through the regulation of the quality of milk supplies was, as usual, given a place of first importance. All health workers agree that milk is the most important and best single article of diet inasmuch as it contains practically all the elements of a properly balanced diet. On the other hand when not adequately supervised all the way from producer to consumer, it has been responsible for more disease than any other food. The accumulation of knowledge regarding infectious diseases and their control led to greater efficiency in the sanitary handling of milk. Public Health bodies now realize that in order to protect the public against certain dangers that lie hidden in unprotected supplies, regulations must be observed by persons engaged in milk production and marketing.

Since milk is such an important food, and at the same time such a dangerous one if not properly protected, much attention is directed to ensuring a clean safe supply for all citizens. To this end special regulations are made and systems of inspection are in vogue. Much importance is placed on the necessity of producing a cleanly product, of paying particular attention to the health of cows and of milk handlers. In addition to a system of inspection, and in order to prevent the transmission of diseases through milk, pasteurization of the product is recommended. Pasteurization does not change its taste, appearance, digestibility or food value. It is the cheapest, simplest and most reliable method of rendering it safe. An encouraging sign is the rapid increase in the number of pasteurizing plants throughout the incorporated towns of the province. All of these have been inspected by the sanitary engineering section and were found, with few exceptions, to be in proper order.

Laboratories

Growth in the work of the bacteriological and pathological laboratories, especially the former continues. The number of examinations and diagnostic tests are increasing so rapidly that it is frequently necessary to keep the personnel working long after the regular hours. Wider application of laboratory facilities means better methods of disease control and, as a consequence, better service to the people generally. A glance at the directors' reports is sufficient to convey some idea of the scope and extent of this service.

Sanitary Engineering

The bureau of sanitary engineering, established a little more than a year ago, is one of the most important sections of the Health Department. The specially trained engineer, who directs this bureau gives a consulting and advisory service to local health officers and others in the promotion of safe water supplies, adequate sewage disposal, hygienic milk dairies and sanitation generally. This division has had an exceedingly busy year. Its achievements should, in the years to come, be reflected in a lessening incidence of diseases and in decreasing death rates from the various disorders, attributable to insanitary community conditions.

Public Health Nursing

While the public health nursing movement is a development of recent years only, it is nevertheless firmly established. The project is definitely past the experimental stage and a great deal of information is available from which it may be evaluated. Among the more noticeable results are the beneficial effect on the health of school children, the increasing importance placed upon pre-natal and post-natal care and the extent to which general health educational propaganda has permeated into the homes. Public Health nursing includes assistance to the expectant mother and baby, supervision of the pre-school and school child, service in the control or prevention of communicable diseases and health education. All work is carried out under the direction of practicing physicians and constituted local health authorities.

Within the year the department nurses inspected 40,259 school children, 7,236 special interviews were held with various officials and 14,133 home visits were made in the health interests of 20,323 persons.

Looking back over the year's public health activities, I am in a position to report definite advances. We perhaps do not fully appreciate how fortunate we are to be living in a province so well protected against pestilential diseases, which in other countries, are still the cause of much suffering, wretchedness and death. On the other hand we must not think that the end has been attained for we have still a long way to go. The health of any community may be considered a fair index of its intelligence. It has been well said that "A nation's greatest asset is the health of its citizens".

In conclusion permit me, Sir, to acknowledge my appreciation of your many courtesies. I wish to thank the Divisional Officers, Laboratory Directors and Sanitary Engineer for their loyalty and sound advice. I have, at all times, received the unfailing support of all staff members. Grateful acknowledgement is expressed for the splendid cooperation extended by the medical profession and many members of the various voluntary health and social organizations.

I have the honour to be, Sir,

Your obedient servant,

P. S. CAMPBELL, M.D.,
Chief Health Officer

Halifax, N.S.,
November 30, 1937.

REPORT OF THE DEPUTY REGISTRAR GENERAL

To the Honourable Frank R. Davis, M.D., F.A.C.S.,
Registrar General.

Sir:

I beg to submit the report of the Deputy Registrar General for the year 1936.

In the calendar year 1936 there were 11808 living and 292 still births, representing an increase of 191 living and a decrease of 50 still births as compared with 1935. The deaths from all causes numbered 5897, being 217 fewer than in 1935. 781 infant deaths occurred, yielding a rate of 66.1, the lowest ever recorded. Diseases of childbirth, pregnancy and the puerperal state were responsible for 51 lives, with a rate of 4.3. This rate is lower than that obtaining in most of the other provinces. 4129 marriages were solemnized, 183 more than in 1935.

Since the Vital Statistics Act was passed in 1908 thousands of birth and death certificates have accumulated. The statistical bureau is prepared to issue, on request, certified copies of these documents. There is a constant and increasing demand for such certificates and, needless to say, they are used for a wide variety of purposes. Unfortunately many persons exhibit gross carelessness in the preparation of those important documents. Almost every month records are received which must be returned for the addition of important details. Frequently the errors involved are not discovered until years after they are filed, at a time when it is impossible to establish the facts of error. Then those most intimately concerned are prone to blame the Department for inaccuracies over which it has no control whatsoever.

Too many persons do not give serious thought to the importance of accurate and complete registration. In order that health authorities may study intelligently, health conditions in the province, it is imperative that they know the facts. It is self-evident that these facts cannot be known

without proper and complete registration of births and deaths. Vital statistics are of inestimable value to public health workers inasmuch as they furnish the data for the promulgation and development of policies that will lead to mitigation of suffering and the conservation of life.

Appended are the usual tables of births, deaths and marriages with rates of each, as well as classifications in place, time, sex, age and nativity by cities, towns and counties.

I have the honour to be, Sir,

Your obedient servant,

P. S. CAMPBELL, M.D.,
Deputy Registrar General.

Halifax, N.S.,
November 30, 1937.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

I beg to submit my report for the fiscal year ending November 30, 1937. A review of work done compares well with that of other years, and on the whole, the picture of Public Health is quite bright, so we have every reason to feel that satisfactory progress is being made. Results of Public Health efforts are probably hard to appraise; the measuring stick being a combination of time and deductions. Values are determined by a survey of general health conditions and striking a series of comparisons. Odious as comparisons are supposed to be, they, nevertheless, show us in cold figures and give us the facts, whether there is progression or retrogression, in the age old struggle of man versus disease.

The comparative figures of two or three successive fiscal years cannot be taken as a fair criterion of the downward or upward trend of disease. This is quite evident in quoting figures for tuberculosis. While the variation may be slight

in recent sets of figures, to get a correct picture of the decline of this disease we must go back a couple of decades and compare the mortality rate at that time with that of the present, and so doing we see that wonderful advances have been made, and that the disease is slowly but surely following the downward path.

In my work for the year I was not able to devote as much time to tuberculosis as in other years, having been called on frequently in other departmental activities. Clinics held in various points of my division were well attended and it is gratifying to note the increasing interest on the part of the people in the prevention and control of tuberculosis. At this point I wish to comment on the splendid cooperation of all the local doctors in doing tuberculosis work. This cooperation is absolutely essential in the launching of any Public Health program, and with this continued support of the doctors and of the public we are assured of a great measure of success.

Considerable time was devoted to investigating small typhoid outbreaks in one or two sections of the province. These investigations were carried out to determine the cause of the outbreaks, and in this we were quite successful, insofar, that we were able to uncover at least four typhoid carriers. This, I think, is the largest number discovered in any one year in the history of the province. Investigations have not yet been completed, and it is our aim and hope to find more carriers of the disease in the near future. The success of these investigations was largely due to the untiring energy and determination of the nurses under my direction.

Acting on your instructions, I carried out the annual inspection of the greater number of our provincial Humane and Penal Institutions, and my reports have been regularly submitted. With respect to the above institutions, I must say that I have noted a marked improvement in the conduct and upkeep in the majority of them. Generally speaking, I would say the standard is quite high, and inmates of all types are being well and carefully looked after.

I was also engaged at various times doing investigation work and making reports on cases submitted to me by the Divisions of Child Welfare, and of Education.

In September I was pleased to act as representative of the department at the meeting of the Canadian Hospital Council, held in Ottawa. This organization meets every second year. This meeting, to me, was very interesting and instructive, and much information was gained concerning the problems of hospitals throughout Canada.

I was also pleased to attend the meeting of the Prince Edward Island Tuberculosis League at Charlottetown held in October. The sessions were well attended, and the discussions worthy of much favorable comment. One was struck with the thought that the Tuberculosis League of PrinceEdward Island was a very active one and doing splendid work in the anti-Tuberculosis field.

The following is a resume of clinical work done by me during the year. This does not include X-ray work.

No. of positive cases seen for the first time	187
No. of positive cases re-examined	374
No. of suspected cases seen for the first time	87
No. of suspected cases re-examined	59
No. of negative cases seen for the first time	888
No. of negative cases re-examined	301
Total	1896

I wish to take this opportunity of extending my appreciation to the Honourable Minister for his kind cooperation; and to you Sir, for your ever available and valuable advice on all departmental matters; and to all members of the staff for their kind assistance. I am ever conscious of the part our nurses play in the Public Health work and extend to them my personal thanks.

Respectfully submitted,

J. J. MacRITCHIE, M.D.,
Divisional Medical Health Officer

Halifax, N.S.,
Nov. 30th,1937.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER

To the Chief Health Officer:

As Divisional Health Officer for the Eastern Division of Nova Scotia, I beg to submit my annual report for the year 1936.

During the year clinics for known and suspected cases of Tuberculosis were held at the various towns and villages throughout the Division, each outlying district being visited at least twice, the Tuberculosis Units were visited at frequent intervals in order to assist with difficult cases. Besides this my services were available on call at all times for suspected cases. Due to the increasing interest of the practitioners in the treatment of tuberculosis it is usually only necessary to visit for the purpose of a check up and to reassure the patient.

Also the increased facilities for the obtaining of air refills for pneumothorax patients have helped materially, as many patients now have a much shorter hospital stay and only move from their homes for their treatment refill. The following centres are now available: Sydney (both hospitals), Glace Bay (both hospitals), North Sydney, Baddeck, Inverness (both hospitals), Port Hawkesbury, and Antigonish. It would also be of advantage if Pneumothorax centres could be established at such places as Cheticamp, St. Peters, Canso, and New Waterford. In this way the travel distance of any tuberculosis patient to obtain a pneumothorax refill would be short. Several physicians also have portable apparatus which can be used when necessary for bed ridden cases or in emergencies.

The examination of contacts, especially in the outlying districts, will not assume its proper importance till facilities for fluoroscopy and X-ray are available in a form that will permit their use in these localities. The reason for this being that early cases of tuberculosis and the childhood form of tuberculosis are usually detectable only by means of the X-ray.

The increase of the nursing staff with probable further increases is of inestimable value in the control of tuberculosis. Without the willing, intelligent, self-sacrificing services of the P.H. nurses, the work would go forward very slowly indeed. Their work in the examination of school children and the resultant follow-up enables them to maintain contact with the home life of the people and thus spread their doctrine of prevention to the best advantage.

With regard to the use of toxoid as a preventive against diphtheria a large number of pre-school and school children have been immunized by means of this agent, the necessary injections being given either by the local M.O.H. or their family physician. In Cape Breton County especially, where there have been sporadic outbreaks of diphtheria for some years, a large number have been immunized by the local M.O.H.'s. Eventually when all the children have been immunized we can hope to see the end of such outbreaks, which though usually mild have caused the occasional death.

In this as in other areas a large number of children are unvaccinated but of late there seem to be fewer objectors and I feel that an intensive campaign would result in a much larger number of protected children. Small-pox infection is still a menace, especially in seaport towns with frequent visitations from possible sources of small-pox.

During the year a number of school teachers under the Disability Pension Fund of the Department of Education were visited and examined.

Various lectures were given to interested bodies, and I would especially mention the Parent-School Associations which I would consider fertile ground for disseminating educational material.

At this time I would like to express my appreciation to the Honorable Minister for granting me leave of absence that I might attend the School of Hygiene, University of Toronto, the course leading to the Diploma in Public Health. I feel that this will put me in a better position to aid in the forward moving Public Health development.

The following is a report on the physical and X-ray examinations carried out during the year.

Physical Examinations:

Number of positive cases seen for 1st time	126
Number of positive cases re-examined	507
Number of suspected cases seen for 1st time	140
Number of suspected cases re-examined	49
Number of negative cases seen for 1st time	733
Number of negative cases re-examined	200
Total	1755

X-ray Examinations:

Number of positive cases seen for 1st time	156
Number of positive cases re-examined	355
Number of suspected cases seen for 1st time	122
Number of suspected cases re-examined	50
Number of negative cases seen for 1st time	960
Number of negative cases re-examined	98
Total	1741

Respectfully submitted,

J. S. ROBERTSON, M.D.,
Divisional Medical Health Officer

Toronto, Ont.,
Nov. 30, 1937.

REPORT OF DIVISIONAL MEDICAL HEALTH OFFICER, DISTRICT HEALTH UNIT OF CAPE BRETON ISLAND

To the Chief Health Officer:

The following report is for the purpose of completing the year to November 30, 1937, the first ten months of which is covered by the report of Dr. J. S. Robertson. No finer tribute can be paid Dr. Robertson than to say he enjoyed the confidence and respect of the physicians with whom he worked.

In the course of developing this District Health Unit, which had its origin in the Fall of 1937, a considerable proportion of time was spent in making contacts with the Doctors, as well as with civic and municipal authorities, to inform them of the activities of the Department of Health and the increased function of the District Office, embracing as it now does, all phases of public health and preventive medicine.

The first function of the District Health Office is to comprehend the health problems within the unit. For this purpose a system must be evolved whereby information can be obtained from the various localities and this information classified to give the present status of the various health problems and also to indicate progress as time passes. Adequate and dependable data will make leadership possible in the campaign for improved community health. Such a system, of necessity, takes time to evolve, but a beginning has been made.

The district nursing staff was increased in September by two qualified Public Health Nurses, thus giving the Island the services of five full-time nurses and one other whose service is divided between the Island and the mainland. With the increase in nursing staff, the large territory was sub-divided into smaller districts. This has resulted in more efficient service in the territory so divided. In any public health program, the value of the well trained and sympathetic nurse cannot be over estimated. An additional increase in staff, which will occur in the near future, will result in further subdivision of the whole territory, with consequent improved service throughout.

The travelling diagnostic clinic has been maintained and the demand for its services appears to be as great as ever. This clinic, in conjunction with the interpretation of x-ray films of the chest taken in the various hospitals in the Island, gives us first-hand and more complete information concerning pulmonary tuberculosis than would otherwise be possible, insuring, as it does, prompt notification of new cases and closer co-operation of the nursing staff with the physician who is responsible for the patient.

Report of Tb. Clinic Work.

Sept. 15—Nov. 30—1937.

Physical Examinations of the Chest.

First Examinations.		(Minimal 19)		
(a)	Adult Tb.	(Mod. Adv.17)	63 or 20%	
		(Far. Adv. 27)		
(b)	Suspected Tuberculosis		39 or 12%	
(c)	Negative		218 or 68%	
Total First Examinations			320 or	51%
Re-Examinations.		(Minimal 43)		
(a)	Adult Tb.	(Mod. Adv. 54)	211 or 68%	
		†(Far Adv. 114)		
(b)	Suspected Tuberculosis		13 or 4%	
(c)	Negative		84 or 28%	
Total re-Examinations			308 or	49%
Total Physical Examinations			628 or	100%

X-Ray Examinations of the Chest

First Examinations.		(Minimal 32)		
(a)	Adult Tb.	(Mod. Adv.11)	55 or 15%	
		(Far Adv. 12)		
(b)	Suspected Tuberculosis		48 or 13%	
(c)	*Primary Infection Type		32 or 8%	
(d)	Negative		241 or 64%	
Total First Examinations			376 or	66%

Re-Examinations.	(Minimal 33)		
(a) Adult Tb.	(Mod. Adv.42)	132 or	68%
	†(Far. Adv. 57)		
(b) Suspected Tuberculosis		16 or	8%
(c) *Primary Infection Type		8 or	4%
(d) Negative		37 or	20%
Total Re-Examinations		193 or	34%
Total X-Ray Examinations		569 or	100%

*Childhood Tuberculosis.
†Pneumothorax patients become automatically "far advanced."

It is of more than passing interest to note that in the last ten weeks of interpreting x-ray films, of all new cases positive for tuberculosis, 58.1% have been in the minimal stage, 20% in the moderately advanced stage and 21.8% in the far advanced stage. These figures are in sharp contrast to the ratios of a few years ago when a great majority of cases were far advanced when they came to the attention of the Doctor and it betokens well for the control of this disease, providing an adequate number of beds are available for treatment.

Finally sir, may I add a word of appreciation of the fine type of nurses we have in this unit and of the service of the office staff. I would also offer my sincere thanks to your own office and to the Honorable Minister, for the co-operation and help which I have always received.

C. J. W. BECKWITH, M.D., D.P.H.,
Divisional Med. Health Officer.

Sydney, N. S.,
November 20, 1937.

REPORT OF TRAVELLING TUBERCULOSIS DIAGNOSTICIAN

To the Chief Health Officer:

As Travelling Diagnostician from the Staff of the Nova Scotia Sanatorium, I beg to submit my report for the fiscal year ending November 30, 1937.

There were three complete clinic tours of the Counties of Lunenburg, Queens, Shelburne and Yarmouth, occupying about fifteen weeks. There was also a short clinic to Hubbards and New Ross requiring three days in August.

In all, 1850 cases were examined. These may be classified as follows:

Number of positive cases seen for the first time	129	
Number of positive cases re-examined	611	
Total Positive cases examined	740	40%
Number of suspected cases seen for the first time	76	
Number of suspected cases re-examined	36	
Total Suspected cases examined	112	6%
Number of negative cases seen for the first time	598	
Number of negative cases re-examined	400	
Total Negative cases examined	998	54%

Of the positive re-examination cases, 8 were previously negative and 5 were previously suspected cases of tuberculosis. This brings the total number of new cases discovered in this district to 142 for the past year.

A full typewritten report was given to the family physician in each of the 1850 cases examined.

We now have centers for the administration of artificial pneumothorax treatment in Lunenburg, Bridgewater, Liver-

pool and Yarmouth. It is therefore possible to bring about the early discharge from the Sanatorium of pneumothorax patients from these districts. We hope to see a centre established for this purpose in Shelburne County but at the present time there is no X-ray or fluoroscopic equipment available there for the proper observation of such cases. We are pleased to note that all the physicians giving this form of collapse therapy now have a fluoroscope at their disposal and are therefore able to afford better supervision of their treatments.

In addition to the routine clinic work, several talks were given to public meetings and before clubs on the general subject of the Public Health aspect of Tuberculosis. A short address entitled "The Office Diagnosis of Pulmonary Tuberculosis" was presented before the Western Nova Scotia Medical Society.

I wish to thank all the medical men in these districts for their co-operation during the clinics. Most especially are we indebted to those physicians and hospitals who so generously permitted the use of their fluoroscopic equipment for diagnostic purposes free of charge. I should also like to mention the unceasing and untiring efforts of the District Health Nurses who make the successful carrying on of the clinics possible. To Doctor Miller, Superintendent, and Doctor Corbett, Radiologist of the Nova Scotia Sanatorium, I wish to express my sincere appreciation of their ready assistance at all times.

To you, Sir, and to the Honourable Minister, I would express my thanks for your kind co-operation and counsel whenever required.

Respectfully submitted,

J. E. HILTZ, M. D.,
Clinic Examiner.

Halifax, N. S.
Nov. 30, 1937.

REPORT ON THE WORK OF THE PUBLIC HEALTH LABORATORY

To the Chief Health Officer:

During the fiscal year ending November 30, 1937, a total of 51,720 specimens of various kinds were examined and reported upon. They have been classified as follows:

Kahn Tests, Blood		9895
Positive	1324	
Negative	8168	
Unsatisfactory	403	
Hinton Tests, Blood		9031
Positive	1817	
Negative	7214	
Eagle Tests, Blood		1434
Positive	279	
Negative	1155	
Smears for Gonococci		6224
Positive	1846	
Negative	4327	
Unsatisfactory	51	
Sputum for Tubercle bacilli		8131
Positive	2286	
Negative	5822	
Unsatisfactory	23	
Throat Swabs		3452
Diphtheria		
Positive	314	
Negative	2844	
Vincent's Angina	24	
Haemolytic Streptococci	233	
Unsatisfactory	37	
Spinal Fluids:		
Routine		394

Lange curve			359
Kahn test:	Positive	50	
	Negative	351	401
Urine for Tubercle Bacilli			572
	Positive	59	
	Negative	513	
Widal Agglutination Tests			
B. typhosus	Positive	71	
	Negative	269	340
B. paratyphosus A	Positive	3	
	Negative	337	340
B. paratyphosus	Positive	16	
	Negative	324	340
Br. abortus	Positive	13	
	Negative	940	953
Br. melitensis	Positive	4	
	Negative	946	950
B. proteus X. 19	Positive	1	
	Negative	334	335
Unsatisfactory			9
Blood cultures for Typhoid Bacilli			83
	Positive	22	
	Negative	61	
Faeces for Typhoid Bacilli			1410
	Positive	90	
	Negative	1320	
Pleural Fluids for Tubercle Bacilli			154
	Positive	23	
	Negative	131	
Pus for Tubercle Bacilli			64
Eye Smears for Gonococci			148
Water			1899
	Bacteriological	1410	
	Chemical	489	

Milk and Cream		4288
Bacteriological	3889	
Butter fat	291	
Special	108	
Cows' Bloods for Br. abortus		362
Positive	74	
Negative	288	
Miscellaneous		152
TOTAL		51,720

YEARLY REPORT, 1937

This is the 41st annual report of the Public Health Laboratory and represents an increase of 6828 specimens over that of the preceding year and is greater than the total work carried out in the first twenty nine years during which the Laboratory functioned. As usual, the increase is spread quite generally over most of the items in the classified list, but particularly in the venereal disease department and in examinations directed towards the diagnosis and control of tuberculosis and enteric fever. A more determined effort was made during the past year to reduce the residual typhoid morbidity and this resulted in the detection of several chronic typhoid carriers in different localities throughout the province. An increase in the incidence of acute poliomyelitis in the province, together with the knowledge of a severe epidemic of this disease in Ontario, prompted the preparation of an unusually large amount of convalescent serum which, despite widespread disagreement as to the value of serum in this disease, was always available and promptly delivered to physicians at all times.

No change was made in the personnel of the Laboratory staff. The increasing volume of work throws an extra burden on all the members of the staff but they have succeeded during the past year in examining and reporting all specimens promptly. This is made more difficult by the inadequacy of some of the fixed equipment of the laboratory which was installed when the work done was about 15% of that done at

present and the great increase in so short a period could not be foreseen, but which must be corrected in the immediate future.

The Director wishes to note with appreciation the co-operation which he has received at all times from the Chief Health Officer, Divisional Health Officers and Public Health nurses, as well as the very efficient way in which every member of his staff carried out their duties throughout the entire year.

All of which is respectfully submitted.

D. J. MacKENZIE, M. D.,
Director of Laboratories,
Department of Public Health.

Halifax, Nova Scotia,
November 30, 1937.

REPORT OF PROVINCIAL PATHOLOGIST

To the Chief Health Officer:

During the 12 month period, 2957 specimens of tissue of various kinds were received and reported upon. They have been classified as follows:

Tumours, malignant	389	
Tumours, simple	276	
Tumours, suspicious of malignancy	19	
Other conditions	1837	
Tissues from 79 autopsies	436	
		2957

The monthly average for the year was 246.

For the previous year, 1936, the monthly average was 220.

During the year 32,819 specimens of various kinds were received and reported upon.

They have been classified as follows:—

Blood		13,129
Bilirubin–Van den Bergh Qualitative	34	
Van den Bergh Quantitative	5	
Fouchet Test	41	
Icterus Index	69	
Bleeding time	79	
Calcium	24	
Chlorides	4	
Cholesterol	1	
Clot Retraction	6	
Coagulation Time	625	
Compatibility	319	
Counts, Arneth	8	
Full Blood Pictures	6,796	
Haemoglobin (alone)	9	
Leucocyte and Red cell (alone)	618	
Platelet	13	
Reticulocyte	23	
Schilling	3	
Blood films, differential count	329	
Blood films, Malarial parasites	5	

Creatinine	865
Cultures	85
Fragility Test	8
Globulin	1
Grouping	401
Kahn Test	1
Phosphorus	9
Sedimentation Test	43
Spectroscope Test for Monoxide Poisoning	1
Stains on garments for Human Blood	15
Sugar	936
Sugar Tolerance	7
Urea Nitrogen	884
Urea Clearance Test, Van Slyke	2
Uric Acid	860

Exudates and Transudates (General Examination and Culture) 177

Abdominal fluid	15
Fluid from cyst	1
" " gland	1
" " hand	1
" " hip	1
" " knee	25
" " neck	4
" " testicle	1
Drainage Gall-bladder	5
Pleural Fluid	54
Pus, various sites	65
Pus, Actinomycosis	3
Pus, B. Welchii	1

Faeces 737

Blood	600
Bile and Urobilin	16
Cultures for Organisms	11
Fat	4
Microscopical Examination, general	18
Pancreatic Insufficiency	21
Parasites	67

Hair and Skin for Ring Worm Parasites		2
Gastric Contents		262
Alcohol	9	
Fractional Test Meals (Complete) (Analysis)	201	
Poisons	8	
Duodenal Contents	6	6
Routine and Giardia Lamblia	6	
Smears		9
Urethral	2	
From Vagina for Trichomonas hominis and Gonococci	3	
For Vincent's Angina	2	
Dark Ground Illumination for Spirochaetes	2	
Swabs		340
From Abdomen	5	
" Abscesses (various sites)	23	
" Appendix	3	
" Arm	1	
" Breast	11	
" Ear	9	
" Eye	73	
" Finger	6	
" Leg	3	
" Mouth	3	
" Nose	4	
" Post Mortems	5	
" Rectum	4	
" Teeth	1	
" Throat	167	
Other Swabs	27	

Sputa		96
Bile	1	
Curschmann's Spirals	3	
Eosinophiles	1	
General Examination for Organisms	56	
Typing for Pneumococcus	35	
Tissues		2,929
Examination of Transudates for Tumour Cells (As tissues)		28
Urines		15,004
Acetone	1248	
Albumen (alone)	18	
Bence Jones Albumoses	2	
Bile	17	
Blood	5	
Calcium	2	
Chlorides	1	
Cultures	120	
Cystoscopic from Ureters	250	
Diacetic Acid	457	
Hydrogen Ion Contest	198	
Indican	6	
Lead	14	
Mercury	4	
Microscopical examination (alone)	148	
Phenolsulphthalein test	6	
Phenolhydrazine test	1	
Routine	10,400	
Specific Gravity Test	6	
Sugar	2033	
Sugar Tolerance	11	
Strychnine	1	
Urea Concentration Test (McLean)	20	
Urea Clearance Test (Van Slyke)	2	
Urobilin	8	
Uric Acid	2	
Friedmanns' Modification of Zondek-Ascheim Test	24	

Vaccines		52
For Acne	9	
For Boils	14	
For Bronchitis and Asthma	20	
For Coryza	8	
From Chronic osteomyelitis	1	
Vomitus		5
For Blood	1	
For Parasites	1	
Routine	3	
Water		6
Chemical Analysis	6	
Miscellaneous		45
Analysis Lemon & Vanilla Base	5	
" Vanilla & Camarin	2	
" Milk Chemical and Bacteriology	1	
Dressings etc. from Operating Room	3	
Calculus for Chemical Content	18	
G. C. Complement Fixation Test	1	
Identification Wool fibres from Hat	1	
" Cotton & Wool fibres from waste mat	1	
Identification Stains	3	
Parasites for diagnosis	2	
Poisons, Cloth from dress	1	
" Organs Cow	1	
" Tea	1	
Stains on garments-seminal	5	

It is pleasing to note that the laboratory facilities are still being used to the fullest advantage by the clinical staff of the Victoria General Hospital and the physicians of the Province. An increase of 3,235 examinations of various types is noted. This includes an increase of approximately 300 tissue examinations. Complaints are conspicuous by their absence.

My assistant, Dr. G. A. McCurdy who left in June, 1937, to fulfil the position of Pathologist to the Royal Jubilee Hospital, Victoria, B.C., has been satisfactorily replaced by Dr. C. W. Taylor, Birmingham, England. My Technician, Miss Whidden, continues as formerly to give able, loyal and valuable assistance and service.

RALPH P. SMITH, M.D., D.P.H.,
Provincial Pathologist

Halifax, Nova Scotia,
November 30, 1937.

REPORT OF THE SANITARY ENGINEER

To the Chief Health Officer:

As Sanitary Engineer for the Province of Nova Scotia, I submit herewith my annual report for the fiscal year ending November 30, 1937.

During the past year, routine inspections of public water supplies have been carried out, as well as a few special investigations.

Abnormal weather conditions resulted in very poor quality of water in many towns. Of those towns using unchlorinated surface water, none was reported free from B. Coli during the entire year; one was free except for one tube of the January sample, one except for one tube in December, 1936, and a third free except for two tubes in August. One village using spring water was reported clear; samples have been examined, however, only since May, one monthly sample having been omitted during that period.

Of the surface waters treated with chlorine gas, only one showed marked pollution; two were completely free; one showed B. Coli in two tubes (in October) for the first time in several years; the remaining one gave fair results. It is, therefore, encouraging to find that there is a sentiment growing in favour of Chlorine, and that during the coming year

we may expect to find chlorinators installed in at least four or five more systems. The City of Sydney has ordered a chlorinator, to be installed early in 1938.

Improvements have been made to other water systems. At Baddeck, the dam has been strengthened and tightened, which will enable a greater storage of water there. The work, however, was not done as a permanent job. At Inverness, the main from one of the storage reservoirs has been repaired. In other towns, reservoirs have been cleared and minor repairs made.

Routine inspections have also been made of pasteurizing plants through the Province. It is encouraging to note that about ten new plants have started during the period November 30-36—November 30-37. Two or three more are in prospect. Some hotel and tourist camp inspection was carried out in some of the central counties; work of this nature was also done in other parts of the Province by some of the medical officers of the Department.

One new problem has been encountered. In a few districts, suburban developments are growing up very rapidly. As these are not included in the limits of a city or town, they lack many of the facilities for proper sanitation. They are not within the jurisdiction of a city or town, and neither the counties nor the Province have building codes; consequently building in these areas is entirely unregulated.

This department is now studying this problem, and will make further studies on the basis of regulations existing in places where this problem has been encountered and at least partially solved.

Respectfully submitted,

R. DONALD McKAY,

Sanitary Engineer.

Halifax, N.S.
November 30th, 1937.

REPORT OF THE SUPERINTENDENT OF NURSING SERVICE

To the Chief Health Officer:—

I beg to submit my report for the year ending November 30, 1937.

Four new nurses were taken on the staff during the year. Miss Mary T. MacDonald replaced the nurse who accepted another position, and Miss Helen Brophy replaced the one who resigned to be married. Miss Ella Hunson and Miss Edna Pitts were added to the Cape Breton staff in October.

The appended summary, which was prepared from the reports of the nurses, show an increase in the time spent on clinic work. They spent ten percent of their total working hours on clinic work this year and only eight percent of their time was given to this work in 1936. The time that they spent on office work this year was decreased two percent. Twenty-five per cent of their time was spent in homes, and twenty percent in class rooms.

The nurses this year were on duty for 134 months in comparison with the 121 months service given by them the previous year. The most marked increase in their activities is as follows:—

	1937	1936	Increase
Cases visited in Homes	20323	17493	2830
Persons interviewed in interest of work	7236	4996	2240
Pupils examined	40259	38120	2139
Tuberculous cases visited	8077	6627	1450
Pupils visited	9147	8692	455
Preschool age children visited	2022	1404	618
Other home visits	1077	770	307

The nurses have bravely attacked their daily problems, regardless of unfavorable weather conditions. Several of them have given considerable time assisting to provide dental

and immunization treatments. Gratifying results for their efforts are obtained each year. It is difficult to estimate the cumulative value of their many sided activities. With the assistance obtained from organizations, individuals and public officials, it has been possible for them to achieve a vast amount of remedial work. The raising of physical standards is a goal that should not be neglected. The adoption of essential new procedures are given attention after the appraisal of resources.

There has been a very satisfactory increase in the number of requests received for literature on the care of children. The communities have not yet taken full advantage of the material that is available. The national organizations are very generous in supplying free publications. The usual number of sputum cups and refills were distributed free to the tuberculous on the request of physicians and the staff nurses.

The progress made in the development of the Unit System that is being established in the Eastern portion of the Province, will be eagerly watched by many interested persons. The task of carrying a new programme successfully is a challenge to the workers. The burdens encountered, are more easily carried, if one is aware of a consciousness that honest attempts have been made to correct unsatisfactory conditions.

In conclusion, may I express my deepest gratitude for the assistance and consideration received from various sources.

Respectfully submitted,

MARGARET E. MacKENZIE, R.N.,
Superintendent of the Nursing Service.

Halifax, N.S.
November 30, 1937.

Cases Examined by the Divisional Medical Health Officers, December 1, 1936 to November 30, 1937.

COUNTIES PHYSICAL EXAMINATIONS	1st Exams.			Re-Exams.			Total examinations	Examinations, 20 yrs. and under
	Positive	Negative	Suspect	Positive	Negative	Suspect		
Annapolis	13	26	3	37	20	10	109	36
Antigonish	18	34	14	109	110	3	288	82
Cape Breton	100	512	87	463	141	31	1334	522
Colchester	10	51	11	42	49	2	165	82
Cumberland	34	102	25	93	68	12	334	123
Digby	26	59	11	76	40	14	226	105
Guysboro	19	78	19	38	7	11	172	61
Halifax County	56	153	18	39	18	6	290	167
Halifax City	3	1	.....	1	.....	.....	5	.....
Hants	10	9	3	3	9	.....	34	8
Inverness	25	202	32	77	18	11	365	141
Lunenburg	54	258	33	199	148	14	706	252
Pictou	28	128	14	75	57	13	315	158
Queens	10	48	6	70	35	3	172	66
Richmond	14	72	14	21	6	2	129	51
Shelburne	9	54	16	77	25	7	188	67
Victoria	13	53	13	10	2	4	95	33
Yarmouth	58	240	21	268	192	12	791	343
Normal School Students	5	277	1	3	25	1	312	262
Windsor High School	.....	80	1	2	15	1	99	99
TOTAL	505	2437	342	1703	985	157	6129	2658
X-RAY EXAMINATIONS								
Antigonish	1	7	1	16	9		34	8
Cape Breton	242	1194	169	479	126	66	2272	617
TOTAL	243	1201	170	495	135	66	2310	625

SUMMARY OF NURSE'S ACTIVITIES, DEC. 1st, 1936 to NOV. 30th, 1937

	Months on Duty	Hours Spent on Duty	Clinic Work	Travelled		School Work			Home Work			Interviews		Office Work	Meetings	Bedside Careetc	Delays	Conferences
			Hours Spent on Clinic Work	No. of Miles	Hours Spent Travelling	No. of Class Rooms Inspected	No. of Pupils Examined	Hours Spent in Class Room	No. of Homes Visited	No. Cases Given Attention in Homes	Hours Spent in Homes	No. of Interviews	Hours Spent on Interviews	Hours Spent on Office Work	Hours Spent at Meetings	Hours	Hours	Hours
Miss G. Anderson	11¾	2283.15	323.30	6910	314.25	114	2911	345.45	1094	1509	551.45	687	194.15	469.05	6.30	74.00	4.00	.....
Miss H. H. Macdonald	12	2163.35	412.25	6221	342.45	116	3019	386.10	1079	1492	477.50	476	174.05	342.10	10.55	13.00	4.15	.....
Miss A. Slattery	11¾	2085.20	149.10	6655	305.05	256	6482	623.55	1231	1947	456.05	513	149.50	370.15	15.30	10.05	5.25	.....
Miss F. MacDougall	12	2170.55	439.05	5412	193.00	137	3296	487.00	1361	1774	562.50	121	100.00	362.30	3.00	19.30	4.00	.....
Miss L. M. MacIntosh	12	2073.20	130.30	5823	307.25	194	3832	549.30	1130	1464	448.25	287	84.05	404.05	70.00	75.35	3.45	.....
Miss C. Wade	12	2307.00	264.00	5695	250.40	204	5080	713.00	1030	1967	505.00	781	257.00	302.50	13.30	1.00	.....	.....
Miss B. Martell	12	2179.45	76.30	5930	413.30	149	3440	455.45	1457	1793	765.00	489	115.00	321.30	.....	26.30	6.00	.....
Miss A. R. MacDonald	5	774.30	68.00	900	116.30	69	1634	224.30	301	535	170.35	74	43.30	133.05	.....	2.45	15.35	.....
Miss M. T. MacDonald	6½	1246.15	72.55	5039	242.35	86	1381	199.35	399	824	310.25	141	86.15	275.15	33.30	5.20	20.25	.....
Miss Hazel MacDonald	12	2627.45	142.20	7390	357.30	72	2117	254.10	1857	1994	875.10	1838	354.05	514.50	17.20	84.15	17.20	10.45
Miss C. Dillon	8½	1635.25	101.30	3961	204.15	48	1353	202.50	931	1109	459.55	835	166.35	342.50	7.10	149.20	1.00	.....
Miss H. Brophy	3	538.10	97.20	2245	72.10	25	503	61.05	337	768	144.40	328	69.05	76.00	3.00	.....	1.20	13.30
Miss E. Hunson	1¾	324.55	24.25	1265	71.10	22	317	66.30	117	289	52.45	176	25.35	47.10	4.00	.....	4.40	28.40
Miss E. Pitts	1¾	321.30	23.15	1017	54.05	24	527	77.05	163	185	51.35	95	15.30	61.35	7.20	.....	1.20	29.45
Miss M. O. Gray	12	2284.00	286.00	6969	.....	180	4367	.....	1646	2673	.....	395	.....	.....	.....	.....	.....	.....
Total	134	25015.40	2610.55	71432	3245.05	1696	40259	4646.50	14133	20323	5832.00	7236	1834.50	4023.10	191.45	461.20	89.05	82.40

PROVINCE OF NOVA SCOTIA BIRTHS AND BIRTH RATES BY COUNTIES 1936

COUNTY	Population (1931 Census)	Number of Living Births	Rates per 1,000 Population
Annapolis	16297	323	19.8
Antigonish	10073	256	25.4
Cape Breton	92419	2470	26.7
Colchester	25051	574	22.9
Cumberland	36366	839	23.0
Digby	18353	427	23.2
Guysboro	15443	332	21.4
Halifax	100204	2509	25.0
Hants	19393	489	25.2
Inverness	21055	429	20.3
Kings	24357	554	22.7
Lunenburg	31674	544	17.1
Pictou	39018	786	20.0
Queens	10612	246	23.1
Richmond	11098	227	20.4
Shelburne	12485	290	23.2
Victoria	8009	116	14.4
Yarmouth	20939	397	18.9
Total	512,846	11,808	23.0

Note: Based on the corrected population for 1936 the provincial Birth Rate is 21.9

PROVINCE OF NOVA SCOTIA

BIRTHS AND BIRTH RATES, CITIES AND TOWNS 1936

CITIES and TOWNS	Population (1931 Census)	Number of living births	Rate per 1,000 population
CITIES:			
Glace Bay	20706	803	38.7
Halifax	59275	1755	29.6
Sydney	23089	602	26.0
TOWNS: (1,000 population and over):			
Amherst	7450	192	25.7
Antigonish	1764	175	99.2
Bridgetown	1126	24	21.3
Bridgewater	3262	70	21.4
Canso	1575	36	22.8
Dartmouth	9100	137	15.0
Digby	1412	71	50.2
Dominion	2846	40	14.0
Inverness	2900	144	49.6
Joggins	1000	32	32.0
Kentville	3033	36	11.8
Liverpool	2669	88	32.9
Lunenburg	2727	36	13.2
Mahone Bay	1065	14	13.1
New Glasgow	8858	412	46.5
New Waterford	7745	287	37.0
North Sydney	6139	200	32.5
Oxford	1133	18	15.8
Parrsboro	1919	28	14.5
Pictou	3152	57	18.0
Port Hawkesbury	1011	3	2.9
Shelburne	1474	30	20.3
Springhill	6355	193	30.3
Stellarton	5002	49	9.7
Sydney Mines	7769	215	27.6
Trenton	2613	34	13.0
Truro	7901	219	27.7
Wedgeport	1294	27	20.8
Westville	3946	32	8.1
Windsor	3032	112	36.9
Wolfville	1818	92	50.6
Yarmouth	7055	158	22.3
Total	223,215	6,421	28.7

PROVINCE OF NOVA SCOTIA

DEATHS AND DEATH RATES BY COUNTIES, 1936

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 1,000 Population
Annapolis	16297	216	13.2
Antigonish	10073	174	17.2
Cape Breton	92419	892	9.6
Colchester	25051	278	11.0
Cumberland	36366	394	10.8
Digby	18353	253	13.7
Guysboro	15443	164	10.6
Halifax	100204	1238	12.3
Hants	19393	229	11.8
Inverness	21055	249	11.8
Kings	24357	283	11.6
Lunenburg	31674	364	11.4
Pictou	39018	435	11.1
Queens	10612	114	10.7
Richmond	11098	153	13.7
Shelburne	12485	143	11.4
Victoria	8009	75	9.3
Yarmouth	20939	243	11.6
Total	512,846	5,897	11.4

Note: Based on the corrected population for 1936 the provincial Death Rate is 10.9.

PROVINCE OF NOVA SCOTIA, DEATHS AND DEATH RATES, CITIES AND TOWNS 1936

CITIES and TOWNS	Population (1931 Census)	Number of Deaths	Rate Per 1,000 Population
CITIES:			
Glace Bay	20706	273	13.1
Halifax	59275	871	14.6
Sydney	23089	177	7.6
TOWNS: 1,000 population and over			
Amherst	7450	115	15.4
Antigonish	1764	98	55.5
Bridgetown	1126	12	10.6
Bridgewater	3262	70	21.4
Canso	1575	11	6.9
Dartmouth	9100	52	5.7
Digby	1412	44	31.1
Dominion	2846	18	6.3
Inverness	2900	55	18.9
Joggins	1000	15	15.0
Kentville	3033	72	23.7
Liverpool	2669	31	11.6
Lunenburg	2727	26	9.5
Mahone Bay	1065	15	14.0
New Glasgow	8858	137	15.4
New Waterford	7745	79	10.2
North Sydney	6139	94	15.3
Oxford	1133	10	8.8
Parrsboro	1919	17	8.8
Pictou	3152	55	17.4
Port Hawkesbury	1011	5	4.9
Shelburne	1474	18	12.2
Springhill	6355	54	8 4
Stellarton	5002	32	6 3
Sydney Mines	7769	90	11.5
Trenton	2613	20	7.6
Truro	7901	104	13.1
Wedgeport	1294	10	7 7
Westville	3946	27	6.8
Windsor	3032	76	25.0
Wolfville	1818	41	22 5
Yarmouth	7055	112	15 8
Total	223,215	2,936	13.1

PROVINCE OF NOVA SCOTIA

INFANT MORTALITY BY COUNTIES 1936

COUNTY	Number of Living Births	Deaths under one year	Rate per 1,000 living Births
Annapolis	323	16	49.5
Antigonish	256	13	50.7
Cape Breton	2470	195	78.9
Colchester	574	32	55.7
Cumberland	839	55	65.5
Digby	427	39	91.3
Guysboro	332	25	75.3
Halifax	2509	144	57.3
Hants	489	39	79 7
Inverness	429	28	65.2
Kings	554	17	30.6
Lunenburg	544	47	86.3
Pictou	786	57	72 5
Queens	246	17	69.1
Richmond	227	15	66.0
Shelburne	290	15	51 7
Victoria	116	6	51.7
Yarmouth	397	21	52 8
Total	11,808	781	66 1

PROVINCE OF NOVA SCOTIA

INFANT MORTALITY, CITIES AND TOWNS 1936

CITIES and TOWNS	Number Living Births	Deaths under 1 year	Rate per 1,000 living births
CITIES:			
Glace Bay	803	89	110.8
Halifax	1755	104	59.2
Sydney	602	18	29.9
TOWNS: (1,000 pop. and over)			
Amherst	192	13	67 7
Antigonish	175	9	51.4
Bridgetown	24	.....	.....
Bridgewater	70	9	128.5
Canso	36	1	27 7
Dartmouth	137	4	29.1
Digby	71	5	70.4
Dominion	40	6	150.0
Inverness	144	13	90.2
Joggins	32	3	93.7
Kentville	36	2	55.5
Liverpool	88	2	22.7
Lunenburg	36	.....	.....
Mahone Bay	14	2	142.8
New Glasgow	412	19	46.1
New Waterford	287	20	69.6
North Sydney	200	21	105.0
Oxford	18	1	55.5
Parrsboro	28	1	35.7
Pictou	57	4	70.1
Port Hawkesbury	3	.....	.....
Shelburne	30	3	100.0
Springhill	193	17	88.0
Stellarton	49	4	81.6
Sydney Mines	215	15	69.7
Trenton	34	4	117.6
Truro	219	11	50.2
Wedgeport	27	1	37.0
Westville	32	8	250.0
Windsor	112	14	125.0
Wolfville	92	2	21.7
Yarmouth	158	7	44 3
Total	6,421	432	67.2

PROVINCE OF NOVA SCOTIA, ALL FORMS TUBERCULOSIS DEATHS AND DEATH RATES BY COUNTIES, 1936

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
Annapolis	16297	8	49.0
Antigonish	10073	18	178 6
Cape Breton	92419	69	74.6
Colchester	25051	15	59.8
Cum erland	36366	25	68 7
Digby	18353	16	87.1
Guy l oro	15443	17	110.0
Ha'ifax	100204	104	103.7
Hants	19393	11	56.7
I verness	21055	29	137 7
Kings	24357	57	234 0
Lunenburg	31674	12	37.8
Pictou	39018	30	76 8
Queens	10612	3	28 2
Richmond	11098	16	144 1
Shelburne	12485	20	160 1
Victoria	8009	8	99 8
Yarmouth	20939	27	128 9
Total	512,846	485	94.5

Note:—Based on the corrected population for 1936, the Provincial Death Rate from all forms Tuberculosis is 90.3

PROVINCE OF NOVA SCOTIA
ALL FORMS TUBERCULOSIS DEATHS, AND DEATH RATES BY CITIES AND TOWNS 1936

Cities and Towns	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
CITIES:			
Glace Bay	20706	14	67.6
Halifax	59275	78	131.5
Sydney	23089	19	82.2
TOWNS: (1,000 pop. and over)			
Amherst	7450	11	147.3
Antigonish	1764	17	963.7
Bridgetown	1126	....	.....
Bridgewater	3262	1	30.6
Canso	1575	1	63.4
Dartmouth	9100	1	10.9
Digby	1412	1	70.8
Dominion	2846	2	70.2
Inverness	2900	9	310.3
Joggins	1000	1	100.0
Kentville	3033	43	1417.7
Liverpool	2669	3	112 4
Lunenburg	2727	1	36.6
Mahone Bay	1065	1	93.8
New Glasgow	8858	6	67.7
New Waterford	7745	3	38.7
North Sydney	6139	9	146.6
Oxford	1133	....	.....
Parrsboro	1919	....	.....
Pictou	3152	5	158.6
Port Hawkesbury	1011	2	197.8
Shelburne	1474	1	67.8
Springhill	6355	1	15.7
Stellarton	5002	3	59.9
Sydney Mines	7769	7	90.1
Trenton	2613	2	76.5
Truro	7901	5	63.2
Wedgeport	1294	4	309.1
Westville	3946	2	50.6
Windsor	3032	5	164.9
Wolfville	1818	2	110.0
Yarmouth	7055	9	127.5
Total	223,215	269	120.5

PROVINCE OF NOVA SCOTIA

PULMONARY TUBERCULOSIS DEATHS AND DEATH RATES BY COUNTIES 1936

COUNTY	Population (1931 Census)	Number of Deaths	Rate per 100,000 population
Annapolis	16297	7	42.9
Antigonish	10073	17	168.7
Cape Breton	92419	53	57.3
Colchester	25051	13	51.8
Cumberland	36366	21	57.7
Digby	18353	13	70.8
Guysboro	15443	13	84.1
Halifax	100204	84	83.8
Hants	19393	10	51.5
Inverness	21055	26	123.4
Kings	24357	51	209.3
Lunenburg	31674	10	31.5
Pictou	39018	24	61.5
Queens	10612	2	18.8
Richmond	11098	13	117.1
Shelburne	12485	14	112.1
Victoria	8009	7	87.4
Yarmouth	20939	23	109.8
Total	512,846	401	78.1

Note: Based on the corrected population for 1936, the Provincial death rate from pulmonary tuberculosis is—74.6

PROVINCE OF NOVA SCOTIA, PULMONARY TUBERCULOSIS DEATHS AND DEATH RATES BY CITIES AND TOWNS, 1936.

Cities and Towns	Population (1931 Census)	Number of Deaths	Rate per 100,000 Population
CITIES:			
Glace Bay	20706	7	33.8
Halifax	59275	58	97.8
Sydney	23089	18	77.9
TOWNS: 1,000 population and over			
Amherst	7450	8	107.3
Antigonish	1764	16	907.0
Bridgetown	1126	.....	.....
Bridgewater	3262	.....	.....
Canso	1575	.....	.....
Dar mouth	9100	1	10.9
Digby	1412	.....	.....
Dominion	2846	1	35.1
Inverness	2900	8	275.8
Joggins	1000	1	100.0
Kentville	3033	41	1351.7
Liverpool	2669	2	74.9
Lunenburg	2727	1	36.6
Mahone Bay	1065	1	93.8
New Glasgow	8858	4	45.1
New Waterford	7745	3	38.7
North Sydney	6139	6	97.7
Oxford	1133	.....	.....
Parrsboro	1919	.....	.....
Pictou	3152	4	126.9
Port Hawkesbury	1011	1	98.9
Shelburne	1474	1	67.8
Springhill	6355	1	15.7
Stellarton	5002	2	39.9
Sydney Mines	7769	4	51.4
Trenton	2613	2	76.5
Truro	7901	3	37.9
Wedgeport	129	3	231.8
Westville	3946	2	50.6
Windsor	3032	5	164.9
Wolfville	1818	1	55.0
Yarmouth	7055	7	99.2
Total	223 215	212	94.9

PROVINCE OF NOVA SCOTIA, MARRIAGES AND MARRIAGE RATES BY COUNTIES, 1936.

COUNTY	Population (1931 Census)	Number of Marriages	Rate per 1,000 Population
Annapolis	16297	128	7.8
Antigonish	10073	68	6.7
Cape Breton	92419	801	8.6
Colchester	25051	222	8.8
Cumberland	36366	311	8.5
Digby	18353	140	7.6
Guysboro	15443	101	6.5
Halifax	100204	892	8.9
Hants	19393	162	8.3
Inverness	21055	88	4.1
Kings	24357	223	9.1
Lunenburg	31674	271	8.5
Pictou	39018	268	6.8
Queens	10612	106	9.9
Richmond	11098	49	4.4
Shelburne	12485	93	7.4
Victoria	8009	40	4.9
Yarmouth	20939	166	7.9
Total	512,846	4,129	8.0

Note:—Based on the corrected Population for 1936, the Provincial Marriage Rate is 7.6.

TABLE I—GENERAL SUMMARY OF BIRTHS, DEATHS AND MARRIAGES IN NOVA SCOTIA BY COUNTIES, AND IN CITIES AND TOWNS OF 1,000 POPULATION AND OVER, 1936

	BIRTHS (Exclusive of Stillbirths)			DEATHS									Still-births	Marriages
				All Ages			Under 1 Year		1 to 4 Years		5 Years and Over			
	Total	Male	Female	Total	Male	Female	Male	Female	Male	Female	Male	Female		
Total for Province	11,808	6,127	5,681	5,897	3,157	2,740	446	335	106	87	2,605	2,318	292	4,129
Counties:														
Annapolis	323	177	146	216	113	103	11	5	2	2	100	96	3	128
Antigonish	256	138	118	174	101	73	8	5	2	.....	91	68	9	68
Cape Breton	2,470	1,257	1,213	892	492	400	118	77	30	15	344	308	54	801
Colchester	574	301	273	278	147	131	20	12	2	5	125	114	15	222
Cumberland	839	419	420	394	202	192	26	29	5	4	171	159	20	311
Digby	427	235	192	253	153	100	26	13	1	1	126	86	12	140
Guysboro	332	165	167	164	84	80	15	10	4	3	65	67	9	101
Halifax	2,509	1,298	1,211	1,238	638	600	73	71	23	26	542	503	80	892
Hants	489	253	236	229	129	100	22	17	2	2	105	81	12	162
Inverness	429	224	205	249	133	116	18	10	7	7	108	99	11	88
Kings	554	318	236	283	154	129	10	7	3	.....	141	122	10	223
Lunenburg	544	279	265	364	182	182	19	28	5	4	158	150	13	271
Pictou	786	422	364	435	240	195	37	20	7	7	196	168	18	268
Queens	246	121	125	114	59	55	7	10	4	2	48	43	6	106
Richmond	227	118	109	153	84	69	10	5	3	3	71	61	3	49
Shelburne	290	148	142	143	78	65	6	9	2	3	70	53	8	93
Victoria	116	48	68	75	31	44	4	2	.....	.....	27	42	.....	40
Yarmouth	397	206	191	243	137	106	16	5	4	3	117	98	9	166
Cities:														
Halifax	1,755	894	861	871	454	417	55	49	19	21	380	347	58	591
Sydney	602	294	308	177	92	85	9	9	6	.....	77	76	3	264
Towns:														
Amherst	192	101	91	115	53	62	8	5	.....	.....	45	57	10	135
Antigonish	175	95	80	98	57	41	5	4	2	.....	50	37	6	28
Bridgetown	24	18	6	12	3	9	.....	.....	.....	.....	3	9	.....	17
Bridgewater	70	38	32	70	39	31	5	4	.....	2	34	25	1	72
Canso	36	20	16	11	3	8	1	.....	.....	.....	2	8	3	17
Dartmouth	137	71	66	52	18	34	1	3	.....	1	17	30	1	80
Digby	71	43	28	44	29	15	2	3	.....	.....	27	12	3	30
Dominion	40	18	22	18	8	10	3	3	.....	2	5	5	.....	7
Glace Bay	803	413	390	273	151	122	56	33	12	4	83	85	25	189
Inverness	144	80	64	55	35	20	10	3	.....	1	25	16	.....	7
Joggins	32	23	9	15	9	6	2	1	1	2	6	3	.....	6
Kentville	36	21	15	72	38	34	1	1	.....	.....	37	33	.....	84

Liverpool	88	40	48	31	17	14	.....	2	2	.....	15	12	2	45
Lunenburg	36	17	19	26	11	15	.....	.....	.....	... ...	11	15	1	37
Mahone Bay	14	8	6	15	6	9	1	1	.....	.....	5	8	.....	36
New Glasgow	412	228	184	137	78	59	14	5	3	2	61	52	10	99
New Waterford	287	160	127	79	50	29	14	6	5	5	31	18	8	91
North Sydney	200	104	96	94	55	39	15	6	2	2	38	31	6	65
Oxford	18	7	11	10	6	4	1	.....	.....	.....	5	4	1	18
Parrsboro	28	10	18	17	10	7	1	.....	.....	.....	9	7	2	20
Pictou	57	29	28	55	32	23	2	2	1	1	29	20	2	40
Port Hawkesbury	3	2	1	5	3	2	.....	.....	.....	.....	3	2	.....	14
Shelburne	30	15	15	18	11	7	.....	3	.....	.....	11	4	1	24
Springhill	193	109	84	54	27	27	5	12	.....	.....	22	15	2	44
Stellarton	49	22	27	32	18	14	2	2	1	1	15	11	.....	44
Sydney Mines	215	110	105	90	48	42	7	8	2	.....	39	34	10	49
Trenton	34	17	17	20	10	10	.....	4	2	1	8	5	.....	7
Truro	219	107	112	104	50	54	6	5	.....	4	44	45	6	161
Wedgeport	27	14	13	10	8	2	1	.....	.....	.....	7	2	2	4
Westville	32	19	13	27	14	13	6	2	.....	.....	8	11	.....	21
Windsor	112	63	49	76	46	30	7	7	1	.....	38	23	2	68
Wolfville	92	45	47	41	21	20	1	1	.....	.....	20	19	4	51
Yarmouth	158	85	73	112	55	57	5	2	1	2	49	53	3	88

TABLE II—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY COUNTIES, 1936

Counties (Including cities and towns)	No. of Confinements				No. of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Annapolis	324	322	2	.....	323	306	17	3	3	.....
Antigonish	263	261	2	.....	256	246	10	9	8	1
Cape Breton	2,496	2,468	28	.....	2,470	2,348	122	54	54	.....
Colchester	584	579	5	.....	574	543	31	15	14	1
Cumberland	851	843	8	.....	839	788	51	20	19	1
Digby	436	433	3	.....	427	403	24	12	12	.....
Guysboro	337	333	4	.....	332	308	24	9	5	4
Halifax	2,553	2,517	36	.....	2,509	2,319	190	80	72	8
Hants	495	489	6	.....	489	469	20	12	9	3
Inverness	433	426	7	.....	429	415	14	11	10	1
Kings	561	558	3	.....	554	527	27	10	10	.....
Lunenburg	552	547	5	.....	544	504	40	13	12	1
Pictou	793	782	11	.....	786	728	58	18	18	.....
Queens	248	244	4	.....	246	234	12	6	6	.....
Richmond	228	226	2	.....	227	211	16	3	3	.....
Shelburne	297	296	1	.....	290	274	16	8	7	1
Victoria	115	114	1	.....	116	107	9	.....	.....	.....
Yarmouth	401	396	5	.....	397	355	42	9	9	.....
Total	11,967	11,834	133	.....	11,808	11,085	723	292	271	21

TABLE III—SINGLE AND MULTIPLE CONFINEMENTS AND LEGITIMATE AND ILLEGITIMATE BIRTHS BY CITIES AND TOWNS, 1936

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Amherst	198	194	4		192	178	14	10	10	
Antigonish	179	177	2		175	170	5	6	6	
Bridgetown	24	24			24	21	3			
Bridgewater	69	67	2		70	68	2	1	1	
Canso	38	37	1		36	34	2	3		3
Dartmouth	136	134	2		137	130	7	1	1	
Digby	73	72	1		71	69	2	3	3	
Dominion	39	38	1		40	37	3			
Glace Bay	819	810	9		803	766	37	25	25	
Halifax	1,786	1,759	27		1,755	1,609	146	58	50	8
Inverness	143	140	2		144	138	6			
Joggins	31	30	1		32	30	2			
Kentville	36	36			36	34	2			
Liverpool	88	86	2		88	83	5	2	2	
Lunenburg	37	37			36	35	1	1	1	
Mahone Bay	13	12	1		14	11	3			
New Glasgow	415	408	7		412	380	32	10	10	
New Waterford	291	287	4		287	270	17	8	8	
North Sydney	205	204	1		200	192	8	6	6	
Oxford	19	19			18	18		1	1	
Parrsboro	29	28	1		28	25	3	2	2	
Pictou	57	55	2		57	50	7	2	2	
Port Hawkesbury	3	3			3	3				
Shelburne	31	31			30	27	3	1	1	
Springhill	194	193	1		193	184	9	2	2	
Stellarton	49	49			49	48	1			
Sydney	599	593	6		602	576	26	3	3	

TABLE III.—Continued.

Cities and towns	Number of Confinements				Number of Children					
					Born alive			Stillborn		
	Total	Single	Twin	Triplets	Total	Leg.	Illeg.	Total	Leg.	Illeg.
Sydney Mines	223	221	2		215	198	17	10	10	
Trenton	34	34			34	28	6			
Truro	222	219	3		219	202	17	6	5	1
Wedgeport	29	29			27	25	2	2	2	
Westville	31	30	1		32	32				
Windsor	113	112	1		112	107	5	2	1	1
Wolfville	96	96			92	88	4	4	4	
Yarmouth	160	159	1		158	132	26	3	3	
Total	6,508	6,423	85		6,421	5,998	423	172	159	13

TABLE IV—PLURAL BIRTHS CLASSIFIED TO SHOW NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, BY SEX, IN THE PROVINCE OF NOVA SCOTIA, 1936

Classification of Births	Number
Twin Births	133
Two males (both living)	38
One male and one female (both living)	42
Two females (both living)	39
One male living and one male stillborn	6
One male living and one female stillborn	2
One male stillborn and one female living	2
One female living and one female stillborn	1
Two males (both stillborn)	1
One male and one female (both stillborn)	2
Total Multiple Births	133
	138
	128
Total Single Live Births	11,559
	6,001
	5,558
Total Single Stillbirths	275
	162
	113
Total Confinements	11,967

TABLE V—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY MONTHS, CLASSIFIED AS RURAL AND URBAN IN THE PROVINCE OF NOVA SCOTIA, 1936.

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
NOVA SCOTIA	11,808	887	943	1058	1104	1061	950	1028	1044	979	957	885	912
Rural	5,387	385	419	482	497	474	469	484	467	452	424	404	430
Urban	6,421	502	524	576	607	587	481	544	577	527	533	481	482
ANNAPOLIS	323	20	23	31	25	36	18	42	27	25	31	24	21
Rural	299	17	22	30	23	35	18	36	26	23	29	20	20
Urban	24	3	1	1	2	1	.....	6	1	2	2	4	1
Bridgetown—t	24	3	1	1	2	1	.....	6	1	2	2	4	1
ANTIGONISH	256	22	14	26	22	27	20	20	21	20	24	21	19
Rural	81	5	5	9	7	10	7	7	5	5	7	6	8
Urban	175	17	9	17	15	17	13	13	16	15	17	15	11
Antigonish—t	175	17	9	17	15	17	13	13	16	15	17	15	11
CAPE BRETON	2,470	187	209	205	228	239	193	195	224	204	220	194	172
Rural	323	23	24	26	32	31	27	31	28	30	36	20	15
Urban	2,147	164	185	179	196	208	166	164	196	174	184	174	157
Sydney—c	602	45	55	52	49	55	49	39	63	54	46	44	51
Dominion—t	40	.....	2	5	3	5	2	3	6	5	3	3	3
Glace Bay—t	803	66	70	64	79	75	59	73	76	66	56	64	55
New Waterford—t	287	25	23	26	22	34	22	17	15	21	35	22	25
North Sydney—t	200	11	17	16	22	22	19	15	15	14	21	19	9
Sydney Mines—t	215	17	18	16	21	17	15	17	21	14	23	22	14
COLCHESTER	574	53	41	57	41	51	51	46	61	49	35	51	38
Rural	355	31	30	35	23	29	30	31	41	32	25	30	18
Urban	219	22	11	22	18	22	21	15	20	17	10	21	20
Truro—t	219	22	11	22	18	22	21	15	20	17	10	21	20
CUMBERLAND	839	58	79	88	88	74	59	77	67	88	51	62	48

Rural	376	18	35	31	37	42	28	33	36	42	19	31	24
Urban	463	40	44	57	51	32	31	44	31	46	32	31	24
Amherst—t	192	19	16	20	28	19	9	12	15	19	14	12	9
Joggins—t	32	4	4	4	5	2	4	4	.....	3	.....	1	1
Oxford—t	18	4	1	1	2	1	1	2	1	.....	1	.....	4
Parrsboro—t	28	1	3	3	3	4	2	5	.....	4	1	1	1
Springhill—t	193	12	20	29	13	6	15	21	15	20	16	17	9
DIGBY	427	33	43	37	38	44	35	31	38	32	37	27	32
Rural	356	27	37	33	34	30	31	28	31	25	29	24	27
Urban	71	6	6	4	4	14	4	3	7	7	8	3	5
Digby—t	71	6	6	4	4	14	4	3	7	7	8	3	5
GUYSBOROUGH	332	19	30	24	33	23	44	27	23	30	24	25	30
Rural	296	18	29	22	28	21	36	26	21	26	20	24	25
Urban	36	1	1	2	5	2	8	1	2	4	4	1	5
Canso—	36	1	1	2	5	2	8	1	2	4	4	1	5
HALIFAX	2,509	194	219	210	229	235	195	220	217	209	206	179	196
Rural	617	47	52	56	56	62	50	46	59	49	39	45	56
Urban	1,892	147	167	154	173	173	145	174	158	160	167	134	140
Halifax—c	1,755	140	155	136	160	165	135	162	149	146	155	123	129
Dartmouth—t	137	7	12	18	13	8	10	12	9	14	12	11	11
HANTS	489	31	26	50	55	36	46	50	38	34	41	40	42
Rural	377	24	21	40	44	26	36	38	25	27	32	29	35
Urban	112	7	5	10	11	10	10	12	13	7	9	11	7
Windsor—t	112	7	5	10	11	10	10	12	13	7	9	11	7
INVERNESS	429	34	32	44	49	31	29	28	46	36	38	26	36
Rural	282	25	16	28	32	21	22	21	24	26	28	18	21
Urban	147	9	16	16	17	10	7	7	22	10	10	8	15
Inverness—t	144	9	16	16	17	9	7	7	21	9	10	8	15
Port Hawkesbury—t	3	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
KINGS	554	45	48	41	42	36	43	52	57	44	49	43	54
Rural	426	39	39	31	30	25	34	38	43	29	40	35	43
Urban	128	6	9	10	12	11	9	14	14	15	9	8	11
Kentville—t	36	2	6	3	5	2	1	6	2	3	3	2	1
Wolfville—t	92	4	3	7	7	9	8	8	12	12	6	6	10

TABLE V.—Births (exclusive of stillbirths) by months, classified as rural and urban in the province of Nova Scotia, 1936

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
LUNENBURG	544	44	35	53	46	43	46	54	42	37	38	44	62
Rural	424	30	26	42	36	35	40	42	37	31	26	35	44
Urban	120	14	9	11	10	8	6	12	5	6	12	9	18
Bridgewater—t	70	10	4	7	3	4	5	7	3	2	8	3	14
Lunenburg—t	36	4	2	3	5	1	1	5	2	3	3	5	2
Mahone Bay—t	14	.....	3	1	2	3	.....	.....	.....	1	1	1	2
PICTOU	786	49	54	79	88	76	56	61	76	66	48	61	72
Rural	202	10	10	15	27	22	20	10	20	22	11	15	20
Urban	584	39	44	64	61	54	36	51	56	44	37	46	52
New Glasgow—t	412	25	32	49	43	39	26	38	39	31	26	30	34
Pictou—t	57	3	1	5	3	6	4	5	6	7	4	3	10
Stellarton—t	49	3	4	5	8	5	1	3	8	3	2	5	2
Trenton—t	34	2	2	3	4	1	4	5	.....	1	5	5	2
Westville—t	32	6	5	2	3	3	1	.....	3	2	.....	3	4
QUEENS	246	20	14	21	21	28	15	30	28	20	17	15	17
Rural	158	16	9	15	15	16	10	20	13	14	9	10	11
Urban	88	4	5	6	6	12	5	10	15	6	8	5	6
Liverpool—t	88	4	5	6	6	12	5	10	15	6	8	5	6
RICHMOND	227	14	17	18	23	17	20	23	13	24	21	16	21
Rural	227	14	17	18	23	17	20	23	13	24	21	16	21
SHELBURNE	290	18	19	25	25	21	31	28	28	25	26	24	20
Rural	260	18	18	20	23	19	31	23	24	20	22	22	20
Urban	30	.....	1	5	2	2	.....	5	4	5	4	2	.....
Shelburne—t	30	.....	1	5	2	2	.....	5	4	5	4	2	.....
VICTORIA	116	9	13	14	7	13	13	8	5	4	14	8	8
Rural	116	9	13	14	7	13	13	8	5	4	14	8	8
YARMOUTH	397	37	27	35	44	31	36	36	33	32	37	25	24
Rural	212	14	16	17	20	20	16	23	16	23	17	16	14
Urban	185	23	11	18	24	11	20	13	17	9	20	9	10
Wedgeport—t	27	3	.....	3	3	3	3	1	1	2	5	1	2
Yarmouth—t	158	20	11	15	21	8	17	12	16	7	15	8	8

TABLE VI—TOTAL BIRTHS (EXCLUSIVE OF STILLBIRTHS) AND BIRTHS IN INSTITUTIONS SHOWING THE NUMBER OF MOTHERS NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1936.

	All Births		In Institutions	
	Total	Births to Mothers Non-resident in Province	Total	Births to Mothers Non-resident in Province
Total for the Province	11,808	45	3,327	31

TABLE VII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) TO RESIDENT AND NON-RESIDENT MOTHERS AND BIRTHS IN INSTITUTIONS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1936

CITIES and TOWNS	All births				Births in Institutions				Births elsewhere than in Ins.			
	Total	To resident mothers	To mothers non-resident in city or town where birth occurred and		Total	To resident mothers	To mothers non-resident in city or town where birth occurred and		Total	To resident mothers	To mothers non-resident in city or town where birth occurred and	
			Resident in prov.	Non-resident in prov.			Resident in prov.	Non-resident in prov.			Resident in prov.	Non-resident in prov.
Cities												
Halifax	1,755	1,422	316	17	963	645	303	15	792	777	13	2
Sydney	602	541	59	2	281	226	53	2	321	315	6	.....
Towns:												
Amherst	192	161	26	5	46	17	24	5	146	144	2	.....
Dartmouth	137	135	2	.....	.....	.....	.....	.....	137	135	2	.....
Glace Bay	803	653	148	2	600	455	145	.....	203	198	3	2
New Glasgow	412	167	244	1	319	77	241	1	93	90	3	.....
New Waterford	287	262	25	.....	88	64	24	.....	199	198	1	.....
North Sydney	200	170	30	.....	37	14	23	.....	163	156	7	.....
Springhill	193	144	48	1	118	74	43	1	75	70	5	.....
Stellarton	49	45	4	.....	.....	.....	.....	.....	49	45	4	.....
Sydney Mines	215	203	12	.....	7	3	4	.....	208	200	8	.....
Truro	219	165	52	2	73	38	35	.....	146	127	17	2
Yarmouth	158	118	38	2	54	24	28	2	104	94	10	.....

TABLE VIII—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGES OF PARENTS, NOVA SCOTIA 1936.

AGE OF FATHER	Total	AGE OF MOTHER																																						
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
Under 16 years																																									
16 years	1		1																																						
17 "	5						2		2	1																															
18 "	20				1	2	3	5	3	3	2				1																										
19 "	64					5	7	15	20	9	4	1		1		1	1																								
20 "	123				1	4	8	18	25	27	19	7	4	5	2	1		2																							
21 "	244				2	9	24	21	47	41	39	33	12	7	3	3		2				1																			
22 "	382				1	10	22	37	45	55	80	55	37	23	8	4	2	2							1																
23 "	481				4	6	18	42	47	63	76	73	59	38	21	16	8	3	1	2	1	2			1																
24 "	487				2	5	15	28	51	69	73	61	65	49	26	18	11	4	1	2	1		3	2	1																
25 "	558					4	12	18	37	58	67	68	65	67	70	37	18	8	9	6	2	3		3	1		1	1	1	1		1									
26 "	556				2	4	8	13	29	40	66	72	81	59	63	35	25	22	12	11	2	2	2		1	4	2					1									
27 "	579				1	2	8	13	16	48	43	50	78	60	78	60	39	25	17	13	10	8	4		1		2	1				1									1
28 "	623				1	4	1	14	17	27	43	49	81	73	65	56	62	54	27	20	7	11	4	3	2	1						1									
29 "	597						3	9	18	22	32	39	51	65	50	81	52	53	55	24	12	10	4	9	1	3	2	1	1												
30 "	564						2	9	9	21	31	36	37	44	66	69	42	44	56	36	28	11	7	10	4		1	1													
31 "	479						1	7	13	15	12	21	34	34	39	53	38	47	32	39	40	23	12	6	5	5		1	2												
32 "	460					1		5	7	8	17	22	24	31	34	43	45	34	38	40	37	24	19	15	5	3	2	2	3	1											
33 "	418						3	5	7	10	17	16	19	31	28	30	29	43	40	24	26	26	23	18	7	7	3	3	2		1										
34 "	438					1		1	5	2	7	17	14	23	29	33	27	45	37	47	30	43	28	22	9	11	1	1	2	2					1						
35 "	378				1		2	4	2	6	9	10	6	17	19	20	23	26	37	32	37	20	29	34	18	14	6	4	2												
36 "	406					1			1	1	8	18	12	15	17	21	22	22	22	31	31	32	30	35	23	28	14	7	8	6	1										
37 "	338									4	7	6	5	12	12	16	16	18	17	18	25	26	26	17	36	29	26	13	5	1	1		2								
38 "	340								1	4	2	4	3	9	11	12	12	20	21	16	26	25	22	29	31	24	21	24	8	10	1	2	1	1							
39 "	321								2	4	6	2	6	5	9	8	6	15	13	18	12	17	23	27	30	31	19	23	26	6	6	2	3		2						
40 "	314									1	6	3	4	5	9	8	14	14	10	12	15	18	14	19	32	24	18	25	25	22	6	5	2		1	1	1				

TABLE VIII—Continued.

AGE OF FATHER	Total	AGE OF MOTHER																																										
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
41 Years	198										1	2		5	2	3	2	7	10	13	16	18	10	14	11	13	15	13	18	14	8	1	1	1							
42 "	257							2	2	1	1	4	2	5	4	6	7	14	11	9	5	15	10	16	9	19	20	26	22	17	11	13	4	2							
43 "	206								1	1	1	3	4	3	1	4	1	5	2	8	7	8	14	11	19	21	12	17	16	11	15	11	8	2							
44 "	185									1			1	4	1	2	4	3	3	5	6	5	13	11	16	19	7	17	12	12	14	12	10	4	1	1		1				
45 "	192									1	1		3	2	3	1	4	3	5	6	12	7	4	10	16	8	13	11	17	17	9	16	8	8	4	1	1	1				
46 "	137									1			1	3	2	1	2	5	3	3	7	1	8	5	12	14	11	9	8	6	10	10	6	6	2		1					
47 "	119											1	2	2	3	2	4	2	2	3	3	7	8	3	7	10	10	13	8	8	3	6	4	5		2		1				
48 "	127													5	3				5	1	5	9	6	5	6	11	9	10	9	6	8	9	9	2	7	1		1				
49 "	78								1			1	2	1	1	1	3	1	3		3	2	4	5	3	4	3	5	9	10	6	5				5						
50 "	84									1			2	1			4	2	1	3	5	5	4	4	2	4	1	7	8	3	6	7	3	5	3	2	1					
51 "	62										1			1			1	1	1	3		1	1	3	3	6	5	4	3	7	4	5	3	4	3	1	1				
52 "	54																		1	1	2	3	3	6	6	3	1	3	5	5	1	5	2	3	3	1					
53 "	31																1						2	1	5	1	2	1	1	4	2		7	3	1					
54 "	33									1										2	1	1	1	5	2	1		3	2	4	1	3	4			1			1		
55 "	20													1	1					1					1		1	3	1	1	3	3	1		1	2					
56 "	22										1							2	3				1	3	2	2	1	2	1	2		1		1							
57 "	11											1	1							1		1	1		1	1					1	1				1	1				
58 "	16									1				2				1		2			1				1	2	1	1		1	1	1			1				
59 "	11													2				1		1				2	1		1				1	2								
60 "	12												1	1										2		1	2			1	1	1				1			1	
61 "	6														1					1			1				1	1		1										
62 "	7																	1	1			1						3	3					1							
63 "	9																			1			1	1		1	1	1	1					2							
64 "	5																							1		1		1		2											
65 and over	26										1	1	2	1	1	1	2						1	1	2	2	2	2	1	1		1	1		2	1					

Not stated.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
Children born to Married Mothers	11,085	.....	1	.....	16	58	139	266	408	547	672	676	717	713	683	646	526	553	496	455	414	386	345	358	333	326	237	258	231	182	120	126	80	51	31	21	7	4	1	1	1
Children born to Unmarried Mothers.....	723	.....	.....	4	12	41	56	62	97	63	64	79	47	32	35	26	8	13	14	10	5	14	7	5	6	5	5	3	4	4	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
Children born to all Mothers ..	11,808	.....	1	4	28	99	195	328	505	610	736	755	764	745	718	672	534	566	510	465	419	400	352	363	339	331	242	261	235	186	120	126	80	52	32	21	7	4	1	1	1

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, NOVA SCOTIA, 1936

Racial Origin of father	Total	Racial Origin of Mother																																		
		English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
English	4906	3842	247	469	8	186	..	....	3	....	....	1	2	66	....	57	....	....	....	....	....	....	....	....	3	2	5	1	1	1	3	2	3	....	3	1
Irish	1242	277	425	326	2	130	....	....	....	....	....	....	..	35	....	35	....	....	....	....	....	4	....	....	....	....	1	....	....	....	1	2	2	....	2	....
Scottish	2558	537	289	1470	5	147	.	2	4	....	....	....	....	54	..	28	..	....	2	....	....	2	....	1	1	1	2	....	1	....	1	6	2	....	2	1
Welsh	42	10	4	21	4	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	..
French	1271	155	92	125	2	841	....	....	4	....	....	....	1	22	1	22	....	....	....	....	1	2	....	....	....	..	....	....	1	....	1	1	....	....	....	..
Armenian	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Austrian	4	1	....	....	....	....	..	1	....	..	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Belgian	18	4	....	5	....	5	....	....	3	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Bulgarian	3	1	1	....	....	....	..	....	....	1	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Chinese	5	1	....	....	....	1	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Czech and Slovak	10	1	2	1	....	3	....	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Danish	25	6	1	7	1	1	....	....	1	....	....	....	6	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	..
Dutch	213	49	35	38	....	14	....	....	1	....	....	....	3	63	....	6	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	....	2	..
Finnish	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
German	297	73	21	25	....	26	....	....	..	....	....	..	....	5	....	144	....	....	....	....	....	....	....	....	....	1	....	....	..	1	....	....	1	....	....	..
Greek	3	....	....	....	....	....	....	....	..	....	....	..	....	....	....	....	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Hindu	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Hungarian	6	1	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	5	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Icelandic	2	2	....	....	....	....	....	....	..	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Indian	54	1	....	....	....	....	....	....	..	....	....	....	....	2	....	....	....	....	....	....	50	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	..
Italian	72	5	1	11	..	7	....	....	4	....	....	....	....	....	....	1	....	....	....	....	....	43	....	....	....	....	....	....	....	....	....	....	....	....	....	..
Japanese	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	..

TABLE IX—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF PARENTS, NOVA SCOTIA, 1936.

Racial Origin of father		Total	Racial Origin of Mother																																					
			English	Irish	Scottish	Welsh	French	Armenian	Austrian	Belgian	Bulgarian	Chinese	Czech and Slovak	Danish	Dutch	Finnish	German	Greek	Hindu	Hungarian	Icelandic	Indian	Italian	Japanese	Jewish	Negro	Norwegian	Polish	Roumanian	Russian	Serb and Croat	Swedish	Swiss	Syrian	Ukrainian (1)	Other	Not Specified
Jewish		27		1					1						1										24														
Negro		179	5	2	1		2								3											166												
Norwegian		7		2	4					1																												
Polish		34	3	4	4		2								1													18	1						1		
Roumanian		4	1		1		1													1								2		2				1			
Russian		13	3	1	2		1		1																			1			2				1			
Serb and Croat		5	1																													2			1		
Swedish		12	2	4	4		1										1																3					
Swiss		13	1	3	6																													19				
Syrian		33	8	2	1		1								1		1											1							9			
Ukrainian (1)		11											1																							3		
Other		16	3	3	4		3																															
Not Specified																																						
Children born to married mothers	T.	11085	4993	1140	2525	22	1373		5	21	1	3	6	13	255	1	296	3		8		52	51		25	171	4	30	2	5	4	7	16	28	11	12	2
	M.	5733	2520	604	1335	11	728		1	7	1	2	6	9	126		160	2		2		27	22		10	96		17	1	2	3	4	8	16	4	7	2
	F.	5352	2473	536	1190	11	645		4	14		1		4	129	1	136	1		6		25	29		15	75	4	13	1	3	1	3	8	12	7	5	
Children born to unmarried mothers	T.	723	301	66	145	1	105			1				1	15		15					7	1			59		1	1			1		3			
	M.	394	175	34	77		59			1				1	10		8					3				23		1				1		1			
	F.	329	126	32	68	1	46								5		7					4	1			36			1					2			
Children born to all mothers	T.	11808	5294	1206	2670	23	1478		5	22	1	3	6	14	270	1	311	3		8		59	52		25	230	4	31	3	5	4	8	16	31	11	12	2
	M.	6127	2695	638	1412	11	787		1	8	1	2	6	10	136		168	2		2		30	22		10	119		18	1	2	3	5	8	17	4	7	2
	F.	5681	2599	568	1258	12	691		4	14		1		4	134	1	143	1		6		29	30		15	111	4	13	2	3	1	3	8	14	7	5	

(1)—Including "Galician" and "Bukovinian."

TABLE X—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND RACIAL ORIGIN OF MOTHERS, NOVA SCOTIA, 1936.

Racial Origin of Mother	Total	AGE OF MOTHER																																						
		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
English	4993				9	33	82	131	198	264	329	314	335	317	314	294	251	247	224	203	168	156	149	159	134	136	98	108	100	78	38	51	30	22	10	5	2	2	1		1
Irish	1140				2	3	10	27	42	53	72	55	70	80	76	65	53	58	48	45	40	49	28	33	45	41	30	30	23	20	15	10	8	3	6						
Scottish	2525		1		3	5	18	52	78	110	133	134	173	167	138	166	117	135	106	114	111	87	96	95	85	81	57	68	48	47	27	31	20	10	7	3	2				
Welsh	22							1	2			1	2	4	1	3		2	1		1							2	1				1								
French	1373				1	7	10	23	39	70	62	101	81	81	73	58	60	72	68	52	56	55	44	37	43	40	33	36	44	25	28	26	14	13	6	10	2	2		1	
Armenian																																									
Austrian	5														2	1			1															1							
Belgian	21						2			2	2	2	1			1		1		1	2	1	1	2	1	1										1					
Bulgarian	1																							1																	
Chinese	3														1				1	1																					
Czech and Slovak	6											1			1		1	1										2													
Danish	13										1			1	2			2		1	1	1		1			1	1							1						
Dutch	255					2	5	6	19	15	23	24	14	17	11	9	16	13	11	6	13	4	9	8	7	5	7	2	4	1	1		3								
Finnish	1																		1																						
German	296					4	8	13	16	13	20	23	21	19	28	14	8	5	14	10	11	17	8	9	7	5	3	3	2	4	4	3	2	1		1					
Greek	3														1				1		1																				
Hindu																																									
Hungarian	8					1							1	1		1		1	1					1						1											
Icelandic																																									
Indian	52				1		2			5	4	5	1	3	7	3	1	3		2	1		3	3	1			1	1	3		2									
Italian	51							3		2	1	3	3	4	2	4	2	1	2	2	1	2	2	4	3	3		2		1	2	1	1								
Japanese																																									
Jewish	25										1	1	2	2	5	3	2				1	2			1	2	2	1													
Negro	171					2	2	4	8	10	11	6	8	8	14	15	10	7	13	7	5	7	2	2	4	6	4	1	4	2	4	1	1	1	1		1				
Norwegian	4							1	1							1																				1					

TABLE X—Continued

Racial Origin of Mother	Total	AGE OF MOTHER 12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and over	Not stated
Polish	30							1	3	1	5	1		3	2	1	2	1	1	4		1		1		2			1												
Roumanian	2										2																														
Russian	5											1		1	1					1												1									
Serb and Croat	4					1												1			1								1												
Swedish	7											1			1	1						2				1	1														
Swiss	16								1	1	3		1	1					1	2		1			1	1			2		1										
Syrian	28							1			2	3	1	2	2	2	3	2	1	1	1		2	1	1	2	1														
Ukrainian (1)	11							1	1	1			1	1		1			1	2		1		1																	
Other	12							2			1		2		1	2		1		1			1					1													
Not specified	2													1		1																									
Total	11,085	..	1	..	16	58	139	266	408	547	672	676	717	713	683	646	526	553	496	455	414	386	345	358	333	326	237	258	231	182	120	126	80	51	31	21	7	4	1	1	1

(1) Including "Galician" and "Bukovinian"

TABLE XI—BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS, Nova Scotia, 1936

Birthplace of Father	Total	BIRTHPLACE OF MOTHER: CANADA										British Isles					British possessions		EUROPE															ASIA					
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
CANADA	9727	62	8628	202	69	39	14	10	12	13	1	144	11	50	4		224	11	1	2	1	1	5	7			2		1		1	1	2			1	205	1	2
P. E. Island	88	11	67	2		1											5																				2		
Nova Scotia	9233	45	8310	141	36	25	11	6	12	7		133	11	46	4		213	10	1	2	1	1	5	7			2		1			1	2			1	196	1	2
New Brunswick	204	3	135	51	1	1					1	2		2			3														1						4		
Quebec	86	2	45	3	27					1		3					2																				3		
Ontario	73	1	40	2	4	11	2	2		4		4		2			1																						
Manitoba	13		12									1																											
Saskatchewan	10		4	1	1			2		1		1																											
Alberta	9		8															1																					
British Columbia	10		6	2		1	1																																
Province not specified	1		1																																				
BRITISH ISLES	369	2	234	4	6	5	1	2			3	48	6	18	4		23	3		1																	9		
England	244	2	153	3	5	4		2			3	38	2	3	2		17	2		1																	7		
Ireland	25		18				1						4				1	1																					
Scotland	93		60	1		1						10		15			4																				2		
Wales	7		3		1										2		1																						
Other																																							

BRITISH POSSESSIONS	550	6	271	3	7	3			3			5	1	4	1		233	7															1				5		
Newfoundland	515	5	250	3	7	3			3			4	1	2	1		230																1				5		
Other	35	1	21									1		2			3	7																					
EUROPE	230		107	3	3	2	1					1	1	2	1		8		3	5	6		7	4		5	31		17		4	1	15				3		
Austria	7		2									1							2					1									1						
Belguim	8		6												1								1																
Denmark	16		8																	1	6											1							
Finland																																							
France	21		15	1																			5																
Germany	19		11		1									1			1							3									1				1		
Holland																																							
Hungary	6		1														1									4													
Italy	55		19														1			4							31												
Norway	5		4										1																										
Poland	36		16	1	1	1	1										1												13				1				1		
Roumania	7		4	1																						1					1								
Russia (1)	19		7			1											2		1				1						3		2		2						
Sweden	6		6																																				
Other	25		8		1									1			2												1		1		10				1		
ASIA	23		13						1	1		1					1																	2		4			
China	6		2							1		1																						2					
Japan																																							
Other	17		11						1								1																			4			
United States	181	1	145	5	3	1						7		1			3												1								14		
Various	3		1																																		2		
Not specified	2		2																																				
Children born to Married Mothers	11,085	71	9,401	217	88	50	16	12	16	14	4	206	19	75	10		492	21	4	8	7	1	12	11		5	33		19		5	2	18	2		5	238	1	2
Children born to Unmarried Mothers	723	10	654	9	7	1			1	2		4	1	2			17	1		1																	13		
Children born to All Mothers	11,808	81	10,055	226	95	51	16	12	17	16	4	210	20	77	10		509	22	4	9	7	1	12	11		5	33		19		5	2	18	2		5	251	1	2

(1) Including the Ukraine

TABLE XII—LEGITIMATE BIRTHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO AGE AND BIRTHPLACE OF MOTHERS, 1936, Nova Scotia

Birthplace of Mother	Total	AGE OF MOTHER																																						
		13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50 and Over	Not Stated
CANADA	9,889	1		14	56	136	254	391	518	638	619	662	652	607	580	464	498	429	385	362	332	296	300	278	272	211	211	186	158	106	109	67	41	27	18	5	3	1	1	1
Prince Edward Island	71							2	2	4	1	2	7	9	7	2	3	4	2	5	3	2	2	4	3		2	1	2	1	1									
Nova Scotia	9,401	1		14	53	133	243	376	504	607	590	631	618	567	545	438	478	403	356	344	313	293	283	265	257	199	200	173	152	101	103	66	41	27	17	5	2	1	1	1
New Brunswick	217				1	2	6	6	8	15	13	9	13	13	16	14	10	12	11	4	9		12	5	7	7	6	7	4	3	2	1					1			
Quebec	88				1		2	3	1	4	5	9	5	10	7	3	4	5	8	4	5			1	1	4	2	2			1				1					
Ontario	50				1	1	2	1	2	5	3	4	3	4	4	2	1	1	3	2		1	1	1	4	1	1			1	1									
Manitoba	16								1		1	2		1		1	2	2	1	1			1	1				1			1									
Saskatchewan	12							1			2	1	1	2	1	1		1	1	1																				
Alberta	16						1	2		1	3	2	3			1				1			1	1																
British Columbia	14									2		2	2	1		2		1	1		1							2												
Province not specified	4										1								2		1																			
BRITISH ISLES	310			1		1	2	6	3	9	18	12	13	15	15	10	17	16	16	11	17	11	16	17	20	6	16	17	9	2	7	4	1			2				
England	206					1		4	1	4	13	11	7	11	7	8	7	9	12	5	11	7	12	12	18	2	11	13	6	2	6	3	1			2				
Ireland	19			1						3			1	1		1	2	4	2	2							1	1												
Scotland	75						2	1	2	2	4	1	5	2	7	1	7	2	2	3	5	4	4	5	2	4	3	2	3		1	1								
Wales	10							1			1			1	1		1	1		1	1						1	1												
Other																																								
BRITISH POSSESSIONS	513					1	6	8	17	17	23	25	30	37	27	29	16	26	31	20	23	21	24	26	17	10	19	20	10	8	6	5	5	3	2		1			
Newfoundland	492					1	6	8	17	17	23	22	29	36	27	25	16	23	29	19	23	19	23	26	17	10	19	18	9	8	6	5	5	3	2		1			
Other	21											3	1	1		4		3	2	1		2	1					2	1											
EUROPE	125				2				2		5	3	4	8	6	5	7	10	8	7	7	6	10	5	7	4	5	3	2	2	2	1	2	1	1					
Austria	4														1			2															1							
Belgium	8															1	1			1		1	1		1										1					
Denmark	7													1			1		1	1	1		1											1						
Finland	1																	1																						
France	12										2		1	1	2		1	1						2				1					1							

Germany	11								1		1		2	1		1		1				3				1														
Holland																																								
Hungary	5				1												1	1					1						1											
Italy	33								1		1	2		1	1	2	1	2	2	1	1	2	4	2	3		2		1	2	1	1								
Norway																																								
Poland	19											1		2	1	1	1	1	3	1	2		2	1	2			1												
Roumania																																								
Russia(1)	5												1	1							1						1				1									
Sweden	2																				1					1														
Other	18				1						1			1	1		1	1	2	2	1		1		1	2	2	1												
ASIA	7												1	1				2	1			1	1																	
China	2																	1	1																					
Japan																																								
Other	5												1	1				1				1	1																	
United States	238			1		1	2	3	7	8	11	15	13	14	18	18	15	13	14	14	7	10	7	7	10	6	7	5	3	2	2	3	2							
Various	1													1																										
Not specified	2						2																																	
TOTAL	11,085	1		16	58	139	266	408	547	672	676	717	713	683	646	526	553	496	455	414	386	345	358	333	326	237	258	231	182	120	126	80	51	31	21	7	4	1	1	1

(1) Including the Ukraine

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILLBIRTHS) IN THE PROVINCE OF NOVA SCOTIA BY MONTHS CLASSIFIED AS RURAL AND URBAN, 1936

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
Nova Scotia	781	73	75	61	79	65	73	59	41	72	55	63	65
Rural	349	32	40	34	35	33	27	21	15	24	23	33	32
Urban	432	41	35	27	44	32	46	38	26	48	32	30	33
Annapolis	16		2	2	1	1		1	3		2	1	3
Rural	16		2	2	1	1		1	3		2	1	3
Urban													
Bridgetown—t													
Antigonish	13		1	1	1	1	3	1	2	1	1	1	
Rural	4			1	1		1					1	
Urban	9		1			1	2	1	2	1	1		
Antigonish—t	9		1			1	2	1	2	1	1		
Cape Breton	195	23	23	9	19	16	17	14	14	19	13	14	14
Rural	26	10	2	2	4	4	1	1		1			1
Urban	169	13	21	7	15	12	16	13	14	18	13	14	13
Sydney—c	18	4	3	2	3	3	1	1	1				
Dominion—t	6		1	1						2	2		
Glace Bay—t	89	4	11		7	6	8	8	9	13	7	7	9
New Waterford—t	20	1		1	1	1	3	2	4	2	1	1	3
North Sydney—t	21	2	3	2	3	2	4	1				3	1
Sydney Mines—t	15	2	3	1	1			1		1	3	3	
Colchester	32	2	3	4	3	3	3	1	1	2	4	1	5
Rural	21	1	3	3	3	1	2	1	1	1	2		3
Urban	11	1		1		2	1			1	2	1	2
Truro—t	11	1		1		2	1			1	2	1	2

Cumberland	55	8	6	3	3	4	7	5	1	6	6	5	1
Rural	20	2	3	1	1	1	3	1	1	2	2	3	
Urban	35	6	3	2	2	3	4	4		4	4	2	1
Amherst—t	13	3	1	2	2	1	1				3		
Joggins—t	3		1					1				1	
Oxford—t	1		1										
Parrsboro—t	1	1											
Springhill—t	17	2				2	3	3		4	1	1	1
Digby	39	6	6	2	3	4	2	2	2	3	5	1	3
Rural	34	4	5	2	3	3	2	2	2	3	5	1	2
Urban	5	2	1			1							1
Digby—t	5	2	1			1							1
Guysborough	25		1	2	4	1	2	1	2	5		4	3
Rural	24		1	2	4	1	2	1	2	4		4	3
Urban	1									1			
Canso—t	1									1			
Halifax	144	13	9	8	13	13	17	12	9	19	9	11	11
Rural	36	5	5	4	1	4	3	1	1	4	1	3	4
Urban	108	8	4	4	12	9	14	11	8	15	8	8	7
Halifax—c	104	8	4	4	12	9	14	11	6	14	7	8	7
Dartmouth—t	4								2	1	1		
Hants	39	1	3	6	4	4	4	2	2	3	1	7	2
Rural	25		2	4	2	3	3	2	1	1	1	4	2
Urban	14	1	1	2	2	1	1		1	2		3	
Windsor—t	14	1	1	2	2	1	1		1	2		3	
Inverness	28	6	5	1	5	2	1	1	1	3		1	2
Rural	15	3	4	1		1			1	2		1	2
Urban	13	3	1		5	1	1	1		1			
Inverness—t	13	3	1		5	1	1	1		1			
Port Hawkesbury—t													
Kings	17	1	4	2	3	1	1	2	2			1	
Rural	13	1	3	1	2	1		2	2			1	
Urban	4		1	1	1		1						
Kentville—t	2			1	1								
Wolfville—t	2		1				1						

TABLE XIII—DEATHS OF CHILDREN UNDER ONE YEAR—Continued

	Total	MONTHS											
		January	February	March	April	May	June	July	August	September	October	November	December
Lunenburg	47	2	4	7	4	4	4	5		2	5	3	7
Rural	36	1	4	4	4	3	2	2		2	5	3	6
Urban	11	1		3		1	2	3					1
Bridgewater—t	9	1		3		1		3					1
Lunenburg—t													
Mahone Bay—t	2						2						
Pictou	57	4	2	7	10	5	6	5	2	5	2	3	6
Rural	18			3	3	4	3		1	1		2	1
Urban	39	4	2	4	7	1	3	5	1	4	2	1	5
New Glasgow—t	19	1	1	1	2	1	1	4	1	1	1	1	4
Pictou—t	4			2	1					1			
Stellarton—t	4		1				2				1		
Trenton—t	4	1		1	1								1
Westville—t	8	2			3			1		2			
Queens	17	2	1	2	1	1		1		2	1	5	1
Rural	15	2	1	2	1	1		1		1	1	5	
Urban	2									1			1
Liverpool—t	2									1			1
Richmond	15		1	1	2	3	2			1	4	1	
Rural	15		1	1	2	3	2			1	4	1	
Shelburne	15		2	1	2	1	2	1		1	1	1	3
Rural	12		2		2	1	2	1		1		1	2
Urban	3			1							1		1
Shelburne—t	3			1							1		1
Victoria	6	2	2		1			1					
Rural	6	2	2		1			1					
Yarmouth	21	3		3		1	2	4			1	3	4
Rural	13	1		1		1	1	4				2	3
Urban	8	2		2			1				1	1	1
Wedgeport—t	1			1									
Yarmouth—t	7	2		1			1				1	1	1

TABLE XIV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE, SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1936

	All deaths under one year						In Institutions					
	Total			Non-resident in province			Total			Non-resident in province		
	Total	M.	F.	Total	M.	F.	Total	M.	F.	Total	M.	F.
Total for the province	781	446	335	.....	.....	.....	203	119	84	.....	.....	.....

TABLE XV—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS OF CHILDREN UNDER ONE YEAR OF AGE CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1936

Cities & Towns	All deaths under one year												Deaths in institutions												Deaths elsewhere than in institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province									Resident in Province			Non-resident in Province		
	T.	M	F	T.	M	F	T.	M	F	T.	M.	F.	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F	T.	M	F
Cities:																																				
Halifax	104	55	49	83	45	38	21	10	11	.....	.....	.....	75	38	37	56	28	28	19	10	9	.....	.....	.....	29	17	12	27	17	10	2	....	2	.....	.....	.....
Sydney	18	9	9	18	9	9	.....	....	....	.....	.....	.....	4	3	1	4	3	1	.....	....	....	.....	.....	.....	14	6	8	14	6	8	.....	....	....	.....	.....	.....
Towns:																																				
Amherst	13	8	5	12	7	5	1	1	....	.....	.....	.....	2	2	....	1	1	....	1	1	....	.....	.....	.....	11	6	5	11	6	5	.....	....	....	.....	.....	.....
Dartmouth	4	1	3	4	1	3	.....	....	....	.....	.....	.....	.....	....	....	.....	....	....	.....	....	....	.....	.....	.....	4	1	3	4	1	3	.....	....	....	.....	.....	.....
Glace Bay	89	56	33	75	50	25	14	6	8	.....	.....	.....	55	35	20	41	29	12	14	6	8	.....	.....	.....	34	21	13	34	21	13	.....	....	....	.....	.....	.....
New Glasgow	19	14	5	16	12	4	3	2	1	.....	.....	.....	7	4	3	4	2	2	3	2	1	.....	.....	.....	12	10	2	12	10	2	.....	....	....	.....	.....	.....
New Waterford	20	14	6	20	14	6	.....	....	....	.....	.....	.....	1	1	....	1	1	....	.....	....	....	.....	.....	.....	19	13	6	19	13	6	.....	....	....	.....	.....	.....
North Sydney	21	15	6	20	14	6	1	1	....	.....	.....	.....	3	3	....	2	2	....	1	1	....	.....	.....	.....	18	12	6	18	12	6	.....	....	....	.....	.....	.....
Springhill	17	5	12	17	5	12	.....	....	....	.....	.....	.....	7	2	5	7	2	5	.....	....	....	.....	.....	.....	10	3	7	10	3	7	.....	....	....	.....	.....	.....
Stellarton	4	2	2	4	2	2	.....	....	....	.....	.....	.....	.....	....	....	.....	....	....	.....	....	....	.....	.....	.....	4	2	2	4	2	2	.....	....	....	.....	.....	.....
Sydney Mines	15	7	8	15	7	8	.....	....	....	.....	.....	.....	.....	....	....	.....	....	....	.....	....	....	.....	.....	.....	15	7	8	15	7	8	.....	....	....	.....	.....	.....
Truro	11	6	5	11	6	5	.....	....	....	.....	.....	.....	4	3	1	4	3	1	.....	....	....	.....	.....	.....	7	3	4	7	3	4	.....	....	....	.....	.....	.....
Yarmouth	7	5	2	7	5	2	.....	....	....	.....	.....	.....	3	3	....	3	3	....	.....	....	....	.....	.....	.....	4	2	2	4	2	2	.....	....	....	.....	.....	.....

Table XVI— Deaths of children under one year (exclusive of stillbirths) by age at death, in the province of Nova Scotia, 1936.

AGES		Total
All infants	T.	781
	M.	446
	F.	335
Under 1 day	T.	117
	M.	70
	F	47
1 day	T	41
	M.	23
	F.	18
2 days	T.	52
	M.	23
	F	29
3 days	T	32
	M	15
	F	17
4 days	T	14
	M	11
	F	3
5 days	T.	14
	M	10
	F	4
6 days	T.	9
	M	3
	F	6
Under 1 week	T	279
	M.	155
	F.	124
1 week and under 2 weeks	T	40
	M.	21
	F.	19
2 weeks and under 3 weeks	T.	21
	M.	12
	F.	9
3 weeks and under 1 month	T.	29
	M	19
	F.	10
Under 1 month	T.	369
	M	207
	F	162
1 month and under 2 months	T	85
	M	49
	F.	36
2 months and under 3 months	T.	81
	M.	52
	F	29

Table XVI—Deaths of children under one year (exclusive of still-births) by age at death, in the province of Nova Scotia
1936—Continued

AGES		Total
3 months and under 4months	T.	60
	M.	34
	F.	26
4 months and under 5 months	T.	49
	M.	26
	F.	23
5 months and under 6 months	T.	33
	M.	21
	F.	12
6 months and under 7 months	T.	25
	M.	13
	F.	12
7 months and under 8 months	T.	15
	M.	12
	F.	3
8 months and under 9 months	T.	13
	M.	2
	F.	11
9 months and under 10 mos.	T.	19
	M.	11
	F.	8
10 months and under 11 mos.	T.	20
	M.	13
	F.	7
11 months and under 12 mos.	T.	12
	M.	6
	F.	6

TABLE XVII—DEATHS OF CHILDREN UNDER ONE YEAR (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1936

Racial Origin	Total
All origins	781
English	353
Irish	71
Scottish	163
Welsh	.....
French	103
Armenian	.....
Austrian	.....
Belgian	3
Bulgarian	.....
Chinese	1
Czech and Slovak	2
Danish	.....
Dutch	7
Finnish	.....
German	24
Greek	.....
Hindu	.....
Hungarian	1
Icelandic	.....
Indian	5
Italian	1
Japanese	.....
Jewish	2
Negro	33
Norwegian	.....
Polish	3
Roumanian	.....
Russian	.....
Serb and Croat	.....
Swedish	1
Swiss	5
Syrian	1
Ukranian (1)	.....
Other	1
Not specified	1

(1) Including "Galician" and "Bukovinian".

TABLE XVIII—DEATHS OF CHILDREN UNDER ONE YEAR OF AGE (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF PARENTS, IN THE PROVINCE OF NOVA SCOTIA, 1936

Birthplace of father	Total Fathers	BIRTHPLACE OF MOTHER: Canada										British Isles					British Possessions		Europe															Asia			United States	Various	Not specified
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other			
CANADA	636	2	568	11	1	5		1	1			7		1			24						1														12		2
Prince Edward Island	6		6																																				
Nova Scotia	606	2	545	8	1	3		1	1			7		1			22						1														12		2
New Brunswick	13		8	3													2																						
Quebec	3		3																																				
Ontario	5		3			2																																	
Manitoba	2		2																																				
Saskatchewan	1		1																																				
Alberta																																							
British Columbia																																							
Province not specified																																							
BRITISH ISLES	23		17									2		1			3																						
England	16		12									1					3																						
Ireland																																							
Scotland	7		5									1		1																									
Wales																																							
Other																																							

BRITISH POSSESSIONS	35		21														13						1																
Newfoundland	34		20														13						1																
Other	1		1																																				
EUROPE	13		6	1								1		1			1													1		1		1					
Austria																																							
Belgium	2		1											1																									
Denmark																																							
Finland																																							
France																																							
Germany	3		3																																				
Holland																																							
Hungary	1		1																																				
Italy																																							
Norway																																							
Poland	3		1	1																										1									
Roumania																																							
Russia (1)																																							
Sweden	1											1																											
Other	3																1															1		1					
ASIA	1		1																																				
China	1		1																																				
Japan																																							
Other																																							
UNITED STATES	11		11																																				
Various																																							
Not specified	62	1	58														1																						2
Total Mothers	781	3	682	12	1	5		1	1			10		3			42						1	1						1		1		1				12		4

(1) Including the Ukraine.

TABLE XIX—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN THE FIRST YEAR OF LIFE BY SEX AND CALENDAR MONTH OF DEATH, NOVA SCOTIA, 1936

Int. List No.	Causes of Death	Total under 1 year			Month of Death																							
					Jan.		Feb.		Mar.		Apr.		May		June		July		Aug.		Sept.		Oct.		Nov.		Dec.	
		Total	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	A l Causes	781	446	335	42	31	43	32	34	27	48	31	33	32	46	27	41	18	21	20	40	32	29	26	33	30	36	29
7	Measles	1	1								1																	
8	Scarlet Fever	1	1		1																							
9	Whooping-cough	56	27	29	5	3	3	5			3	5	2	1	1	2		2	2	1	2	2	1	2	6	4	2	2
10	Diphtheria	1	1				1																					
11	Influenza	26	18	8	5	1	1		1	1	1	2	2	2	6		1					1		1	1			
13	Dysentery																											
15	Erysipelas	2	2		1		1																					
16	Poliomyelitis and polioencephalitis (acute)																											
18	Epidemic cerebrospinal meningitis	1	1						1														1					
23	Tuberculosis of the respiratory system	3	2	1													1	1										
24	Tuberculosis of the meninges and central nervous system	5	3	2		1			2													1			1			
25–32	Tuberculosis, other forms	5	3	2			1					1											1	1		1		
34	Syphilis	13	8	5	1	1					1			1		1	1			1	2		1	1		1	1	
36	Purulent infection, septicaemia	2	1	1				1							1													
67	Diseases of the thymus gland	1	1										1															
79	Simple Meningitis	6	5	1															1		1				2	1	1	
86	Convulsions	27	17	10	2	4	3	1	1		1		2		1	1	1	1			1	1	2		1	1	2	1
89	Diseases of the ear and mastoid process	4	4		1								2														1	
105a	Croup																											
106	Bronchitis	4		4										1								1		2				
107	Bronchopneumonia	58	32	26	4	5	3	3	6	5	6	2	3	2		2	2			1	1	2	2		3	1	2	3
108, 109	Pneumonia	29	15	14	5	2	2		2	4	1			1	1	1	1	1		1	1	2	1	1		1	1		
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1		1																								1
116–118	Diseases of the stomach	14	11	3		1	1		2		1				1		1			1	2		1	1	2			
119	Diarrhoea and enteritis	51	29	22	3	1		1	2		1		1		1	2	5	2	4	2	5	4	3	3	1	3	3	4
122	Hernia, intestinal obstruction	4	2	2					2															1		1		
130	Nephritis	2	1	1			1																					1
157	Malformations	57	32	25	1		3	2	1	3	3	4		3	7	4	6	1		3	3		4	3	3		1	2
	(a) Congenital hydrocephalus	5	1	4							1	1				1				1								1
	(c) Congenital malformations of the heart	20	11	9			2	1	1	2	1			3	4	2	1				1		1	1				
	(b,d,e) Others under this title	32	20	12	1		1	1		1	1	3			3	1	5	1		2	2		3	2	3		1	1
158	Congenital debility	66	35	31	3	2	8	7	2	3	2	2	5	4	4	3		2	4	2	2	1	4			2	1	3
159	Premature birth	155	81	74	5	5	7	4	5	3	13	6	4	11	8	5	11	4	3	4	9	8	5	5	3	10	8	9
160	Injury at birth	74	48	26	2	1	4	5	4	3	7	3	6	1	5	1	6	3	3	1	3	2	2	2	2	2	4	2
161	Other diseases peculiar to early Infancy (under 3 months)	66	40	26	1	2	3	2	1	2	5	5	3	2	6	3	4	1	1		6	5	1	2	4	1	5	1
	(a-e) Specified diseases	47	27	20		2	1	1	1	2	4	4	2	2	5		3	1	1		4	5		1	2	1	4	1
	(f) No cause given. No doctor in attendance	19	13	6	1		2	1			1	1	1		1	3	1				2		1	1	2		1	
173–175	Homicide																											
176–198	Other external causes	4	3	1					1	1					1										1			
	Other specified causes	16	8	8	2	1	1	1		2	1				1	1			1	3			1		1			
199–200	Unspecified or ill-defined causes	26	14	12		1			1		1	1	2	3	2	1	1		1	1	2	2		1	1	2	3	

TABLE XX.—DEATHS OF CHILDREN (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN SPECIFIED CAUSES IN FIRST YEAR OF LIFE BY SEX AND AGE AT DEATH, NOVA SCOTIA, 1936.

Int. list Number	Causes of Death	Total under 1 year			Age at Death																															
					Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	All causes	781	446	35	70	47	85	77	21	19	12	9	19	10	49	36	52	29	34	26	26	23	21	12	13	12	12	3	2	11	11	8	13	7	6	6
7	Measles	1	1														1																			
8	Scarlet fever	1	1																														1			
9	Whooping-cough	56	27	29						1			2		4	5	4	3	5	4	3	3	2	2	1	2	3			3		2	2	1	1	3
10	Diphtheria	1	1														1																			
11	Influenza	26	18	8			1	1							5	1	6	2			3	2		1		1					1		1		1	
13	Dysentery																																			
15	Erysipelas	2	2												1						1															
16	Poliomyelitis and polioencephalitis (acute)																																			
18	Epidemic cerebrospinal meningitis	1	1												1																					
23	Tuberculosis of the respiratory system	3	2	1																	1										1	1				
24	Tuberculosis of the meninges and central nervous system	5	3	2													1				1					1			1						1
25–32	Tuberculosis, other forms	5	3	2															1	1		1														
34	Syphilis	13	8	5	1		2	1		1				1		1	2		1		1		1	1			1						1			
36	Purulent infection, septicaemia	2	1	1									1																	1						
67	Diseases of the thymus gland	1	1																												1					
79	Simple meningitis	6	5	1									1				2									1					1				1	
86	Convulsions	27	17	10	2		2	1		1	1		1		1	2	4	1	2	3		2	1		2		1									
89	Diseases of the ear and mastoid process	4	4																2		1								1							
105a	Croup																																			
106	Bronchitis	4		4				1						1												1		1								
107	Bronchopneumonia	58	32	26			1			1			3		3	7	4	5	4	3	4	1	4	4	2	3	1		1		2	1	2	1	1	
108, 109	Pneumonia	29	15	14				1			1		1				4	1	3	3	2	3			1	1	2			1		3	1			1
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	1		1																							1								
116–118	Diseases of the stomach	14	11	3											4	1		1	1		1		1		2				1	1		1			
119	Diarrhoea and enteritis	51	29	22						1					4	2	4	4	5	3	3	4	5	2	2	2	2			2	1	1	1	1	2	
122	Hernia, intestinal obstruction	4	2	2														1	1	1	1															
130	Nephritis	2	1	1																			1													1

TABLE XX.—(Continued)

Int. list Number	Causes of Death	Total under 1 year			Age at Death																													
					Under 1 day		1 day and under 1 week		1 week and under 2 weeks		2 weeks and under 3 weeks		3 weeks and under 1 month		1 month and under 2 months		2 months and under 3 months		3 months and under 4 months		4 months and under 5 months		5 months and under 6 months		6 months and under 7 months		7 months and under 8 months		8 months and under 9 months		9 months and under 10 months		10 months and under 11 months		11 months and under 12 months	
		T	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
157	Malformations	57	32	25	4	6	7	6	4	3	....	1	2	....	4	2	5	2	2	1	....	2	....	1	1	....	1	....	....	1	2	....	....	....	....	....
	(a) Congenital hydrocephalus	5	1	4	....	2	....	....	....	....	....	1	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Congenital malformations of the heart	20	11	9	4	3	3	3	1	1	....	....	....	....	1	....	....	1	....	....	....	....	....	1	1	....	....	....	....	....	1	....	....	....	....	....
	(b,d,e) Others under this title	32	20	12	....	1	4	3	3	2	....	....	2	....	2	2	5	....	2	1	....	2	....	....	....	....	1	....	....	1	1	....	....	....	....	....
158	Congenital debility	66	35	31	7	4	5	7	....	3	1	2	....	....	8	6	6	3	3	3	....	1	3	1	1	....	....	....	....	1	....	1	....	....	....	....
159	Premature birth	155	81	74	30	26	27	22	7	5	5	5	4	7	4	5	1	2	1	....	....	2	1	....	....	....	....	....	....	....	1	....	....	....	....	....
160	Injury at birth	74	48	26	14	6	24	16	5	1	2	1	....	....	2	....	....	1	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
161	Other diseases peculiar to early infancy (under 3 months)	66	40	26	10	4	14	17	4	1	1	....	3	1	4	2	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(a-e) Specified diseases	47	27	20	8	3	12	14	3	1	1	....	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) no cause given (1)	19	13	6	2	1	2	3	1	....	....	....	1	....	3	1	4	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
173–175	Homicide	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
176–198	Other external causes	4	3	1	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....
	Other specified causes	16	8	8	....	....	1	....	....	....	....	....	....	....	1	1	1	....	1	2	1	....	1	....	1	1	1	....	....	....	....	....	....	4	....	....
199–200	Unspecified or ill-defined causes	26	14	12	2	1	1	4	1	1	....	....	1	....	2	1	2	2	2	1	3	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....

(1) No doctor in attendance

TABLE XXI—DEATHS BY MONTHS IN THE PROVINCE OF NOVA SCOTIA, 1936

COUNTIES (Including Cities and Towns)	MONTHS												
	January	February	March	April	May	June	July	August	September	October	November	December	Total
Annapolis	21	16	21	21	20	13	13	14	16	16	22	23	216
Antigonish	19	13	11	21	21	14	10	10	12	18	10	15	174
Cape Breton	92	89	64	79	77	77	51	67	76	75	68	77	892
Colchester	20	34	26	24	19	18	27	25	19	20	13	33	278
Cumberland	33	39	28	32	26	27	29	33	41	42	38	26	394
Digby	24	25	25	22	22	20	18	18	21	19	19	20	253
Guysborough	12	16	13	15	13	21	12	9	19	10	10	14	164
Halifax	110	109	108	118	118	101	93	78	103	92	100	108	1238
Hants	18	18	22	21	19	20	13	18	13	17	24	26	229
Inverness	31	27	19	20	21	16	21	24	17	14	17	22	249
Kings	29	24	26	24	13	25	24	15	26	29	28	20	283
Lunenburg	31	29	44	37	20	33	24	27	37	23	23	36	364
Pictou	41	32	46	31	40	38	40	29	25	31	35	47	435
Queens	11	5	10	10	12	9	8	10	9	9	10	11	114
Richmond	18	11	11	11	10	20	13	11	14	15	11	8	153
Shelburne	5	13	7	16	12	16	14	14	8	12	12	14	143
Victoria	11	9	4	5	6	3	11	4	4	3	8	7	75
Yarmouth	15	22	19	16	30	16	23	16	17	17	25	27	243
Total	541	531	504	523	499	487	444	422	477	462	473	534	5897

TABLE XXII—DEATHS OCCURRING IN COUNTIES IN NOVA SCOTIA, 1936

Counties (Including Cities and Towns)	Sex		Social Condition					
	Male	Female	Single	Married	Widowed	Divorced	Unknown	Total
Annapolis	113	103	47	94	75	.....	.....	216
Antigonish	101	73	75	78	21	.....	.....	174
Cape Breton	492	400	420	317	154	1	.....	892
Colchester	147	131	82	107	88	1	.....	278
Cumberland	202	192	116	170	108	.....	.....	394
Digby	153	100	87	95	69	2	.....	253
Guysboro	84	80	61	59	44	.....	.....	164
Halifax	638	600	452	476	309	1	.....	1238
Hants	129	100	89	69	70	1	.....	229
Inverness	133	116	105	82	62	.....	.....	249
Kings	154	129	95	116	72	.....	.....	283
Lunenburg	182	182	112	150	102	.....	.....	364
Pictou	240	195	163	161	110	1	.....	435
Queens	59	55	37	42	34	1	.....	114
Richmond	84	69	45	70	38	.....	.....	153
Shelburne	78	65	41	56	46	.....	.....	143
Victoria	31	44	14	29	32	.....	.....	75
Yarmouth	137	106	67	107	69	.....	.....	243
Total	3157	2740	2108	2278	1503	8	.....	5897

TABLE XXIII—DEATHS OCCURRING IN CITIES AND TOWNS OF NOVA SCOTIA, 1936

Cities and Towns	Sex		Social Condition					
	Male	Female	Single	Married	Widowed	Divorced	Unknown	Total
Amherst	53	62	32	56	27			115
Antigonish	57	41	50	47	1			98
Bridgetown	3	9	2	4	6			12
Bridgewater	39	31	25	34	11			70
Canso	3	8	3	5	3			11
Dartmouth	18	34	13	19	20			52
Digby	29	15	14	17	13			44
Dominion	8	10	10	4	4			18
Glace Bay	151	122	156	82	35			273
Halifax	454	417	344	330	197			871
Inverness	35	20	31	13	11			55
Joggins	9	6	6	3	6			15
Kentville	38	34	31	31	10			72
Liverpool	17	14	10	13	8			31
Lunenburg	11	15	2	13	11			26
Mahone Bay	6	9	2	6	7			15
New Glasgow	78	59	56	47	33	1		137
New Waterford	50	29	45	22	11	1		79
North Sydney	55	39	36	42	16			94
Oxford	6	4	1	5	4			10
Parrsboro	10	7	2	8	7			17
Pictou	32	23	19	17	19			55
Port Hawkesbury	3	2	2	2	1			5
Shelburne	11	7	5	9	4			18
Springhill	27	27	20	24	10			54
Stellarton	18	14	9	15	8			32
Sydney	92	85	64	72	41			177
Sydney Mines	48	42	36	40	14			90
Trenton	10	10	9	8	3			20
Truro	50	54	35	33	36			104
Wedgeport	8	2	4	2	4			10
Westville	14	13	13	7	7			27
Windsor	46	30	32	20	23	1		76
Wolfville	21	20	10	17	14			41
Yarmouth	55	57	27	55	30			112
Total	1565	1371	1156	1122	655	3		2936

TABLE XXIV—AGE AT WHICH DEATHS OCCURRED IN THE PROVINCE OF NOVA SCOTIA, BY COUNTIES, 1936

COUNTIES (Including cities and towns)	Under 1 Year		1		2		3		4		5–9		10-14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		Total
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Annapolis	11	5	1	....	....	....	1	2	....	....	1	....	....	1	1	....	3	6	7	4	3	3	4	8	21	17	33	25	21	21	5	11	1	. .	....	....	216
Antigonish	8	5	2	....	....	....	....	....	....	....	....	2	2	4	2	3	10	5	6	5	7	5	9	4	22	7	14	14	12	13	7	6	....	....	....	....	174
Cape Breton	118	77	11	9	7	2	9	....	3	4	11	13	3	7	7	22	37	25	26	17	33	30	59	30	70	41	68	62	24	49	6	12	....	....	..	....	892
Colchester	20	12	2	2	....	1	....	1	....	1	4	1	2	1	3	....	5	5	6	6	7	7	16	8	25	17	22	33	31	29	4	7	....	....	....	....	278
Cumberland	26	29	3	1	1	....	1	3	....	....	....	2	2	....	5	1	8	14	5	15	6	12	19	11	25	29	60	38	36	27	5	10	....	..	....	....	394
Digby	26	13	1	1	....	....	....	....	....	....	2	4	2	2	7	....	5	5	4	8	8	3	9	9	24	18	31	17	28	16	6	3	...	1	....	...	253
Guysboro	15	10	3	2	1	1	....	....	. .	....	3	5	....	....	1	1	8	2	2	3	.....	3	3	9	10	11	18	15	18	12	1	6	....	....	1	....	164
Halifax	73	71	14	15	1	6	3	2	5	3	9	9	5	8	13	9	33	35	43	41	56	43	75	60	110	84	127	113	67	85	3	16	....	....	1	....	1238
Hants	22	17	1	2	....	....	....	....	1	....	2	1	4	1	4	1	1	1	3	2	6	4	11	9	12	12	26	19	27	20	8	11	1	....	....	..	229
Inverness	18	10	4	5	1	1	1	....	1	1	3	2	3	....	6	3	7	6	5	4	5	4	6	7	21	17	27	19	19	29	6	8	....	...	....	....	249
Kings	10	7	1	....	1	....	....	....	1	....	1	1	1	3	3	6	18	12	13	5	7	6	20	12	24	13	31	34	19	22	4	8	....	....	....	....	283
Lunenburg	19	28	2	2	2	1	....	1	1	....	....	2	1	....	4	3	7	6	11	3	8	11	4	9	30	26	59	46	31	36	2	8	....	....	1	....	364
Pictou	37	20	3	4	2	2	1	1	1	...	4	1	6	4	4	6	7	9	9	6	9	12	27	25	46	23	39	30	43	32	2	20	....	....	....	....	435
Queens	7	10	....	1	....	1	2	....	2	....	....	....	....	..	2	1	2	2	4	1	.....	2	2	4	9	8	18	13	10	11	1	1	....	....	....	....	114
Richmond	10	5	3	1	....	1	....	1	....	....	....	....	1	....	.....	4	3	3	3	2	3	2	7	4	10	6	22	19	19	13	3	8	. ..	....	....	....	153
Shelburne	6	9	2	3	....	....	....	....	....	....	....	1	....	....	5	1	1	2	4	1	5	4	9	5	10	8	20	15	16	13	.....	3	....	....	....	...	143
Victoria	4	2	....	....	....	...	....	....	....	....	....	....	....	....	.....	...	.....	5	.....	2	.....	2	2	1	6	5	5	11	9	8	3	6	2	2	....	...	75
Yarmouth	16	5	1	1	....	1	2	....	1	1	3	3	4	....	2	4	8	9	7	8	5	5	13	12	25	11	21	18	23	18	6	9	....	1	....	...	243
Total	446	335	54	49	16	17	20	11	16	10	43	47	36	31	69	65	163	152	158	133	168	158	295	227	500	353	641	541	453	454	72	153	4	4	3	....	5897

TABLE XXV—AGES AT WHICH DEATHS OCCURRED IN CITIES AND TOWNS OF NOVA SCOTIA, 1936

Cities and Towns	Under 1 year		1		2		3		4		5–9		10–14		15–19		20–29		30–39		40–49		50–59		60–69		70–79		80–89		90–99		100 and over		Not stated		Total
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	
Amherst	8	5											1		2	1	3	7	2	6	1	7	9	4	8	10	10	14	8	5	1	3					115
Antigonish	5	4	2									2	2	4	2	3	9	4	5	4	7	3	8	2	10	5	4	5	3	4		1					98
Bridgetown																				1					1	1	1	3	1	3		1					12
Bridgewater	5	4				1		1				2			2	2		3	7		4	3		2	4	5	10	4	6	3		1		1			70
Canso	1											1											1			1		4	1	1		1					11
Dartmouth	1	3		1															1	3	1	2	1	4	5	4	2	8	6	9	1						52
Digby	2	3											1	1	1		1	1	1	1	3		4	3	5		5	2	4	3	2	1					44
Dominion	3	3		1		1											2			2			1		1		1		2		1					18
Glace Bay	56	33	5	3	3		3		1	1	4	4	2	3	4	9	8	7	3	9	9	5	16	8	22	15	14	18		7	1						273
Halifax	55	49	11	11	1	5	3	2	4	3	9	6	4	8	8	7	23	30	31	30	47	36	61	43	84	55	81	69	30	52	1	11			1		871
Inverness	10	3				1						1	1			2	5	4	2	1	2	1	1	1	7		6	3	1	2		1					55
Joggins	2	1	1					2															1		1		3	1	1	2							15
Kentville	1	1												3	1	5	10	8	7	3	4	1	6	3	3	2	4	5	1	2	1	1					72
Liverpool		2					1		1						1		1	2	3	1		1	1	1	2	1	3	3	4	3							31
Lunenburg																	1				1	2		1	3		3	7	3	4		1					26
Mahone Bay	1	1																					1		1	2	2	2	1	3		1					15
New Glasgow	14	5	1	2	2						2	1	2	2	2	3	2	3	2	3	2	6	13	4	14	11	11	7	10	5	1	7					137
New Waterford	14	6	2	4	2		1			1	3	1		2			3	1	3	1	6	3	2	1	10	4	3	4	1			1					79
North Sydney	15	6	1		1				2	1					1		2	3	3		6	1	9	3	5	7	6	7	4	8	1	2					94
Oxford	1																								1	1	2		2	2		1					10
Parrsboro	1																				1			2	1	1	4	3	2	1	1						17
Pictou	2	2	1			1							2	1				2	4		1		2	2	6	3	7	4	6	6	1	2					55
Port Hawkesbury													1		1			1							3		1			1							5
Shelburne		3													1				1				3			1	3	2	2	1							18
Springhill	5	12															2	3	1	1	1	1	5	1	1	4	6	1	4	3		1					54
Stellarton	2	2	1			1							1				2						3	2	5	1	1	5	3	3							32
Sydney	9	9	2				2		2		2	3	1	1		5	10	9	7	1	9	13	16	11	16	6	9	12	7	12		3					177
Sydney Mines	7	8	1				1				1	1		1		2	5	3	6	3	3	2	4	2	7	5	12	7	1	7		1					90
Trenton		4		1			1		1											1		1	1		5	1	1	1	1			1					20
Truro	6	5		1		1		1		1	3	1	2	1	2		1	1	4	3	7	1	7	4	7	5	4	13	7	13		3					104
Wedgeport	1										1						1	1	1									1	2		2						10
Westville	6	2									1								1		1		1	2	1		1	3	2	4		2					27
Windsor	7	7	1								1		1	1	2			1	1	1	4	2	5	3	6	3	9	5	7	2	2	5					76
Wolfville	1	1													1	1	3				1	1	3	2	2	3	5	6	4	6	1						41
Yarmouth	5	2		1			1			1		3	1			2	3	7	4	5	4	4	5	8	15	6	9	8	7	5	1	5					112
Total	246	186	29	25	9	11	13	6	9	9	28	26	22	28	31	42	97	101	100	80	125	96	190	119	262	163	243	237	142	184	17	58			2		2936

TABLE XXVI—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS SHOWING THE NUMBER NON-RESIDENT IN THE PROVINCE OF NOVA SCOTIA, 1936

	All Deaths						In Institutions					
	Total			Non-resident in Province			Total			Non-resident in Province		
	Total	M	F	Total	M	F	Total	M	F	Total	M	F
Total for the Province....	5897	3157	2740	35	24	11	1385	799	586	18	12	6

TABLE XXVII—TOTAL DEATHS (EXCLUSIVE OF STILLBIRTHS) AND DEATHS IN INSTITUTIONS, CLASSIFIED ACCORDING TO RESIDENCE OF DECEDENTS IN CITIES AND TOWNS OF 5000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA 1936.

Cities and Towns	All Deaths												Deaths in Institutions												Deaths elsewhere than in Institutions											
	Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and						Total			Residents			Non-resident in city or town where death occurred and					
							Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.									Resident in Prov.			Non-resident in Prov.		
	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F	T	M	F
Cities:																																				
Halifax	871	454	417	683	335	348	183	115	68	5	4	1	491	280	211	316	169	147	171	108	63	4	3	1	380	174	206	367	166	201	12	7	5	1	1	...
Sydney	177	92	85	162	86	76	15	6	9	....	....	....	71	41	30	57	35	22	14	6	8	....	....	....	106	51	55	105	51	54	1	..	1	....	....	....
Towns:																																				
Amherst	115	53	62	88	41	47	22	10	12	5	2	3	35	19	16	8	7	1	22	10	12	5	2	3	80	34	46	80	34	46	....	....	....	....	....	....
Dartmouth	52	18	34	46	17	29	5	1	4	1	....	1	...	.....	.....	.....	.....	.....	.....	.....	..	...	...	...	52	18	34	46	17	29	5	1	4	1	..	1
Glace Bay	273	151	122	230	133	97	42	17	25	1	1	....	141	87	54	101	70	31	39	16	23	1	1	..	132	64	68	129	63	66	3	1	2	...	....	...
New Glasgow	137	78	59	95	55	40	42	23	19	....	....	....	60	35	25	23	13	10	37	22	15	....	....	....	77	43	34	72	42	30	5	1	4	..	..	..
New Waterford	79	50	29	71	43	28	8	7	1	...	..	..	18	13	5	11	7	4	7	6	1	..	...	...	61	37	24	60	36	24	1	1	..	..	..	..
North Sydney	94	55	39	85	47	38	7	6	1	2	2	..	16	11	5	7	3	4	7	6	1	2	2	...	78	44	34	78	44	34	..	..	...	..	..	..
Springhill	54	27	27	51	26	25	3	1	2	...	...	...	16	7	9	13	6	7	3	1	2	....	....	....	38	20	18	38	20	18	..	..	..	..	..	..
Stellarton	32	18	14	30	18	12	2	.....	2	....	....	....	....	.....	.....	.....	.....	.....	.....	.....	...	....	....	....	32	18	14	30	18	12	2	....	2	....	....	....
Sydney Mines	90	48	42	83	43	40	7	5	2	...	..	..	17	11	6	11	6	5	6	5	1	..	....	....	73	37	36	72	37	35	1	...	1	..	..	..
Truro	104	50	54	85	40	45	19	10	9	....	..	....	38	20	18	22	12	10	16	8	8	....	....	....	66	30	36	63	28	35	3	2	1	....	..	..
Yarmouth	112	55	57	86	43	43	25	11	14	1	1	....	45	22	23	20	11	9	25	11	14	....	....	....	67	33	34	66	32	34	....	....	....	1	1	..

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY SINGLE YEARS OF AGE AND BY AGE GROUPS, IN THE PROVINCE OF NOVA SCOTIA, 1936

Ages	Total	Male	Female
All ages	5,897	3,157	2,740
Under 1 year	781	446	335
1 year	103	54	49
2 years	33	16	17
3 "	31	20	11
4 "	26	16	10
Total under 5 years	974	552	422
5 years	18	8	10
6 "	29	17	12
7 "	19	9	10
8 "	10	4	6
9 "	14	5	9
Total 5-9 years	90	43	47
10 years	14	6	8
11 "	12	7	5
12 "	9	6	3
13 "	11	7	4
14 "	21	10	11
Total 10-14 years	67	36	31
15 years	11	6	5
16 "	27	14	13
17 "	26	14	12
18 "	36	15	21
19 "	34	20	14
Total 15–19 years	134	69	65
20 years	33	12	21
21 "	40	18	22
22 "	31	19	12
23 "	41	21	20
24 "	31	11	20
Total 20-24 years	176	81	95
25 years	20	17	3
26 "	29	18	11
27 "	21	10	11
28 "	40	23	17
29 "	29	14	15
Total 25-29 years	139	82	57

TABLE XXVIII—DEATHS (EXCLUSIVE OF STILLBIRTHS) Cont'd

Ages	Total	Male	Female
30 years	26	18	8
31 "	19	10	9
32 "	32	18	14
33 "	23	10	13
34 "	30	22	8
Total 30-34 years	130	78	52
35 years	36	17	19
36 "	36	12	24
37 "	31	14	17
38 "	23	17	6
39 "	35	20	15
Total 35-39 years	161	80	81
40 years	27	15	12
41 "	26	13	13
42 "	39	24	15
43 "	30	12	18
44 "	22	12	10
Total 40-44 years	144	76	68
45 years	36	20	16
46 "	33	12	21
47 "	31	9	22
48 "	40	24	16
49 "	42	27	15
Total 45-49 years	182	92	90
50 years	54	27	27
51 "	30	14	16
52 "	47	27	20
53 "	48	31	17
54 "	53	23	30
Total 50-54 years	232	122	110
55 years	39	18	21
56 "	56	40	16
57 "	61	41	20
58 "	56	30	26
59 "	78	44	34
Total 55-59 years	290	173	117
60 years	62	32	30
61 "	56	33	23
62 "	82	52	30
63 "	105	62	43
64 "	75	43	32
Total 60-64 years	380	222	158

TABLE XXVIII DEATHS (EXCLUSIVE OF STILLBIRTH)—Cont'd

Ages	Total	Male	Female
65 years	96	56	40
66 "	64	32	32
67 "	90	58	32
68 "	108	64	44
69 "	115	68	47
Total 65-69 years	473	278	195
70 years	102	57	45
71 "	87	49	38
72 "	132	72	60
73 "	120	72	48
74 "	118	57	61
Total 70-74 years	559	307	252
75 years	122	65	57
76 "	141	84	57
77 "	124	64	60
78 "	120	60	60
79 "	116	61	55
Total 75-79 years	623	334	289
80 years	123	64	59
81 "	93	48	45
82 "	98	54	44
83 "	113	66	47
84 "	94	49	45
Total 80-84 years	521	281	240
85 years	88	43	45
86 "	103	39	64
87 "	78	40	38
88 "	61	23	38
89 "	56	27	29
Total 85-89 years	386	172	214
90 years	49	14	35
91 "	37	11	26
92 "	24	13	11
93 "	28	9	19
94 "	20	5	15
Total 90-94 years	158	52	106
95 years	16	3	13
96 "	19	7	12
97 "	16	6	10
98 "	9	1	8
99 "	7	3	4
Total 95-99 years	67	20	47
100 years and over	8	4	4
Not stated	3	3	....

TABLE XXIX—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO RACIAL ORIGIN OF DECEDENTS, IN THE PROVINCE OF NOVA SCOTIA, 1936

Racial Origin	Total	Male	Female
All origins	5,897	3,157	2,740
English	2,559	1,363	1,196
Irish	638	351	287
Scottish	1,509	800	709
Welsh	9	7	2
French	653	365	288
German	203	94	109
Armenian	....	.....	.....
Austrian	4	2	2
Belgian	10	6	4
Bulgarian	....	.....	.....
Chinese	2	2	.....
Czech and Slovak	6	3	3
Danish	1	.....	1
Dutch	53	30	23
Finnish	.....	.....	.....
Greek	1	.....	1
Hindu	.....	.....	.....
Hungarian	5	4	1
Icelandic	1	.....	1
Indian	36	23	13
Italian	9	5	4
Japanese	.....	.....	.....
Jewish	9	2	7
Negro	130	65	65
Norwegian	1	1	.....
Polish	9	4	5
Roumanian	.....	.....	.....
Russian	5	4	1
Serb and Croat	1	1	.....
Swedish	5	5	.....
Swiss	10	4	6
Syrian	8	4	4
Ukrainian (1)	2	2	.....
Other	6	5	1
Not specified	12	5	7

(1) Including "Galician" and "Bukovinian."

TABLE XXX.—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACE OF DECEDENTS, FOR THE PROVINCE AND CITIES AND TOWNS OF 10,000 POPULATION AND OVER, IN THE PROVINCE OF NOVA SCOTIA, 1936

Province, Cities and towns	Total deaths by sex	BIRTHPLACE OF DECEDENTS																																					
		CANADA										BRITISH ISLES					British Possessions		EUROPE																ASIA					
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
NOVA SCOTIA T.	5897	50	5190	103	30	29	1	1	....	3	2	129	15	43	3	....	144	9	2	6	....	....	4	3	1	3	3	1	11	....	8	1	5	1	....	5	76	....	15
M.	3157	25	2772	55	16	19	1	1	....	2	....	67	10	23	2	....	79	6	2	4	....	....	3	3	1	2	1	1	5	....	6	1	3	1	....	1	35	....	10
F.	2740	25	2418	48	14	10	....	....	....	1	2	62	5	20	1	....	65	3	....	2	....	....	1	....	....	1	2	....	6	....	2	....	2	....	....	4	41	....	5
GLACE BAY T.	273	3	221	2	....	2	....	....	....	....	....	10	....	2	....	....	24	2	1	....	....	....	....	....	....	....	2	....	2	....	1	....	....	....	....	....	1	....	....
M.	151	....	123	1	....	1	....	....	....	....	....	3	....	1	....	....	16	2	1	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	....	....	....	....
F.	122	3	98	1	....	1	....	....	....	....	....	7	....	1	....	....	8	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	....	....	....	....	1	....	....

HALIFAX																																							
T.	871	12	682	12	14	11	....	....	....	1	....	38	7	7	2	....	46	3	....	1	....	....	....	....	1	....	....	1	4	....	5	1	1	1	....	2	13	....	6
M.	454	8	351	4	6	6	..	....	....	1	....	24	6	5	2	....	21	1	....	1	....	....	....	....	1	....	....	1	....		4	1	1	1	....	....	5	....	4
F.	417	4	331	8	8	5	....	....	....	....	....	14	1	2	....	....	25	2	....	....	....	....	....	....	....	....	....	....	4	....	1	....	....	....	....	2	8	....	2
SYDNEY																																							
T.	177	2	141	2	....	1	....	....	....	....	....	3	....	3	....	....	16	....	....	....	....	....	1	....	....	2	....	....	3	....	....	....	....	....	....	....	2	....	1
M.	92	....	76	....	....	1	....	....	....	....	....	1	..	1	....	....	7	....	....	....	....	....	1	....	....	1	....	....	2	....	....	....	....	....	....	....	1	....	1
F.	85	2	65	2	....	....	....	....	....	....	....	2	....	2	....	....	9	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	1	....	....

(1) Including the Ukraine

TABLE XXXI—DEATHS (EXCLUSIVE OF STILLBIRTHS) CLASSIFIED ACCORDING TO BIRTHPLACES OF PARENTS OF DECEDENTS FOR NOVA SCOTIA 1936.

		BIRTHPLACE OF MOTHER																																				
		Canada										Brstish Isles					British Possessions		Europe															Asia					
Birthplace of Father	Total Fathers	Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not specified
CANADA	4495	37	3994	91	20	12		1	1		2	32	24	43		1	46	5					1	1	1								1				30		52
P. E. Island	49	22	19											3			1																				2		2
Nova Scotia	4,294	14	3,933	35	7	3		1	1			29	23	37			41	5					1	1	1												25		137
New Brunswick	106	1	29	56								3	1	3			3																				2		8
Quebec	25		4		13	2										1	1																1						3
Ontario	14		5			7																															1		1
Manitoba	2		2																																				
Saskatchewan	1		1																																				
Alberta																																							
British Columbia	2		1																																				1
Province not specified	2										2																												
BRITISH ISLES	695	6	209	7	2	4					3	151	76	172	8		21	2																					
England	263	3	61	2	1	1						143	9	5	1		19	2																			3		31
Ireland	146	1	53	3		1					1	3	64	5	1		1																						13
Scotland	277	2	94	2	1	2					2	3	3	162			1																						5
Wales	8		1									1			6																								

Other	1											1																											
BRITISH POSSESSIONS	227		50									4	1				147	7				1															1		16
Newfoundland	212		47														147					1															1		16
Other	15		3									4	1					7																					
EUROPE	90		20	1								2	1	1			3		4	6		1	5	5	1	4	3	1	12		8	1	7						4
Austria	4																		4																				
Belgium	10		2									1		1						6																			
Denmark	1		1																																				
Finland	1																					1																	
France	9		2														1						5																1
Germany	11		6																					5															
Holland	3		1										1												1														
Hungary	5		1																							4													
Italy	8		4														1										3												
Norway	1																											1											
Poland	15		1	1																									12										1
Roumania																																							
Russia (1)	8																														7								1
Sweden	2											1																				1							
Other	12		2														1														1		7						1
ASIA	11		3																															1		7			
China	2		1																															1					
Japan																																							
Other	9		2																																	7			
United States	61		38	1									1	1			1																				18		1
Various																																							
Not specified	318	2	112		1							1	1	2			2																				1		196
Total mothers	5897	45	4426	100	23	16	....	1	1	...	5	190	104	219	8	1	220	14	4	6	....	2	6	6	2	4	3	1	12	....	8	1	8	1	...	7	53	....	400

(1) Including the Ul aine.

TABLE XXXII.—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
	Deaths--All causes	T.	5897	781	103	33	31	26	90	67	134	176	139	130	161	144	182	232	290	380	473	559	623	521	386	158	67	8	3
		M.	3157	446	54	16	20	16	43	36	69	81	82	78	80	76	92	122	173	222	278	307	334	281	172	52	20	4	3
		F.	2740	335	49	17	11	10	47	31	65	95	57	52	81	68	90	110	117	158	195	252	289	240	214	106	47	4	....
	Class I—Infectious and Parasitic diseases	T.	832	116	42	9	12	15	33	23	68	81	71	54	41	37	20	23	36	25	33	34	23	18	12	4	2	....	....
		M.	410	68	14	5	7	8	10	10	26	33	37	29	21	23	6	15	23	19	15	18	7	10	4	.....	2	....	....
		F.	422	48	28	4	5	7	23	13	42	48	34	25	20	14	14	8	13	6	18	16	16	8	8	4	....	....	....
1	Typhoid fever	M.	2	.....	.....	....	....	....	.....	....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
		F.	2	.....	.....	....	....	....	.....	....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
2	Paratyphoid fever	M.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
		F.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
4	Relapsing fever	M.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
		F.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
5	Undulant fever	M.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
		F.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
6	Small-pox	M.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....
		F.	.....	.....	.....	....	....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	....	....

7	Measles	M.	2	1						1																					
		F.	4		2																1				1					
8	Scarlet Fever	M.	3	1					1				1																		
		F.	6						1	1		2				1			1											
9	Whooping-cough	M.	37	27	6			3			1																				
		F.	61	29	21	1	2	4	4																						
10	Diphtheria	M.	6	1	1	3			1																						
		F.	11					1	7	1	2																				
11	Influenza	M.	73	18	3	1		2	1	1	1	1				4	2	1	3	3	6	6	5	9	4		2				
		F.	75	8	3			1	4	2	2	1	2		2		1	1	3	3	7	8	12	8	4	3					
	(a) Sole cause	M.	18	8	1			1	1		1										1	2		3							
		F.	16	4									1					1			1	1	3	1	2	2					
	(b) With bronchitis	M.	7																		1	1	1		1	3					
		F.																													
	(c) With pneumonia	M.	26	5	1			1				1				2	1	1	2	1	2	1	4	2	1		1				
		F.	27	2	1			1			1	1			1		1		2		3	3	4	4	2	1					
	(d) With other diseases	M.	4	1															1	1		1									
	of the respiratory system	F.	3																			1	1	1							
	(e) With intestinal	M.	3	1		1										1															
	complications	F.	7	1	1				2				1								1			1							
	(f) With other	M.	15	3	1					1						1	1				2	1	1	3			1				
	causes	F.	22	1	1				2	2	1				1				1	2	3	3	3	2							
13	Dysentery	M.																													
		F.	1																				1								
15	Erysipelas	M.	4	2					1												1										
		F.	4								1		1									1			1						
16	Poliomyelitis and pol-	M.																													
	ioencephalitis (acute)	F.	1										1																		
17	Lethargic or epidemic	M.	1								1																				
	encephalitis	F.																													

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
18	Epidemic cerebro-spinal meningitis	M.	9	1	.....	.....	1	2	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
19	Glanders	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Anthrax, malignant pustule	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Rabies	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Tetanus	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23-32	Tuberculosis	M.	248	8	3	1	5	1	4	8	21	32	33	27	20	17	3	13	17	13	8	12	1	1	.....	.....	.....	.....	.....
		F.	237	5	2	3	3	1	7	8	37	42	29	22	16	11	13	7	9	2	10	5	3	.....	2	.....	.....	.....	.....
23	Tuberculosis of the respiratory system	M.	204	2	1	1	1	1	.....	3	13	31	29	25	18	17	3	11	15	13	7	11	1	1	.....	.....	.....	.....	.....
		F.	197	1	.....	2	2	....	1	6	28	38	27	22	15	11	11	7	8	1	8	4	3	.....	2	.....	.....	.....	.....
24	Tuberculosis of the meninges and central nervous system	M.	18	3	1	....	4	....	2	2	2	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	19	2	1	1	1	1	5	....	5	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

25	Tuberculosis of the intestines and peri-	M.	4								3							1											
	toneum	F.	7								1		1				1		1	1	1	1							
26	Tuberculosis of the	M.	4										1	1				1			1								
	vertebral column	F.	1								1																		
27	Tuberculosis of the bones and joints (vertebral column	M.	1								1																		
	excepted)	F.																											
	(a) Of bones	M.																											
		F.																											
	(b) Of joints	M.	1								1																		
		F.																											
28	Tuberculosis of the skin and sub-cutaneous cellular	M.																											
	tissue	F.																											
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands	M.	1																			1							
	excepted)	F.																											
30	Tuberculosis of the genito-urinary sys-	M.	3							1			1		1														
	tem	F.	1										1																
31	Tuberculosis of other	M.																											
	organs	F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated	
32	Disseminated tuberculosis	M.	13	3	1	....	....	....	2	2	2	1	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	12	2	1	....	....	....	1	2	2	2	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	
	(a) Acute	M.	9	3	1	....	....	....	1	1	2	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	11	2	1	....	....	....	1	2	2	2	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
	(b) Chronic	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
	(c) Not specified	M.	4	....	....	....	....	....	1	1	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	
33	Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
34	Syphilis	M.	16	8	....	....	1	....	....	....	....	....	1	....	1	....	....	1	2	1	....	....	1	....	....	....	....	....	....	....	
		F.	11	5	....	....	....	....	....	....	....	1	....	....	2	2	....	....	....	....	....	1	....	....	....	....	....	....	....	....	
35	Gonococcus infection and other venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
		F.	2	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	
36	Purulent infection, septicaemia (non-puerperal)	M.	9	1	1	....	....	....	1	....	....	....	....	1	....	2	1	....	....	2	....	....	....	....	....	....	....	....	....	....	
		F.	5	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	1	....	1	....	....	....	1	....	....	....	

38	Malaria	M.																												
		F.																												
39	Other diseases due to	M.																												
	protozoal parasites	F.																												
40	Ankylostomiasis	M.																												
		F.																												
41	Hydatid cysts	M.																												
		F.																												
	(a) Of the liver	M.																												
		F.																												
	(b) Of other organs	M.																												
		F.																												
42	Other diseases caused	M.																												
	by helminths	F.																												
43	Mycoses	M.																												
		F.																												
44	Other infectious or	M.																												
	parasitic diseases	F.																												
	(a) Chicken-pox	M.																												
		F.																												
	(b) German measles	M.																												
		F.																												
	(c) Others under	M.																												
	this title	F.																												
	Class II—Cancer and other Tumours	T.	715				2	1	2	2	1	3	2	9	28	28	42	55	73	85	96	92	96	56	30	8	2		2	
		M.	332				2	1			1	2		6	9	9	13	17	36	40	52	54	44	28	12	4			2	
		F.	383						2	2		1	2	3	19	19	29	38	37	45	44	38	52	28	18	4	2			
45–53	Cancer and other	M.	321				1					2		4	9	9	13	16	34	39	51	54	43	28	12	4			2	
	malignant tumours	F.	366						2	2		1	1	3	17	15	25	38	37	45	43	37	50	27	17	4	2			

Table XXXII CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1-year	2-years	3-years	4-years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
45	Cancer of the buccal cavity and pharynx	M.	17											1	1			2		3	4	2	2	2					
		F.	7																		1	2	2	1	1				
46	Cancer of the digestive tract and peritoneum	M.	207				1							1	6	8	11	12	18	25	35	38	27	14	6	3			2
		F.	176											1	3	2	11	16	13	21	26	23	31	19	8	1	1		
	(a) of the oesophagus	M.	3																			2	1						
		F.	6															1	1	1	1			2					
	(b) Of the stomach and duodenum	M.	99												3	1	3	8	7	15	16	19	16	5	4	1			1
		F.	62												1		3	5	3	7	12	4	12	10	5				
	(c) Of the rectum	M.	19													1	3	1	2	2	3	4	1	1		1			
		F.	16												1	2	3	1	1	2	1	2	3						
	(d) Of the liver and biliary ducts	M.	21											1			2	1	1	2	4	2	3	4	1				
		F.	21											1			1	1	1	2	2	5	5	1	1		1		
	(e) Of the pancreas	M.	11													1			3	1	3	1		1		1			
		F.	8																4	1	2	1							
	(f) Of the peritoneum	M.	3				1								1	1													
		F.	1																				1						
	(g) Of other organs	M.	51												2	4	3	2	5	5	9	10	6	3	1				1
		F.	62												1		4	8	3	8	8	11	10	6	2	1			

47	Cancer of the respiratory organs M.	15															1	4	3	2	2	2	1					
	F.	7									1		1				2		2				1					
	(a) Of the larynx M.	3																	1		1	1						
	F.	3															1		1				1					
	(b) Of the lung M.	11															1	4	2	2	1	1						
	F.	4									1		1				1		1									
	(c) Of the mediastinum M.	1																					1					
	F.																											
	(d) Of other organs of the respiratory system M.																											
	F.																											
48	Cancer of the uterus F.	67										1	1	11	5	6	7	11	10	2	3	6	3	1				
	(a) Of the uterus F.	42										1		6	2	2	6	8	6	2	2	4	3					
	(b) Of the cervix uteri F.	25											1	5	3	4	1	3	4		1	2		1				
49	Cancer of other female genital organs F.	13													1	1	4	4	2	1								
50	Cancer of the breast M.	1																		1								
	F.	48												2	5	5	4	5	5	10	5	2	2	3				
51	Cancer of the male genito-urinary organs M.	46											2	2			1	6	5	3	10	8	6	3				
	(a) Of the bladder M.	11											1					1	1	1	3	3	1					
	(b) Of the kidney M.	4															1	1	1					1				
	(c) Of the prostate gland M.	24																2	3	2	7	4	4	2				
	(d) Of the testicles and annexa M.	5											1	2				1					1					
	(e) Of other male genito-urinary organs M.	2																1				1						

TABLE XXXII CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
52	Cancer of the skin.....	M.	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	4	.....	1	1	2	1	.....	.....	.....
		F.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	3	1	3	1	1	.....	.....
53	Cancer of other or un-	M.	22	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	5	2	2	2	3	4	1	.....	.....	.....	.....
	specified organs.....	F.	38	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	1	2	5	4	5	3	4	6	.....	1	2	.....	.....	.....	.....
	(a) Of the eye and	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	orbit.....	F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	(b) Of the circulatory system	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Of the glandu-	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	lar system.....	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Of the female urinary organs.....	F.	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	(e) Of the bones	M.	6	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	and joints.....	F.	7	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
	(f) Of the brain.....	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

	(g) Of the spine	M.	2																1				1						
	and spinal cord	F.	1																	1									
	(h) Of the neck	M.	2																			1	1						
		F.	2						1														1						
	(i) Of the abdo-	M.	2																		1			1					
	men	F.	7							1							1	1	1				2			1			
	(j) Of other specifi-	M.	2																1						1				
	ed organs	F.																											
	(k) Multiple cancer	M.	1																					1					
		F.																											
	(m) Of unspecified																												
	or unknown	M.	1																	1									
	location	F.	3														1	1		1									
54	Non-malignant tum-	M.	6					1			1			1						1	1		1						
	ours	F.	15										1		2	3	4					1	2	1	1				
	(a) Of the ovary	F.	6										1		1	2						1	1						
	(b) Of the uterus	F.	5												1	1	2							1					
	(c) Of other female																												
	genital organs	F.																											
	(d) Of the brain	M.	4					1			1			1							1								
		F.	1																				1						
	(e) Of the thyroid	M.																											
	gland	F.	1														1												
	(f) Of the prostate																												
	gland	M.	2																	1			1						
	(g) Of other or un-	M.																											
	specified sites	F.	2														1								1				
55	Tumours, nature	M.	5				1							1				1	2										
	not specified	F.	2													1					1								
	(a) Of the ovary	F.																											

Table XXXIII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not Stated
	(b) Of the uterus	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c) Of other female genital organs	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(d) Of the brain	M.	5	...	...	...	1	...	...	...	...	...	...	1	...	...	...	1	2	...	...	...	...	...	...	...	...	...	...
		F.	1	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...
	(e) Of the thyroid gland	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(f) Of the prostate gland	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(g) Of other or unspecified sites	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	129	3	5	2	...	2	11	2	3	3	...	6	2	1	...	7	9	16	11	15	19	7	4	1	...	...	...
		M.	53	3	2	1	...	2	5	2	1	2	...	3	1	1	...	2	2	5	2	5	10	2	1	1	...	...	...
		F.	76	...	3	1	...	...	6	...	2	1	...	3	1	...	...	5	7	11	9	10	9	5	3	...	...	...	...
56	Acute rheumatic fever	M.	10	...	...	1	...	...	2	2	1	...	...	1	...	...	...	1	1	...	...	1	...	...	...	...	...	...	...
		F.	15	...	...	...	...	...	6	...	2	1	...	...	...	...	...	...	...	3	1	1	...	...	1	...	...	...	...

57	Chronic rheumatism,	M.	5																				3		1	1					
	osteo-arthritis	F.	8																		2	1		2	2	1					
58	Gout	M.																													
		F.																													
59	Diabetes mellitus	M.	27				1	3		1		1	1	1					4	2	4	7	2								
		F.	41									1				3	5	7	7	6	6	4	2								
60	Scurvy	M.	1	1																											
		F.																													
61	Beriberi	M.																													
		F.	1													1															
62	Pellagra	M.																													
		F.																													
63	Rickets	M.	2		1		1																								
		F.	1		1																										
64	Osteomalacia	M.																													
		F.	1			1																									
65	Diseases of the pit-	M.																													
	uitary gland	F.																													
66	Diseases of the thy-																														
	roid and parathy-	M.	1							1																					
	roid glands	F.	6		1							2	1							1		1									
	(a) Simple goitre	M.																													
		F.	2									1	1																		
	(b) Exophthalmic	M.	1							1																					
	goitre	F.	2									1								1											
	(c) Myxoedema,	M.																													
	cretinism	F.	2		1																	1									
	(d) Tetany	M.																													
		F.																													
	(e) Others under	M.																													
	this title	F.																													

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10–14 years	15–19 years	20–24 years	25–29 years	30–34 years	35–39 years	40–44 years	45–49 years	50–54 years	55–59 years	60–64 years	65–69 years	70–74 years	75–79 years	80–84 years	85–89 years	90–94 years	95–99 years	100 years and over	Not stated
67	Diseases of the thymus gland	M.	1	1																									
		F.	1		1																								
68	Diseases of the adrenals (Addison's disease)	M.	1											1															
		F.																											
69	Other general diseases	M.	5	1	1													1	1	1									
		F.	2															1				1							
	(a) Fatty or amyloid degeneration	M.	3															1	1	1									
		F.	2															1				1							
	(b) Steatosis	M.																											
		F.																											
	(c) Others under this title	M.	2	1	1																								
		F																											
	Class IV—Diseases of the blood and blood-forming organs	T.	53	4		1	1		3	2	1	4	1		1	2		2	8	5	7	3	4	3	1				
		M.	32	2					2	2	1	1	1		1	1			6	2	5	3	2	2	1				
		F.	21	2		1	1		1			3				1		2	2	3	2		2	1					
70	Haemorrhagic conditions	M.	4																3		1								
		F.	2	1															1										

	(a) Simple purpura	M.	2																1		1									
		F.	1																1											
	(b) Haemophilia	M.	2																2											
		F.	1	1																										
71	Anaemia	M.	13	1															2	1	3	3	1	1	1					
		F.	12	1		1	1				3								1	3	1		1							
	(a) Pernicious anae-	M.	11																2	1	2	3	1	1	1					
	mia	F.	11			1	1				3								1	3	1		1							
	(b) Others under	M.	2	1																	1									
	this title	F.	1	1																										
72	Leukaemia and	M.	12	1				1	2	1	1	1		1					1	1	1		1							
	aleukaemia	F.	5					1							1		1				1		1							
	(a) Leukaemia	M.	8	1				1			1	1		1					1	1	1									
		F.	3					1							1								1							
	(b) Aleukaemia																													
	(Hodgkin's	M.	4						2	1													1							
	disease)	F.	2														1				1									
73	Diseases of the spleen	M.	3					1							1									1						
		F.	1																					1						
74	Other diseases of the																													
	blood and blood-	M.																												
	forming organs	F.	1														1													
	Class V—Chronic	T.	9								1		1	3		1			1	2										
	poisonings and	M.	9								1		1	3		1			1	2										
	intoxications	F.																												
75	Alcoholism	M.	8								1		1	3		1			1	1										
		F.																												
	(a) Delirium	M.	1													1														
	tremens	F.																												
	(b) Other alcoholic	M.	7								1		1	3					1	1										
	intoxications	F.																												

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 to 99 years	100 years and over	Not stated
76	Chronic poisoning, by other organic substances	M.																												
		F.																												
	(a) Chronic morphinism	M.																												
		F.																												
	(b) Chronic cocainism	M.																												
		F.																												
	(c) Occupational	M.																												
		F.																												
	(d) Other organic poisoning	M.																												
		F.																												
77	Chronic poisoning by mineral substances	M.	1																			1								
		F.																												
	(a) Lead (including occupational)	M.	1																			1								
		F.																												
	(b) Occupational, except lead	M.																												
		F.																												
	(c) Others under this title	M.																												
		F.																												

	Class VI—Diseases of the nervous System T.	383	37	5	3	1	1	2	5	4	7	8	6	7	4	14	17	16	33	35	48	57	39	23	7	4	...	...
	and of the organs of M.	203	26	3	2	1	....	1	2	1	3	6	2	3	2	6	8	7	23	25	26	26	22	7	1	....	...	...
	special sense F.	180	11	2	1	....	1	1	3	3	4	2	4	4	2	8	9	9	10	10	22	31	17	16	6	4	...	...
78	Encephalitis (non- M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...
	epidemic) F.	4	...	...	...	...	...	1	1	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	...	...
79	Simple meningitis M.	9	5	...	2	...	...	1	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F.	7	1	...	...	1	...	...	...	...	1	1	1	...	...	...	...	1	1	...	...	...	...	...	...	...	...	...
80	Progressive locomotor M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	ataxia (tabes dorsalis) F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
81	Other diseases of the M.	16	...	...	...	...	...	...	1	...	...	...	...	...	1	2	...	1	1	4	1	2	3	...	...	...	...	...
	spinal cord F.	7	...	...	...	...	...	...	...	1	...	...	...	...	1	...	2	...	...	...	1	1	...	...	...	1	...	...
82	Cerebral haemorrhage,																											
	cerebral embolism M.	97	...	1	...	...	...	...	...	1	...	2	...	1	...	3	4	2	11	13	17	16	19	6	1	...	...	...
	and thrombosis F.	115	...	...	...	...	...	...	...	...	1	...	1	2	...	2	2	6	6	8	18	29	17	14	6	3	...	...
	(a) Cerebral hae- M.	80	...	...	...	...	...	...	...	...	...	1	...	1	...	3	3	2	10	11	15	13	14	16	1	...	...	...
	morrhage F.	93	...	...	...	...	...	...	...	...	...	...	1	1	...	2	1	6	4	6	16	23	14	11	6	2	...	...
	(b) Cerebral embol- M.	8	...	1	...	...	...	...	...	1	...	...	...	...	...	...	1	...	1	2	...	1	1	...	...	...	...	...
	ism and thrombosis F.	8	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	1	1	1	2	1	...	...	...	...	...
	(c) Softening of the M.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	brain F.	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	(d) Hemiplegia and																											
	other paralysis, M.	8	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	1	2	4	...	...	...	...	...
	cause not specified F.	13	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	1	1	1	4	1	3	...	1	...	...
83	General paralysis of M.	8	...	...	...	...	...	...	...	...	...	...	...	1	1	...	1	...	3	...	1	1	...	...	...	...	...	...
	the insane F.	5	...	...	...	...	...	...	...	...	...	...	...	...	1	1	1	1	...	...	...	1	...	...	...	...	...	...
84	Dementia praecox M.	13	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	3	5	2	1	...	...	...	...	...	...
	and other psychoses F.	14	...	...	...	...	...	...	...	...	1	...	2	1	...	2	2	1	3	...	2	...	...	...	...	...	...	...
	(a) Dementia M.	3	...	...	...	...	...	...	...	...	...	1	1	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...
	praecox F.	8	...	...	...	...	...	...	...	...	1	...	2	1	...	1	1	1	1	...	...	...	...	...	...	...	...	...

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Other psychoses	M.	10																	3	5	1	1						
		F.	6														1	1		2		2							
85	Epilepsy	M.	10									3	1		1		1	1	1				2						
		F.	4		1					1	1						1												
86	Convulsions (under 5	M.	19	17	1		1																						
	years of age)	F.	12	10	1	1																							
87	Other diseases of the	M.	19		1									1				1	3	4	1	4	3		1				
	nervous system	F.	8									1	1					1			2	1			2				
	(a) Chorea	M.																											
		F.																											
	(b) Neuralgia and	M.	2																	1					1				
	Neuritis	F.	1																						1				
	(c) Paralysis	M.	6																1	1		3	1						
	agitans	F.																											
	(d) Sclerosis (other than																												
	of the spinal cord)	M.	5																1	2			2						
		F.	4															1			1	1			1				
	(e) Others under	M.	6		1									1				1	1		1	1							
	this title	F.	3									1	1								1								

88	Diseases of the organs of vision	M.																										
		F.	1							1																		
89	Diseases of the ear and mastoid process	M.	11	4					1			1					1		1	2	1							
		F.	3						1							1	1											
	(a) Otitis	M.	8	4								1					1		1	1								
		F.																										
	(b) Diseases of the Mastoid process	M.	3						1											1	1							
		F.	3						1							1	1											
	(c) Others under this title	M.																										
		F.																										
	Class VII—Diseases of the Circulatory system	T.	1337			1		1	2	4	8	5	8	16	15	43	60	67	119	161	200	209	196	139	62	17	4	
		M.	741							1	6	3	6	9	6	26	32	45	79	103	100	120	111	66	21	5	2	
		F.	596			1		1	2	3	2	2	2	7	9	17	28	22	40	58	100	89	85	73	41	12	2	
90-95	Diseases of the heart	M.	478							1	4	3	6	8	4	24	21	37	53	75	62	72	55	34	14	4	1	
		F.	333			1			1	2	2	1	2	4	7	14	17	16	24	34	52	45	52	35	18	6		
90	Pericarditis	M.																										
		F.	2							1							1											
91	Acute endocarditis	M.	5								1								2	2								
		F.	4						1			1				1				1								
	(a) Endocarditis specified as acute	M.	5								1								2	2								
		F.	3									1				1				1								
	(b) Endocarditis unspecified (under 45 years of age)	M.																										
		F.	1						1																			
92	Chronic endocarditis, valvular diseases	M.	126							1	1	1	2	2	1	8	6	3	6	21	11	25	19	12	6		1	
		F.	102											2	4	3	4	7	7	12	17	14	16	11	3	2		
	(a) Endocarditis specified as chronic and other valvular diseases	M.	117							1	1	1	2	2	1	7	5	3	5	21	8	23	19	11	6		1	
		F.	94											2	4	3	4	7	7	10	16	14	15	9	2	1		

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List. No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Endocarditis, unspecified, (45 years and over)	M.	9														1	1		1		3	2		1			
		F.	8																		2	1		1	2	1	1		
93	Diseases of the myocardium	M.	90												2	1	3	3	10	4	12	12	17	14	10	2			
		F.	84								1					2	5	2	3	3	8	11	15	16	10	7	1		
	(a) Acute myocarditis	M.	4												1				1		2								
		F.	1																			1							
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	1												1														
		F.	3								1					2													
	(c) Chronic myocarditis and myocardial degeneration	M.	41													1	1	2	4	4	6	3	5	8	6	1			
		F.	48														2	2	1	1	6	6	9	12	6	3			
	(d) Myocarditis, unspecified, (45 years and over)	M.	44														2	1	5		4	9	12	6	4	1			
		F.	32														3		2	2	2	4	6	4	4	4	1		
94	Diseases of the coronary arteries and angina pectoris	M.	158									2		1	3	1	10	10	16	31	25	24	18	13	4				
		F.	76												2		3	6	4	9	9	14	10	8	8	3			

	(a) Diseases of the	M.	5											1		1		1		1			1								
	coronary arteries	F.	1																				1								
	(b) Embolism and thrombosis of the	M.	103							1			2	1	6	6	8	21	13	19	15	9	2								
	coronary arteries	F.	56										2		3	3	3	3	8	13	9	5	5	2							
	(c) Angina pectoris	M.	50							1		1			3	4	7	10	11	5	3	3	2								
		F.	19													3	1	6	1	1	1	2	3	1							
95	Other diseases of the	M.	99								2	3	1	1	3	2	8	10	15	15	12	9	8	6	4						
	heart	F.	65			1				2		2		1	2	4	2	5	4	10	6	12	6	5	3						
	(a) Functional dis-	M.	6														1		3			1			1						
	eases of the heart	F.	9							2									1	1	1	1	1	1	1						
	(b) Other and un-	M.	93								2	3	1	1	3	2	7	10	12	15	12	8	8	6	3						
	specified	F.	56			1						2		1	2	4	2	5	3	9	5	11	5	4	2						
96	Aneurysm (except	M.	1														1														
	of the heart)	F.	1											1																	
97	Arteriosclerosis (of coronary arteries	M.	212													8	4	16	22	32	43	47	31	7	1	1					
	excepted)	F.	206										1		2	8	3	11	16	38	37	29	34	19	6	2					
98	Gangrene	M.	9							1				1						1	3	3									
		F.	8				1													2		3		2							
99	Other diseases of the	M.	5							1			1				1					2									
	arteries	F.	3					1					1								1										
100	Diseases of the veins (varices, haemorr-	M.	2															1	1												
	hoids, phlebitis, etc.)	F.	4						1				1	1							1										
101	Diseases of the lymphatic system	M.																													
	(lymphangitis, etc.)	F.	1								1																				

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
102	Idiopathic abnormalities of blood pressure	M.	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	9	5	5	2	4	1	.....	.....	.....	.....
		F.	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	5	8	8	5	1	4	2	.....	.....	.....
103	Other diseases of the circulatory system	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VIII—Diseases of the respiratory system	T.	506	96	30	7	6	2	9	3	8	7	3	8	9	9	11	15	18	31	39	44	59	42	32	13	5	.....	.....
		M.	268	49	19	4	4	1	7	2	5	3	2	5	4	6	9	9	11	12	17	25	31	22	17	3	1	.....	.....
		F.	238	47	11	3	2	1	2	1	3	4	1	3	5	3	2	6	7	19	22	19	28	20	15	10	4	.....	.....
104	Diseases of the nasal fossae and annexa	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diseases of the larynx	M.	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Croup	M.	3	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Other diseases of the larynx	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
106	Bronchitis	M.	7	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	2	1	.....	.....	....
		F.	17	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	5	.....	3	1	.....	.....	.....

	(a) Acute	M.	1						1																						
		F.	8	4															1			2				1				
	(b) Chronic	M.	6															1				1	1		2	1				
		F.	5												1								2		2					
	(c) Unspecified	M.																												
		F.	4																				3		1					
107	Bronchopneumonia	M.	86	32	7	2	1		1			1	1	2		1	1	2	2	5	3	9	9	7						
		F.	93	26	6	1	2	1			1							1	2	9	9	3	11	7	6	5	3			
	(a) Broncho-	M.	85	31	7	2	1		1			1	1	2		1	1	2	2	5	3	9	9	7						
	pneumonia	F.	91	26	5	1	2	1			1							1	2	9	8	3	11	7	6	5	3			
	(b) Capillary bron-	M.	1	1																										
	chites	F.	2		1																1									
108	Lobar pneumonia	M.	82	4	3	1	1	1	3		4	3	1	2	1	3	4	3	6	6	8	10	10	2	5	1				
		F.	54	3	4				1	1		2	1	2	3	1		3	2	5	7	6	5	7	1					
109	Pneumonia, un-	M.	54	11	7	1	1		1					1	1	3		3		1	2	7	5	8	1		1			
	specified	F.	42	11	1	2			1		2	1						1	1	4	3	5	3	3	1	2	1			
110	Pleurisy	M.	9	1					1		1			1				1				1	3							
		F.	3	1											1										1					
111	Congestion and hae-																													
	morrhagic infarct	M.	7															1					2	1		2	1			
	of the lung, etc	F.	15	1												1	1				2	1	2	3	2	2				
	(a) Pulmonary em-																													
	bolism and	M.	1															1												
	thrombosis	F.	1													1														
	(b) Others under	M.	6																			2	1		2	1				
	this title	F.	14	1													1				2	1	2	3	2	2				
112	Asthma	M.	10							1											1	1	1	1	2	3				
		F.	11										1		1			1	1	1	1	2	2		1					
113	Pulmonary emphy-	M.																												
	sema	F.																												

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	10	1	....	....	....	....	1	....	....	....	....	....	....	....	2	1	2	2	1	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(b) Gangrene of the lung	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Others under this title	M.	9	1	....	....	....	....	1	....	....	....	....	....	....	....	1	1	2	2	1	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	1	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....
	Class IX—Diseases of the digestive system	T.	329	71	8	4	1	3	8	15	14	14	6	11	13	15	12	20	15	19	21	18	19	15	6	1	....	....	....
		M.	179	42	4	1	1	3	3	9	8	8	3	7	7	7	7	16	9	9	13	6	11	4	1	....	....	....	....
		F.	150	29	4	3	....	....	5	6	6	6	3	4	6	8	5	4	6	10	8	12	8	11	5	1	....	....	....

115	Disease of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	11		2			1	1	1							1	1	1	1		1		1									
		F.	14	1		2			1			3		1	1								2		2	1								
	(a) Diseases of the buccal cavity and annexa	M.	2																1		1												
		F.	3												1								1		1								
	(b) Diseases of the tonsils	M.	2													1																	
		F.	5								2		1												1	1							
	(c) Others under this title	M	7		2			1	1								1	1					1										
		F.	6	1		2		1			1											1											
116	Diseases of the oesophagus	M.																															
		F.	2																	1				1									
117	Ulcer of the stomach or duodenum	M.	31							2	3		4	2	2	2	9	1	1	3	1	1											
		F.	4													1							1	2									
	(a) Ulcer of the stomach	M.	20							1	2		3	1	1	1	5	1	1	2	1	1											
		F.	3													1							1	1									
	(b) Ulcer of the duodenum	M.	11							1	1		1	1	1	1	4			1													
		F.	1																					1									
118	Other diseases of the stomach	M.	18	11													1	2	1			2	1										
		F.	9	3	1													1	1	1		1	1										
119	Diarrhoea and enteritis (under 2 years of age)	M.	31	29	2																												
		F.	25	22	3																												
120	Diarrhoea and enteritis (2 years and over)	M.	7											1			1	1	2	1			1										
		F.	12						1	1			1			2	1	1	1		2	1	1										
	(a) Diarrhoea and enteritis	M.	4											1				1		1			1										
		F.	7						1							1	1	1			1	1	1										

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Ulceration of the intestines	M.	3															1		2									
		F.	5								1			1			1			1		1							
121	Appendicitis	M.	45			1	1	2	2	8	6	5	1	3	1	3	1	1	4	1	1		3	1					
		F.	20			1			2	3	3	1	1	1	2	3		1		1	1								
122	Hernia, intestinal obstruction	M.	17	2									2		2					2	2	2	3	1	1				
		F.	26	2					1		1	1	1			2		2	1	4	4	3	1	1	1	1			
	(a) Hernia	M.	6																		1	2	1	1	1				
		F.	9													1		1	1	3	1	2							
	(b) Intestinal obstruction	M.	11	2									2		2					2	1		2						
		F.	17	2					1		1	1	1			1		1		1	3	1	1	1	1	1			
123	Other diseases of the intestines	M.	4														1	1		1	1								
		F.	1																					1					
124	Cirrhosis of the liver	M.	10													1	2	1			3	2	1						
		F.	7							1					1	2			1		1			1					
	(a) Specified as alcoholic	M.	1														1												
		F.																											
	(b) Not specified as alcoholic	M.	9													1	1	1			3	2	1						
		F.	7							1					1	2			1		1			1					

125	Other diseases of the liver	M.	2															1				1								
		F.	4	1						1		1										1								
	(a) Yellow atrophy of the liver	M.	1															1												
		F.	1								1																			
	(b) Others under this title	M.	1																		1									
		F.	3	1						1											1									
126	Biliary calculi	M.	1										1																	
		F.	10									1	2					1	1	1	2	1		1						
127	Other diseases of the gall-bladder and biliary passages	M.																												
		F.	12											1	1		1	1			2	4	2							
128	Diseases of the pancreas	M.	2															1	1											
		F.																												
129	Peritonitis, cause not specified	M.																												
		F.	4				1	1		1					1															
	Class X—Diseases of the genito-urinary system	T.	464	4			1	2	2	4	6	2	3	11	11	17	14	31	28	36	61	84	82	40	14	10	1			
		M.	298	1				1	1	4	2	1	2	5	4	6	10	21	18	24	43	55	56	27	10	6	1			
		F.	166	3			1	1	1		4	1	1	6	7	11	4	10	10	12	18	29	26	13	4	4				
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	1				1	1	1						1		2							1					
		F.	6	1			1	1	1		1							1												
131	Chronic nephritis	M.	140							3	1		2	4	4	3	8	11	9	14	19	23	20	14	4	1				
		F.	116								1			4	5	7	2	4	9	12	11	23	20	10	4	4				
132	Nephritis, unspecified (10 years and over)	M.	45														2	7	2	1	8	11	8	3	1	2				
		F.	17									1			2	1	1	2	1		3	1	5							
133	Other diseases of the kidneys and ureters	M.	12								1								1	1	3	2	1	2	1					
		F.	19	2							2						1	2			4	4	1	3						

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
134	Calculi of the urinary passages	M.	4												1					2		1							
		F.	2														1						1						
135	Diseases of the bladder (tumours excepted)	M.	7																1					1	2	2	1		
		F.	1																1										
136	Diseases of the urethra, urinary abscess, etc.	M	3										1								1	1							
		F																											
	(a) Stricture of the urethra	M.	2										1								1								
		F.																											
	(b) Others under this title	M.	1																			1							
		F.																											
137	Diseases of the prostate	M.	78														1			4	7	11	19	26	6	1	2	1	
138	Diseases of the male genital organs (not specified as venereal)	M.	1														1												

139	Diseases of the female genital organs (not specified as venereal) F.	5										1	2		2													
	(a) Of the ovary, Fallopian tube and parametrium F.	4										1	1		2													
	(b) Of the uterus F.	1											1															
	(c) Of the breast F.																											
	(d) Others under this title F.																											
	Class XI—Diseases of pregnancy, childbirth and the puerperal state T.	51								2	19	8	6	11	5													
140	Abortion with septic conditions F.	2										1			1													
	(a) Abortion F.	2										1			1													
	(b) Self-induced abortion F.																											
141	Abortion without mention of septic conditions (haemorrhage included) F.	2									1			1														
	(a) Abortion F.	2									1			1														
	(b) Self-induced abortion F.																											
142	Ectopic gestation F.																											
	(a) With septic conditions F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death	Total	Ages																									
			Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Without mention of septic conditions.....F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
143	Other accidents of pregnancy (haemorrhage excluded).....F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Puerperal haemorrhage .....F.	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Placenta praevia..F.	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Other haemorrhages.....F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
145	Puerperal septicaemia (not specified as due to abortion) .....F.	10	.....	.....	.....	.....	.....	.....	.....	.....	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Puerperal septicaemia and pyaemia...F.	10	.....	.....	.....	.....	.....	.....	.....	.....	7	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Puerperal tetanus .....F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

146	Puerperal albuminuria and eclampsia F.	14									6	1	4	2	1													
147	Other toxaemias of pregnancy F.	5									2	2		1														
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic) F.	4											1	3														
	(a) Phlegmasia alba dolens and thrombosis F.																											
	(b) Embolism F.	3											1	2														
	(c) Sudden death F.	1												1														
149	Other accidents of childbirth F.	9									2	2	1	2	2													
	(a) Caesarean operation F.	4											1	2	1													
	(b) Dystocia F.	1								1																		
	(c) Other surgical operations, and instrumental delivery F.	2									1	1																
	(d) Rupture of uterus in parturition F.	1													1													
	(e) Others under this title F.	1										1																
150	Other or unspecified condition of the puerperal state F.																											
	(a) Puerperal diseases of the breast F.																											

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued.

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(b) Others under this title	F.																												
	Class XII—Diseases of the skin and cellular tissue	T.	9	1										1	1		1				2	1	1	1					
		M.	6	1										1	1						1	1		1					
		F.	3														1				1		1						
151	Carbuncle	M.	1											1															
		F.	1																				1						
152	Cellulitis, acute abscess	M.	5	1											1						1	1		1					
		F.	1														1												
153	Other diseases of the skin and annexa and of the cellular tissue	M.																											
		F.	1																		1								
	Class XIII—Diseases of the bones and Organs of locomotion	T.	14	1						1						1	2	2	1	4	1		1					
		M.	11	1												1	2	2	1	3			1					
		F.	3							1										1	1								
154	Osteomyelitis	M.	3														2		1										
		F.																											

155	Other diseases of the bones (tuberculosis excepted)	M.	4																1		2			1							
		F.	2																		1	1									
156	Diseases of the joints and other organs of locomotion	M.	4	1														1		1		1									
		F.	1						1																						
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	4	1														1		1		1									
		F.	1						1																						
	(b) Of other organs of locomotion	M.																													
		F.																													
	Class XIV—Congenital malformations	T.	69	57	3	3			2	2	1	1																			
		M.	40	32	3	1			2		1	1																			
		F.	29	25		2				2																					
157	Congenital malformations (stillbirths excluded)	M.	40	32	3	1			2		1	1																			
		F.	29	25		2				2																					
	(a) Congenital hydrocephalus	M.	4	1	1	1					1																				
		F.	5	4		1																									
	(b) Spina bifida and meningocele	M.	8	7	1																										
		F.	5	5																											
	(c) Congenital malformations of the heart	M.	13	11					1			1																			
		F.	10	9		1																									
	(d) Monstrosities	M.																													
		F.																													
	(e) Others under this title	M.	15	13	1				1																						
		F.	9	7						2																					

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated
	Class XV—Diseases of early infancy	T.	361	361	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		M.	204	204	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	157	157	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	Congenital debility	M.	35	35	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	31	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159	Premature birth	M.	81	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	74	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
160	Injury at birth	M.	48	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) With mention of caesarean operation	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Without mention of caesarean operation	M.	47	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	25	25	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
161	Other diseases peculiar to early infancy (under 3 months)	M.	40	40	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	26	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

	(a) Atelectasis	M.	11	11																										
		F.	2	2																										
	(b) Icterus of the	M.	5	5																										
	new-born	F.	1	1																										
	(c) Sclerema and	M.																												
	oedema	F.																												
	(d) Athrepsia	M.	1	1																										
		F.																												
	(e) Others, includ-	M.	10	10																										
	ing lack of care	F.	17	17																										
	(f) No Cause given,	M.	13	13																										
	no doctor in at-																													
	tendance	F	6	6																										
	Class XVI—Senility	T.	240																			15	36	39	80	42	25	3		
		M	86																			7	18	14	29	12	5	1		
		F.	154																			8	18	25	51	30	20	2		
162	Senility	M.	86																			7	18	14	29	12	5	1		
		F.	154																			8	18	25	51	30	20	2		
	(a) With senile de-	M.	3																				2	1						
	mentia (70 yrs. & over)	F.	6																			1	3		2					
	(b) Without senile																													
	dementia (70	M.	83																			7	16	13	29	12	5	1		
	years and over)	F.	148																			7	15	25	49	30	20	2		
	(c) Premature senility																													
	(55 years but	M.																												
	under 70 years)	F.																												
	Class XVII—Violent	T.	325	4	7	3	8	1	16	8	24	23	32	19	18	13	20	13	11	15	20	16	12	19	16	4	2		1	
	or accidental	M.	244	3	7	2	5	1	11	8	20	20	28	18	17	13	18	10	9	12	12	11	6	7	4		1		1	
	deaths	F.	81	1		1	3		5		4	3	4	1	1		2	3	2	3	8	5	6	12	12	4	1			

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not Stated
163-171	Suicides	M.	25								1	2	4	1	4	1	2	3		3		3	1						
		F.	8								1	1		1				1	1	1	2								
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	4									1	1							2									
		F.	4									1		1					1	1									
164	Suicide by poisonous gas	M.																											
		F.																											
165	Suicide by hanging or strangulation	M.	3										1		1			1											
		F.	2															1			1								
166	Suicide by drowning	M.	3														1					1	1						
		F.	2								1										1								
167	Suicide by firearms	M.	12								1	1	2	1	3			2				2							
		F.																											
168	Suicide by cutting or piercing instruments	M.	2													1				1									
		F.																											
169	Suicide by jumping from high places	M.																											
		F.																											

170	Suicide by crushing	M.																											
		F.																											
171	Suicide by other means	M.	1													1													
		F.																											
173–175	Homicides	M.	2								1			1															
		F.																											
173	Homicide by firearms	M.																											
		F.																											
174	Homicide by cutting or piercing instruments	M.																											
		F.																											
175	Homicide by other means	M.	2								1			1															
		F.																											
176–198	Other violent deaths	M.	217	3	7	2	5	1	11	8	19	18	23	17	13	11	16	7	9	9	12	8	5	7	4		1		1
		F.	73	1		1	3		5		3	2	4		1		2	2	1	2	6	5	6	12	12	4	1		
176	Attack by venomous animals	M.																											
		F.	1										1																
177	Food poisoning	M.	2						1								1												
		F.																											
178	Accidental absorption of toxic gases	M.	4										1	1			1	1											
		F.																											
179	Other acute accidental poisonings (except by gas)	M.																											
		F.	2			1											1												
180	Conflagration	M.	3							1				1	1														
		F.	2																			1			1				
181	Accidental burns (conflagration excepted)	M.	12	1	4	1	1				1									2		1		1					
		F	4	1			1																	1		1			

TABLE XXXII—CAUSES OF DEATH BY SEX AND AGE, IN THE PROVINCE OF NOVA SCOTIA, 1936—Continued

Int. List No.	Causes of Death		Total	Ages																									
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
182	Accidental mechanical suffocation	M.	2	2																									
		F.																											
183	Accidental drowning	M.	43		3	1	1		4	4	8	5	6	5	1	2			2	1									
		F.	6				1		1		1	1	1							1									
184	Accidental injury by firearms	M.	11						2		1		3		2		1				1				1				
		F.	2						1				1																
185	Accidental injury by cutting or piercing instruments	M.	5								1	1					1		1	1									
		F.																											
186	Accidental injury by fall, crushing or landslide	M.	109				3	1	4	2	6	9	12	8	7	6	8	5	5	4	11	5	4	6	2		1		
		F.	49				1		3		2	1	1		1		1	2	1	1	6	3	5	7	11	2	1		
187	Cataclysm	M.																											
		F.																											
188	Injuries by animals	M.	4								1						1	1				1							
		F.																											

189	Hunger or thirst	M.																											
		F.																											
190	Excessive cold	M.	3										1								1								1
		F.																											
191	Excessive heat	M.	1															1											
		F.																											
192	Lightning	M.	2						1	1																			
		F.																											
193	Accidents due to	M.	2					1				1																	
	electric currents	F.																											
194	Other accidents	M.	11						2	1		1	3	2						1		1							
		F.	7																1	1	4		1						
	(a) Foreign body	M.																											
		F.																											
	(b) Others under	M.	11						2	1		1	3	2						1		1							
	this title	F.	7																1	1	4		1						
195	Violent deaths of which the nature (accident,																												
	suicide, homi-	M.	3									1		1			1												
	cide) is unknown	F.																											
198	Capital punishment	M.																											
		F.																											
	Class XVIII—Ill-	T.	71	26	3			1				2		2	2	4	3	9	8	4	3	2	2						
	defined causes of	M.	41	14	2			1				1				2	2	6	6	3	2	2							
	death	F.	30	12	1							1		2	2	2	1	3	2	1	1		2						
199	Sudden death	M.	22	3								1				2	1	3	6	2	2	2							
		F.	18	6								1		2	1		1	1	2	1	1		2						
200	Cause of death not	M.	19	11	2			1									1	3		1									
	specified or ill-de-																												
	fined	F.	12	6	1										1	2		2											

TABLE XXXII—SPECIAL CLASSES OF ACCIDENTAL DEATHS, NOVA SCOTIA, 1936.

(Included also under the numbers of the International List above)

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
A	Accidents in mines and quarries	M.	19									3	4	2	1		3	1	1	1	3									
		F.																												
B	Accidents caused by machines	M.	5									1			1				1	1	1									
		F.																												
C	Railway accidents	M.	14						2		1	2	2		1		1	1	1		2	1								
		F.	1																			1								
D	Street car accidents	M.	1				1																							
		F.																												
E	Automobile and motorcycle accidents	M.	42				2		2	2	4	2	5	4	3	4	4	3	2	1	2	1	1							
		F.	18				1		3		2	1			1		1	1	1	1	3		2		1					
F	Other land transportations	M.	2								1												1							
		F.	1									1																		
G	Water transportation	M.	20							1	3	2	3	4		4	1			1										1
		F.																												
H	Air transportation	M.																												
		F.																												

TABLE XXXIII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE PROVINCE OF NOVA SCOTIA 1936.

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single						Married								Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs. and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Deaths—All Causes—	T.	5897	1131	252	218	173	332	2	58	336	771	1112	1	1511	...	5409	343	76	54	15	541	531	504	523	499	487	444	422	477	462	473	534
		M.	3157	631	144	149	115	170	2	6	162	439	769	1	569	...	2891	187	35	34	10	287	299	262	280	262	250	245	240	245	249	260	278
		F.	2740	500	108	69	58	162	....	52	174	332	343	....	942	...	2518	156	41	20	5	254	232	342	243	237	237	199	182	232	213	213	256
	Class 1—Infectious and Parasitic Diseases..	T.	832	250	127	100	19	24	...	22	96	72	59	....	63	...	785	34	8	5	....	76	75	53	82	87	85	63	63	62	53	61	72
		M.	410	122	58	61	12	7	....	1	47	43	37	....	22	...	384	18	3	5	....	43	40	22	43	37	42	35	33	23	23	34	35
		F.	422	128	69	39	7	17	....	21	49	29	22	....	41	...	401	16	5	.....	.....	33	35	31	39	50	43	28	30	39	30	27	37
1	Typhoid fever	M.	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	...	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	...	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
2	Paratyphoid fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Relapsing fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Undulant fever	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Small pox	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Measles	M.	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
		F.	4	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	...	4	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....
8	Scarlet fever	M.	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F.	6	2	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	...	6	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	1	1	.....	.....
9	Whooping -cough	M.	37	36	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	37	.....	.....	.....	.....	7	3	3	3	3	1	1	2	3	1	7	3
		F.	61	61	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	61	.....	.....	.....	.....	7	6	5	7	2	4	4	6	6	4	5	5
10	Diphtheria	M.	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	6	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	1	1	.....
		F.	11	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	11	.....	.....	.....	.....	1	1	1	.....	2	3	.....	1	.....	.....	.....	2
11	Influenza	M.	73	26	2	.....	4	3	....	.....	4	4	21	....	9	...	66	6	.....	1	....	8	9	4	8	9	9	2	2	3	3	8	8
		F.	75	18	3	1	3	11	....	....	3	5	13	....	18	...	72	3	.....	.....	.....	4	6	7	14	15	9	2	.....	3	4	4	7
	(a) Sole cause	M.	18	11	1	.....	.....	1	....	.....	.....	.....	4	....	1	...	18	.....	.....	.....	.....	1	2	1	3	2	3	1	.....	2	.....	3	.....
		F.	16	4	.....	1	1	3	....	.....	.....	.....	1	....	6	...	16	.....	.....	.....	.....	2	1	2	4	5	1	.....	.....	.....	.....	1	.....
	(b) With bronchitis	M.	7	.....	.....	.....	.....	.....	.....	.....	.....	1	3	....	3	...	6	1	.....	.....	.....	1	.....	.....	.....	2	1	1	.....	.....	.....	1	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

	(c) With pneumonia.	M.	26	7	1		3	2			2	2	6		3		22	3		1		3	4	1	2	2	3		2		2	2	5
		F.	27	4	2		1	5			1	2	2		10		27					1	1	1	6	5	5	1		1	2	2	2
	(d) With other diseases	M	4	1			1						1		1		4							1	2		1						
	of the respiratory system	F.	3					1					2				3							1	1								1
	(e) With intestinal	M.	3	2							1						2	1				1		1		1							
	complications	F.	7	4							1	1	1				5	2				1	1			1					1		3
	(f) With other	M.	15	5							1	1	7		1		14	1				2	3		1	2	1			1	1	2	2
	causes	F.	22	6	1		1	2			1	2	7		2		21	1					3	3	3	4	3	1		2	1	1	1
13	Dysentery	M																															
		F.	1					1									1												1				
15	Erysipelas	M.	4	3									1				4					1	1		1				1				
		F.	4		1	1		1							1		4					2		1	1								
16	Poliomyelitis and polio-	M.																															
	encephalitis (acute)	F	1			1											1											1					
17	Lethargic or epidemis	M.	1		1												1								1								
	encephalitis	F.																															
18	Epidemic cerebrospinal	M.	9	6	1	2											7	1	1				1	1		2	1	2	1		1		
	meningitis	F.	2	1	1												2								1				1				
19	Glanders	M.																															
		F.																															
20	Anthrax, malignant	M.																															
	pustule	F.																															
21	Rabies	M.																															
		F																															
22	Tetanus	M.																															
		F.																															
23	Tuberculosis	M.	248	30	52	57	8	3		1	38	32	15		12		233	11	1	3		23	22	13	21	22	29	29	25	12	15	16	21
32		F.	237	29	60	34	3	1		19	41	23	9		18		220	12	5			15	18	15	13	29	24	20	19	26	18	17	23
23	Tuberculosis of the	M.	204	9	43	53	8	3		1	34	29	14		10		191	10	1	2		22	19	10	14	15	25	28	18	9	13	13	18
	respiratory system	F.	197	12	49	33	3	1		17	39	19	7		17		183	11	3			12	15	8	11	26	21	19	16	23	12	14	20
24	Tuberculosis of the men-																																
	inges and central	M.	18	12	2	1					1	1			1		18							3	4	2	2	1	3	1		1	1
	nervous system	F.	19	11	6					1		1					19					3	1	6		3	1			2	1	1	1
25	Tuberculosis of the intes-	M.	4		3							1					4					1				2			1				
	tines and peritoneum	F.	7		1	1						3	1		1		5	1	1				1	1			1	1		1	1		1
26	Tuberculosis of the verte-	M.	4			1					1	1			1		4										1		1	1	1		
	bral column	F.	1		1												1																1
27	Tuberculosis of the bones and joints (vertebral	M	1		1												1						1										
	column excepted)	F																															
	(a) Of bones	M.																															
		F.																															
	(b) Of joints	M.	1		1												1						1										
		F.																															
28	Tuberculosis of the skin and sub-cutaneous	M.																															
	cellular tissue	F.																															

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal condition												Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other														
29	Tuberculosis of the lymphatic system (bronchial mesenteric, and retroperitoneal bronchial glands excepted)	M.	1										1				1								1							
		F.																														
30	Tuberculosis of the genito-urinary system	M.	3	1		1					1						2			1					1			1	1			
		F.	1								1						1						1									
31	Tuberculosis of other organs	M.																														
		F.																														
32	Disseminated tuberculosis	M.	13	8	3	1					1						12	1					2		2	2	1		1		1	2	2
		F.	12	6	3					1	1		1				11		1						2		1		3		4	2	
	(a) Acute	M	9	6	2	1											9						1		1	1	1				1	2	2
		F.	11	6	3					1	1						11								2		1		2		4	2	
	(b) Chronic	M.																														
		F.																														
	(c) Not specified	M.	4	2	1						1						3	1					1		1	1			1				
		F.	1										1						1										1				
33	Leprosy	M.																														
		F.																														
34	Syphilis	M.	16	9		1		1			1	3			1		16					1	2		3	1		1	1	4	2		1
		F.	11	5						1	2				3		10	1				1	1			1	1		2	2	2	1	
35	Gonococcus infection & other venereal disease	M.																														
		F.	2			2											2					1				1							
36	Purulent infection, septicaemia (non-puerperal)	M.	9	3							3	3					7		1	1		1			3		2		1			1	1
		F.	5	1			1	1			1				1		5					1	3		1								
38	Malaria	M.																														
		F.																														
39	Other diseases due to protozoal parasites	M.																														
		F.																														
40	Ankylostomiasis	M.																														
		F.																														
41	Hydatid cysts	M.																														
		F.																														
	(a) Of the liver	M.																														
		F.																														
	(b) Of other organs	M.																														
		F.																														

42	Other diseases caused by helminths	M.																																				
		F.																																				
43	Mycoses	M.																																				
		F.																																				
44	Other infectious or parasitic diseases	M.																																				
		F.																																				
	(a) Chicken-pox	M.																																				
		F.																																				
	(b) German measles	M.																																				
		F.																																				
	(c) Others under this title	M.																																				
		F.																																				
	Class II—Cancer and other Tumours	Total	715	7	4	12	33	40	1	51	188	171	1	207	626	74	9	6	67	51	64	58	42	56	56	67	65	57	58	74
		M.	332	3	3	5	19	21	1	19	79	114	1	67	288	38	3	3	33	18	32	22	19	25	24	37	28	30	28	36
		F.	383	4	1	7	14	19		32	109	57		140	338	36	6	3	34	33	32	36	23	31	32	30	37	27	30	38
45-53	Cancer and other malignant tumours	M.	321	1	2	5	18	21	1	17	77	113	1	65	277	38	3	3	32	17	31	21	17	24	23	36	27	30	28	35
		F.	366	4	1	6	13	17		27	106	56		136	324	33	6	3	30	31	31	33	23	31	32	29	37	26	27	36
45	Cancer of the buccal cavity and pharynx	M.	17				1	1		2	4	5		4	15	1		1	5	2				1	1	2	1	1	1	3
		F.	7					1				2		4	6	1				1		1	1		2	1				1
46	Cancer of the digestive tract and peritoneum	M.	207	1		3	11	10	1	12	52	75	1	41	174	29	2	2	16	11	21	18	14	17	14	25	10	19	18	24
		F.	176				3	10		3	48	33		79	155	15	4	2	14	11	11	21	13	12	18	14	19	16	13	14
	(a) Of the oesophagus	M.	3					1				1		1	2	1			1					1				1		
		F.	6				1				2			3	6				1	2		1			1		1			
	(b) Of the stomach and duodenum	M.	99				5	4		4	27	40	1	18	83	14	2		10	4	5	12	10	8	8	13	4	9	7	9
		F.	62					4		1	17	17		23	55	5	1	1	5	5	6	9	3	3	3	7	7	4	6	4
	(c) Of the rectum	M.	19				2	1		1	5	5		5	16	3					3	3		1	1	3		2	3	3
		F.	16							1	5	5		5	15	1			1			2	2	1	3		1	4	1	1
	(d) Of the liver and biliary ducts	M.	21							1	5	9		6	19	2			1		3	1	2	2	1	1	2	3	1	4
		F.	21				1			1	3	3		13	15	4	1	1	2	2	2	2	2		2	1	1	4	1	2
	(e) Of the pancreas	M.	11				2			1	2	3		3	10	1			1	2	2		1	1		2			2	
		F.	8								5			3	6	1	1						1	2	1					4
	(f) Of the peritoneum	M.	3	1		1				1					3											1			2	
		F.	1											1	1						1									
	(g) Of other organs	M.	51			2	2	4	1	4	13	17		8	41	8		2	3	5	8	2	1	4	4	5	4	4	3	8
		F.	62				1	6			16	8		31	57	4	1		5	2	2	7	5	6	8	6	9	4	5	3
47	Cancer of the respiratory organs	M.	15					2			8	5			12	3			2	1	2				1	2	2	3	1	1
		F.	7		1		1			1	2			2	6	1			1		1	2		1			1		1	
	(a) Of the larynx	M.	3					1			1	1			3										1		1	1		
		F.	3								2			1	3						1			1			1			
	(b) Of the lung	M.	11								7	4			8	3			2	1	2					2	1	1	1	1
		F.	4		1		1			1				1	3	1			1			2							1	
	(c) Of the mediastinum	M.	1					1							1													1		
		F.																												
	(d) Of other organs of the respiratory system	M.																												
		F.																												
48	Cancer of the uterus	F.	67			4	3	1		14	23	6		16	60	6		1	4	3	7	5	5	6	6	5	7	5	4	10
	(a) of the uterus	F.	42			3	2	1		6	14	4		12	39	3			3	2	3	1	4	4	3	5	6	3	3	5
	(b) Of the cervix uteri	F.	25			1	1			8	9	2		4	21	3		1	1	1	4	4	1	2	3		1	2	1	5
49	Cancer of other female genital organs	F.	13			1	3				6			3	11	2			1	2	2	1			1	2	2		1	1

TABLE XXXIII—Continued

Int. List No.	Causes of death		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
50	Cancer of the breast	M.	1										1			1											1				
		F.	48			1	3	3			6	13	11		11	43	3	2			8	6	3	1	2	5	3	5	7	2	3	3
51	Cancer of the male genito-urinary organs	M.	46			2	3	5			2	7	17		10	41	4	1			4	2	6	2	2	4	5	3	9	2	2	5
	(a) Of the bladder	M.	11			1						1	4		5	10		1			3		2	1	2	1			1			1
	(b) Of the kidney	M.	4				1	1				2				3	1						1					2	1			
	(c) Of the prostate gland	M.	24					3				4	13		4	22	2					1	3	1		2	5	1	5	2	2	2
	(d) Of the testicles and annexa	M.	5			1	1	1			2					4	1				1	1							1			2
	(e) Of other male genito-urinary organs	M.	2				1								1	2										1			1			
52	Cancer of the skin	M.	13				1	1				3	6		2	12	1				1	1		1			2	2	3	2	1
		F.	10					1			1		1		7	9	1					2	1			2	1		2	2		
53	Cancer of other or unspecified organs	M.	22		2		2	2			1	3	4		8	22					4		2		1	2	2	1	3	2	4	1
		F.	38	4				1			2	14	3		14	34	4				2	6	6	2	2	5	1	2	1	1	3	7
	(a) of the eye and orbit	M.	1										1			1															1	
		F.	4								1	1			2	4							1		1			1			1	
	(b) Of the circulatory system	M.																														
		F.																														
	(c) Of the glandular system	M.	3		1		1								1	3					1								1	1		
		F.	2								1				1	2							1									1
	(d) Of the female urinary organs	F.	8	1								1	1		5	6	2					1	2		1	1			1			2
	(e) Of the bones and joints	M.	6					1			1	1	1		2	6					1		1				1		1		1	1
		F.	7	1				1				3			2	7					2	1	1	1		1					1	
	(f) Of the brain	M.	2		1							1				2							1							1		
		F.	4									2	1		1	3	1									2					1	1
	(g) Of the spine and spinal cord	M.	2									1			1	2											1			1		
		F.	1									1				1										1						
	(h) Of the neck	M.	2										1		1	2										1		1				
		F.	2	1											1	2														1		1
	(i) Of the abdomen	M.	2					1					1			2					1								1			
		F.	7	1								3	1		2	6	1					2	1				1	1				2

	(j) Of other specfied organs	M.	2												2		2					1					1						
		F.																															
	(k) Multiple cancer	M.	1												1		1															1	
		F.																															
	(m) Of unspecified or unknown location	M.	1				1										1									1							
		F.	3									3					3						2		1								
54	Non-malignant tumours	M.	6	1	1						1	1	1		1		6					1		1		1			1	1			1
		F.	15			1	1	2			5	3	1		2		12	3				4	1		3				1		1	3	2
	(a) Of the ovary	F.	6			1		1			3		1				4	2				1			1				1			1	2
	(b) Of the uterus	F.	5				1				2	1			1		4	1				2									1	2	
	(c) Of other female genital organs	F.																															
	(d) Of the brain	M.	4	1	1						1		1				4					1		1		1			1				
		F.	1					1									1								1								
	(e) Of the thyroid gland	M.																															
		F.	1									1					1					1											
	(f) Of the prostate gland	M.	2									1			1		2													1			1
	(g) Of other or unspecified sites	M.																															
		F.	2									1			1		2						1		1								
55	Tumours, nature not specified	M.	5	1			1				1	1			1		5						1		1	1	1	1					
		F.	2												2		2						1	1									
	(a) Of the ovary	F.																															
	(b) Of the uterus	F.																															
	(c) Of other female genital organs	F.																															
	(d) Of the brain	M.	5	1			1				1	1			1		5						1		1	1	1	1					
		F.	1												1		1						1										
	(e) Of the thyroid gland	M.																															
		F.																															
	(f) Of the prostate gland	M.																															
	(g) Of other or unspecified sites	M.																															
		F.	1												1		1							1									
	Class III—Rheumatic Diseases, diseases of Nutrition and of the Endocrine Glands and other General Diseases	Total	129	25	4	1	3	5		2	8	23	23		35		112	9	4	3	1	12	11	16	6	14	9	11	8	9	10	13	10
		M.	53	15	2		1	3		1	5	7	11		8		46	3	3	1		6	4	4	2	7	3	4	2	5	2	9	5
		F.	76	10	2	1	2	2		1	3	16	12		27		66	6	1	2	1	6	7	12	4	7	6	7	6	4	8	4	5
56	Acute rheumatic fever	M.	10	5	1						1	2	1				9	1				1		1	1	2	1	2			1		1
		F.	15	6	2					1		2	1		3		13	1			1	3	1	5	1		1	1			2	1	
57	Chronic rheumatism, osteo-arthritis	M.	5					3							2		4		1			1							1			1	2
		F.	8				1					1	2		4		7	1				1			1	2		1	1		1		1
58	Gout	M.																															
		F.																															
59	Diabetes mellitus	M.	27	4	1		1				3	2	10		6		23	2	2			1	3	3	1	2	1	2	1	3		8	2
		F.	41				1	1			1	12	8		18		36	3		2		1	6	4	1	4	4	4	4	3	5	2	3
60	Scurvy	M.	1	1													1														1		
		F.																															

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married						Widowed	Not Stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated						United States	Other													
61	Beriberi	M																														
		F.	1									1						1														1
62	Pellagra	M.																														
		F.																														
63	Rickets	M.	2	2														2					1				1						
		F.	1	1														1								1						
64	Osteomalacia	M.																														
		F.	1	1														1								1						
65	Diseases of the pituitary gland	M.																														
		F.																														
66	Diseases of the thyroid and parathyroid glands	M.	1							1								1														
			6	1		1		1			2		1					5	1				1		3			1				1
	(a) Simple goitre	M.																														
		F.	2								2							2							1			1				
	(b) Exophthalmic goitre	M.	1							1								1								1						
		F.	2			1		1										2					1		1							
	(c) Myxoedema, cretinism	M.																														
		F.	2	1									1					1	1						1							1
	(d) Tetany	M.																														
		F.																														
	(e) Others under this title	M.																														
		F.																														
67	Diseases of the thymus gland	M.	1	1														1								1						
		F.	1	1														1									1					
68	Diseases of the adrenals (Addison's disease)	M.	1								1										1								1			
		F.																														
69	Other general diseases	M.	5	2								3						5					2	1			1			1		
		F.	2												2			1		1								1	1			
	(a) Fatty or amyloid degeneration	M.	3									3						3					2	1								
		F.	2												2			1		1									1	1		
	(b) Steatosis	M																														
		F.																														
	(c) Others under this title	M.	2	2														2									1			1		
		F.																														

Class IV—Diseases of the blood and blood-forming organs T.	53	11	3	3	4			2	1	9	14		6		48	3	1	1		3	4	7	1	4	6	4	6	4	6	5	3
M.	32	6	2	3	2					5	11		3		30	1	1			1	3	5	1	3	3		4	2	3	5	2
F.	21	5	1		2			2	1	4	3		3		18	2		1		2	1	2		1	3	4	2	2	3		1
70 Haemorrhagic conditions M	4				1					2	1				4							1		1				1		1	
F.	2	1			1										2							1			1						
(a) Simple purpura M	2									1	1				2							1		1							
F.	1				1										1										1						
(b) Haemophilia M.	2				1					1					2													1		1	
F.	1	1													1							1									
71 Anaemia M.	13	1			1					2	8		1		13					1	1	1	1	2	2		1		1	3	
F.	12	3	1		1			2		3	1		1		10	2				2		1		1	2	3		2	1		
(a) Pernicious anaemia M.	11				1					2	7		1		11						1	1	1	2	2				1	3	
F.	11	2	1		1			2		3	1		1		9	2				2		1		1	1	3		2	1		
(b) Others under this title M.	2	1									1				2					1							1				
F.	1	1													1										1						
72 Leukaemia and aleukaemia M.	12	4	2	2						1	1		2		10	1	1				2	3			1		2	1	2		1
F.	5	1							1		2		1		4			1			1					1	1		1		1
(a) Leukaemia M.	8	2	1	2						1			2		6	1	1					2			1		2	1	1		1
F.	3	1							1		1				2			1			1								1		1
(b) Aleukaemia (Hodgkin's disease) M.	4	2	1								1				4						2	1							1		
F.	2										1		1		2											1	1				
73 Diseases of the spleen M.	3	1		1							1				3												1			1	1
F.	1												1		1												1				
74 Other diseases of the blood and blood-forming organs M.																															
F.	1									1					1														1		
Class V—Chronic Poisonings and intoxications T.	9			2	1				3		3				9					1			1		2			1	2	1	1
M.	9			2	1				3		3				9					1			1		2			1	2	1	1
F.																															
75 Alcoholism M.	8			2	1				3		2				8					1			1		1			1	2	1	1
F.																															
(a) Delirium tremens M.	1				1										1																1
F																															
(b) Other alcoholic intoxications M.	7			2					3		2				7					1			1		1			1	2	1	
F.																															
76 Chronic poisoning, by other organic substances M.																															
F																															
(a) Chronic morphinism M																															
F.																															
(b) Chronic cocainism M																															
F.																															
(c) Occupational M.																															
F.																															
(d) Other organic poisoning M.																															
F.																															
77 Chronic poisoning by mineral substances M.	1										1				1										1						
F.																															
(a) Lead (including occupational) M.	1										1				1										1						
F.																															
(b) Occupational, except lead M.																															
F.																															

TABLE XXXIII—Continued

Inst. List No.	Causes of death		Total	Conjugal Condition												Nativity					Months											
				Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other														
	(c) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VI—Diseases of the nervous system and of the organs of special sense	Total	383	54	10	14	17	29	....	1	10	55	77	....	116	....	351	18	10	2	2	42	38	31	31	34	20	28	19	34	35	31	40
		M.	203	35	4	10	10	17	....	....	3	28	55	....	41	....	187	9	3	2	2	18	19	11	18	20	7	19	11	15	23	16	26
		F.	180	19	6	4	7	12	....	1	7	27	22	....	75	....	164	9	7	.....	....	24	19	20	13	14	13	9	8	19	12	15	14
78	Encephalitis (non-epidemic)	M.	1	.....	.....	.....	.....	.....	....	.....	.....	.....	.....	....	1	....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	4	2	.....	1	.....	.....	....	.....	.....	1	.....	....	.....	....	3	.....	1	.....	....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1
79	Simple meningitis	M.	9	8	.....	.....	.....	.....	....	.....	1	.....	.....	....	.....	....	9	.....	.....	.....	....	1	.....	.....	1	.....	.....	2	1	1	.....	2	1
		F.	7	2	1	.....	.....	.....	....	.....	2	1	.....	....	1	....	7	.....	.....	.....	....	.....	.....	.....	1	.....	2	.....	.....	.....	2	1	1
80	Progressive locomotor ataxia (tabes dorsalis)	M.	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
81	Other diseases of the spinal cord	M.	16	1	.....	1	.....	1	....	.....	.....	4	7	....	2	....	15	.....	.....	1	....	.....	.....	.....	4	2	.....	3	.....	1	1	2	3
		F.	7	.....	1	.....	1	.....	....	.....	1	1	1	....	2	....	7	.....	.....	.....	....	1	.....	.....	2	.....	1	1	.....	1	.....	.....	1
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M.	97	1	1	3	2	13	....	.....	.....	15	31	....	31	....	89	4	2	1	1	11	10	6	7	8	3	8	7	8	13	8	8
		F.	115	.....	.....	.....	3	11	....	1	2	13	18	....	67	....	103	6	6	.....	.....	15	13	17	6	10	7	5	5	14	7	11	5
	(a) Cerebral haemorrhage	M.	80	.....	.....	2	2	13	....	.....	.....	13	24	....	26	....	73	3	2	1	1	8	8	4	7	6	3	6	7	6	12	6	7
		F.	93	.....	.....	.....	2	9	....	.....	1	11	14	....	56	....	82	5	6	.....	.....	13	8	14	5	6	5	5	5	11	7	9	5
	(b) Cerebral embolism and thrombosis	M.	8	1	1	.....	.....	.....	....	.....	.....	2	2	....	2	....	7	1	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	2	1	2	.....
		F.	8	.....	.....	.....	1	.....	....	1	.....	1	1	....	4	....	7	1	.....	.....	.....	1	2	2	.....	1	1	.....	.....	.....	.....	1	.....
	(c) Softening of the brain	M.	1	.....	.....	.....	.....	.....	....	.....	.....	.....	1	....	.....	....	1	.....	.....	.....	....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	1	....	.....	.....	.....	.....	....	.....	....	1	.....	.....	.....	....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Hemiplegia and other paralysis, cause not specified	M.	8	.....	.....	1	.....	.....	....	.....	.....	.....	4	....	3	....	8	.....	.....	.....	....	2	1	1	.....	2	.....	1	.....	.....	.....	.....	1
		F.	13	.....	.....	.....	.....	1	....	.....	1	1	3	....	7	....	13	.....	.....	.....	....	1	3	1	.....	3	1	.....	.....	3	.....	1	.....
83	General paralysis of the insane	M.	8	.....	.....	1	2	1	....	.....	1	2	1	....	.....	....	5	2	.....	.....	1	1	1	.....	.....	1	1	.....	.....	1	1	1	1
		F.	5	.....	.....	.....	.....	.....	....	.....	1	3	1	....	.....	....	3	2	.....	.....	....	.....	1	.....	1	2	.....	.....	.....	.....	1	.....	.....
84	Dementia praecox and other psychoses	M.	13	.....	.....	2	2	.....	....	.....	.....	.....	7	....	2	....	11	1	1	.....	....	.....	1	.....	.....	1	.....	1	2	1	2	2	3
		F.	14	.....	1	2	2	.....	....	.....	1	5	1	....	2	....	13	1	.....	.....	....	1	2	1	3	.....	1	.....	.....	3	.....	1	2
	(a) Dementia praecox	M.	3	.....	.....	2	.....	.....	....	.....	.....	.....	.....	.....	1	....	2	.....	1	.....	....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
		F.	8	.....	1	2	2	.....	....	.....	1	1	.....	....	1	....	8	.....	.....	.....	....	1	.....	.....	3	.....	.....	.....	.....	3	.....	.....	1
	(b) Other psychoses	M.	10	.....	.....	.....	2	.....	....	.....	.....	.....	7	....	1	....	9	1	.....	.....	....	.....	1	.....	.....	1	.....	.....	1	.....	2	2	3
		F.	6	.....	.....	.....	.....	.....	....	.....	.....	4	1	....	1	....	5	1	.....	.....	....	.....	2	1	.....	.....	1	.....	.....	.....	.....	1	1

85	Epilepsy	M	10		3	2	2	1				1	1				9	1							3		1	3	1		2		
		F.	4	2	1							1					4						1	1		1		1					
86	Convulsions (under 5 years of age)	M.	19	19													19					2	3	1	1	3	1	1		1	3	1	2
		F.	12	12													12					5	1	1			1	1		1		1	1
87	Other diseases of the nervous system	M.	19	1		1	2	1				4	6		4		18	1				1	3	2	1	2	1	1		2			6
		F.	8		1	1		1				1	1		3		8					2						2		1			3
	(a) Chorea	M.																														
		F.																														
	(b) Neuralgia and Neuritis	M.	2												2		2							1								1
		F.	1					1									1															1
	(c) Paralysis agitans	M.	6				1	1				1	3				5	1				1				1				1			3
		F.																														
	(d) Sclerosis (other than of the spinal cord	M.	5									2	1		2		5						2		1			1		1			
		F.	4									1			3		4					1							2		1		
	(e) Others under this title	M.	6	1		1	1					1	2				6						1	1		1	1						2
		F.	3		1	1							1				3					1											2
88	Diseases of the organs of vision	M.																														
		F.	1		1												1										1					
89	Diseases of the ear and mastoid process	M.	11	5							1	2	2		1		11					2	1	1	1	3				1			2
		F.	3	1			1					1					3						1			1				1			
	(a) Otitis	M.	8	4							1	2	1				8					2	1	1	1	2							1
	(b) Diseases of the mastoid process	F.																														
		M.	3	1									1		1		3									1				1			1
		F.	3	1			1					1					3						1			1				1			
	(c) Others under this title	M.																														
		F																														
	Class VII—Diseases of the Circulatory system	T.	1337	4	10	14	40	118	2	28	217	389	515		1193	100	21	17	6	133	117	114	114	103	114	97	103	91	112	120	119		
		M.	741		6	10	30	63	1	14	136	280	201		655	62	11	9	4	81	72	63	59	52	63	48	65	52	60	71	55		
		F.	596	4	4	4	10	55	1	14	81	109	314		538	38	10	8	2	52	45	51	55	51	51	49	38	39	52	49	64		
90-95	Diseases of the heart	M.	478		4	10	23	38	1	11	102	177	112		414	48	8	7	1	45	49	43	43	36	41	32	48	31	33	43	34		
		F.	333	2	3	3	6	24	1	9	52	62	171		310	11	5	6	1	28	26	36	30	28	29	28	26	17	28	31	26		
90	Pericarditis	M.																														
		F.	2		1								1		2										1					1		
91	Acute endocarditis	M.	5		1		1					1			2		4	1					1		1		2	1				
		F.	4	1							1	1	1				4					1			1		1					
	(a) Endocarditis specified as acute	M.	5		1		1					1			2		4	1					1		1		2	1				
		F.	3								1	1	1				3					1					1		1			
	(b) Endocarditis unspecified	M.																														
		F.	1	1													1								1							
	(under 45 years of age)				2	2	5	11			4	16	53		33		113	11	1	1		16	13	9	9	12	13	7	11	8	5	13	10
92	Chronic endocarditis, valvular diseases	M.	126			2	2	11			3	16	20		48		94	4	2	2		10	10	7	7	9	9	13	6	1	10	12	8
		F.	102																													
	(a) Endocarditis specified as chronic and other valvular diseases	M.	117		2	2	4	8			4	15	51		31		105	11	1			16	13	9	8	10	11	7	11	7	4	13	8
		F.	94			2	2	10			3	16	18		43		86	4	2	2		10	10	7	5	8	8	11	6	1	9	12	7
	(b) Endocarditis, unspecified, 45 years and over	M.	9				1	3				1	2		2		8			1					1	2	2			1	1		2
		F.	8					1					2		5		8								2	1	1	2			1		1
93	Diseases of the myocardium	M.	90			1	5	9			2	14	39		20		81	7	2			5	7	9	11	8	7	5	12	8	8	6	4
		F.	84		1		1	6			1	9	15		51		81	1	1	1		5	7	11	7	6	9	4	8	8	4	8	7

TABLE XXXIII—Continued

Int. List. No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(a) Acute myocarditis	M.	4								1	1			2		3	1							1	1		1				1
		F.	1												1		1										1					
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	1								1						1								1							
		F.	3		1						1				1		3							1			1			1		
	(c) Chronic myocarditis and myocardial degeneration	M.	41			1	3	3				7	17		10		38	3				1	3	6	3	4	1	3	6	7	3	1	3
		F.	48				1	5				3	10		29		46		1	1		4	5	6	6	2	4		6	6	1	4	4
	(d) Myocarditis, unspecified ,(45 years and over)	M.	44				2	6				6	22		8		39	3	2			4	4	3	8	2	5	2	5	1	5	5	
		F.	32					1				6	5		20		31	1				1	2	4	1	4	5	2	2	2	2	4	3
94	Diseases of the coronary arteries and angina pectoris	M.	158		1	3	9	7		1	2	52	56		27		128	20	4	5	1	12	14	16	16	9	13	15	17	6	13	16	11
		F.	76			1	3	3			1	14	15		39		72	1	1	1	1	8	3	10	9	7	3	5	5	5	10	5	6
	(a) Diseases of the coronary arteries	M.	5			1	1					1	2				3	1		1				1	1			1			1		1
		F.	1												1		1																
	(b) Embolism and thrombosis of the coronary arteries	M.	103		1	2	3	4			1	33	36		23		86	11	2	3	1	6	8	10	9	4	9	8	16	6	9	11	7
		F.	56			1	1	2			1	10	14		27		54		1		1	6	2	9	6	2	2	4	5	8	3	3
	(c) Angina pectoris	M.	50				5	3		1	1	18	18		4		39	8	2	1		6	6	5	6	5	4	6	1		3	5	3
		F.	19				2	1				4	1		11		17	1		1		2	1	1	3	1	1	3	1		2	2	2
95	Other diseases of the heart	M.	99			4	3	11			3	19	29		30		88	9	1	1		12	14	9	6	7	6	4	8	9	7	8	9
		F.	65	1	1			4		1	3	12	11		32		57	5	1	2		4	6	8	6	6	7	5	6	3	4	5	5
	(a) Functional diseases of the heart	M.	6					1				1	1		3		5	1				2		1		1							2
		F.	9		1			1		1			3		3		8		1			1		2		2			1		1		2
	(b) Other and unspecified	M.	93			4	3	10			3	18	28		27		83	8	1	1		10	14	8	6	6	6	4	8	9	7	8	7
		F.	56	1				3			3	12	8		29		49	5		2		3	6	6	6	4	7	5	5	3	3	5	3
96	Aneurysm (except of the heart)	M.	1									1						1								1							
		F.	1			1											1								1								
97	Arteriosclerosis (of coronary arteries excepted)	M.	212				5	21				21	90		75		192	13	3	1	3	29	14	14	13	11	18	14	16	20	21	22	20
		F.	206				3	27			1	18	40		117		179	21	3	2	1	17	15	9	17	18	19	18	9	17	19	13	35

98	Gangrene	M.	9		1		2		1		2		3		9						2	3	1		1	1			1			
		F.	8	1							1		6		7	1				1		1		1		1	1	1	1	1		
99	Other diseases of the	M.	5		1				1	1			2		5					1	1		1	1					1			
	arteries	F.	3	1					1				1		2		1						2	1								
100	Diseases of the veins(var-	M.	2							1	1				2							1						1			
	ices, haemorrhoids, phlebitis, etc.)	F.	4		1		1		2						4								1		1		1		1		
101	Diseases of the lymphatic	M.																													
	system (lymphangitis, etc.)	F.	1						1						1						1										
102	Idiopathic abnormalities	M.	34				2	2	1	10	10		9		33			1		6	6	2	1	3	3	1	1	1	3	6	1
	of blood pressure	F.	40				1	3		11	6		19		34	5	1			6	3	5	5	2	3	1	2	3	4	3	3
103	Other diseases of the	M.																													
	circulatory system	F.																													
	Class VIII—Diseases of	T.	506	153	13	8	9	23	2	19	49	92	138		475	22	4	4	1	60	43	66	56	52	29	22	23	21	34	41	59
	the respiratory system	M.	268	86	8	6	4	13		10	32	60	49		256	9	1	2		32	28	34	29	26	15	14	6	11	14	23	36
		F.	238	67	5	2	5	10	2	9	17	32	89		219	13	3	2	1	28	15	32	27	26	14	8	17	10	20	18	23
104	Diseases of the nasal	M.																													
	fossae and annexa	F.	1	1											1												1				
105	Diseases of the larynx	M.	3	3											3						1							1			1
		F.																													
	(a) Croup	M.	3	3											3						1							1			1
		F.																													
	(b) Other diseases of	M.																													
	the larynx	F.																													
106	Bronchitis	M.	7	1						1	2		3		7						1	3	1		1						1
		F.	17	4		1		1			1	3	7		14	1		1	1	2		3	2	2	2	1	1	1	3		
	(a) Acute	M	1	1											1								1								
		F.	8	4							1	1	2		6	1		1				2	2	1				1	2		
	(b) Chronic	M	6								1	2	3		6						1	3			1						1
		F.				1						1	3		4				1	1		1			1		1		1		
	(c) Unspecified	M																													
		F.	4				1				1		2		4					1			1	1	1						
107	Bronchopneumonia	M.	86	43		1		6		2	5	13	16		84	1		1		9	9	10	15	5	4	5	1	5	4	6	13
		F.	93	36	1		3	2			5	11	35		89	1	2	1		13	11	13	10	13	4	2	6	4	5	4	8
	(a) Bronchopneumonia	M.	85	42		1		6		2	5	13	16		83	1		1		9	9	10	15	5	4	5	1	5	4	6	12
		F.	91	35	1		3	2			5	10	35		87	1	2	1		13	11	13	10	12	4	2	6	4	5	3	8
	(b) Capillary bron	M.	1	1											1																1
	chiti	F.	2	1								1			2								1						1		
108	Lobar pneumonia	M.	82	13	7	1	3	4		6	12	20	16		77	4	1			14	6	10	7	10	3	5	1	1	3	9	13
		F.	54	9	1		1	3		1	7	4	7		21	48	5	1			6	3	12	5	3	3		2		6	6	8
109	Pneumonia, unspecified.	M.	54	21		3	1	1		2	3	14	9		52	2				6	8	7	4	6	6	1	3	2	2	5	4
		F	42	15	2		1	4		1		3	6		10	40	2			3	1	2	7	4	4	2	2	4	2	6	5
110	Pleurisy	M.	9	2	1	1		1			1	2	1			8	1			1		2	1	1	1					1	2
		F	3	1									2			3				2						1					
111	Congestion and haemorr-																														
	hagic infarct of the	M.	7					1			1	3	2			6			1		1	1		1	2			1		1		
	lung, etc	F.	15	1						1		3	10			12	3					2	2	3	1	2	2	1		1	1

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal condition													Nativity					Months											
					Single						Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(a) Pulmonary embol-	M	1									1					1										1					
	ism and thrombosis	F	1								1						1								1							
	(b) Others under this	M	6					1					3		2		5		1			1	1		1	2			1			
	title	F	14	1									3		10		11	3						2	2	2	1	2	2	1		1	1
112	Asthma	M	10	1								2	5		2		10						1	1		2			1		1	2	2
		F	11			1					1	3	2		4		10	1				2			1	1		1	1		3	1	1
113	Pulmonary emphysema	M																														
		F																														
114	Other diseases of the respiratory system	M	10	2								7	1				9	1				1	1	1			2		2	3		
	(tuberculosis excepted)	F	2		1							1					2											1		1		
	(a) Chronic interstitial pneumonia including oc-	M	1									1					1													1		
	cupational diseases of the respiratory system	F																														
	(b) Gangrene of the	M																														
	lung	F																														
	(c) Others under	M	9	2								6	1				8	1				1	1	1			2		2	2		
	this title	F	2		1							1					2											1		1		
	Class IX—Diseases of	T	329	110	24	10	12	8		4	32	44	30		55		298	22	7	2		28	29	28	20	21	25	24	30	45	26	31	22
	the digestive system	M	179	63	15	10	9	5		1	13	29	17		17		163	11	4	1		10	15	18	13	15	13	16	13	26	13	16	11
		F	150	47	9		3	3		3	19	15	13		38		135	11	3	1		18	14	10	7	6	12	8	17	19	13	15	11
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including	M	11	5			1	1			1	2			1		10		1			1	1		1	2	1	3		1		1	
	adenoid vegetations)	F	14	4	3						1				6		13	1				2	1		2	1	1		3	2	1		1
	(a) Diseases of the buccal cavity and	M	2									1			1		2													1		1	
	annexa	F	3												3		2	1				1					1			1			
	(b) Diseases of the	M	2	1							1						2								1			1					
	tonsils	F	5		2						1				2		5					1	1		1			1		1			
	(c) Others under this	M	7	4			1	1				1					6		1			1	1			2	1	2					
	title	F	6	4	1										1		6								1	1			2	1			1

116	Diseases of the oesophagus	M.																															
		F.	2								1			1		2									1		1						
117	Ulcer of the stomach or duodenum	M.	31		5	1	4			6	8	4		3		28	3				1	2	3	2	3	3	3	3	5	4	2		
		F.	4				1					1		2		4						1		1				1		1			
	(a) Ulcer of the stomach	M	20		3		1			4	6	3		3		19	1					2	3	1	3	2	2	2	3	2			
		F	3				1					1		1		3						1						1		1			
	(b) Ulcer of the duodenum	M.	11		2	1	3			2	2	1				9	2				1			1		1	1	1	2	2	2		
		F.	1											1		1								1									
118	Other diseases of the stomach	M.	18	11			1	1			3			2		17	1					2	2	1		2	1	2	2	1	4	1	
		F.	9	4			1	1			1	2				9					4	1	1			1		1		1			
119	Diarrhoea and enteritis (under 2 years of age)	M.	31	31												31					3		3	1	1	1	5	4	5	3	2	3	
		F.	25	25												25					1	1				2	2	3	6	3	3	4	
120	Diarrhoea and enteritis (2 years and over)	M.	7				1			1	2			3		4		2	1		1	1				2			3				
		F.	12	1	1		1			1	2	1		5		9	2	1			1	1	2		1		2	1	1	1	1	1	
	(a) Diarrhoea and enteritis	M.	4							1				3		3			1							2			2				
		F.	7	1							2	1		3		5	2				1	1					1	1	1	1		1	
	(b) Ulceration of the intestines	M.	3				1				2					1		2			1	1							1				
		F.	5		1		1			1				2		4		1					2		1		1				1		
121	Appendicitis	M.	45	14	10	5	1	1	1	3	6	2		2		42	3				3	7	1	3	7	2	2	2	6	4	3	5	
		F.	20	6	2				2	7	1			2		18	1	1			4		1	3	1	2		3	2	1	2	1	
122	Hernia, intestinal obstruction	M.	17	2		3		1		1	2	6		2		15	2				1	1	8	1		1			1	1	1	2	
		F.	26	3	1			2	1	3	3	4		9		20	4	1	1		3	3	2		2		2	2	3	3	4	2	
	(a) Hernia	M.	6									6				4	2						4	1								1	
		F.	9					1		1	2	1		4		8			1		1	2	1		1			1	3				
	(b) Intestinal obstruction	M.	11	2		3		1		1	2			2		11					1	1	4			1			1	1	1	1	
		F.	17	3	1			1		2	1	3		5		12	4	1			2	1	1		1		2	1		3	4	2	
123	Other diseases of the intestines	M.	4				1				1			2		3	1						1		1	1	1						
		F.	1											1		1											1						
124	Cirrhosis of the liver	M.	10					1		1	3	4		1		8	1	1						4	1		1	2	1		1		
		F.	7	1						2	1	1		2		6	1				1				1	1	1		1	1	1		
	(a) Specified as alcoholic	M.	1								1					1											1						
		F.																															
	(b) Not specified as alcoholic	M.	9					1		1	2	4		1		7	1	1						4	1		1	1	1		1		
		F.	7	1						2	1	1		2		6	1				1				1	1	1		1	1	1		
125	Other diseases of the liver	M.	2								1			1		2													1		1		
		F.	4	1	1					1				1		4						1	1				1	1					
	(a) Yellow atrophy of the liver	M.	1								1					1														1			
		F.	1							1						1													1				
	(b) Others under this title	M.	1											1		1														1			
		F.	3	1	1									1		3						1	1				1						
126	Biliary calculi	M.	1			1										1													1				
		F.	10							3	2	2		3		9	1				2	1		1		1		1	1		2	1	
127	Other diseases of the gall-bladder and biliary passages	M.																															
		F.	12							1	3	2		6		11	1					4	2			2			1	1	2		
128	Diseases of the pancreas	M.	2								1	1				2						1									1		
		F.																															
129	Peritonitis, cause not specified	M.																															
		F.	4	2	1						1					4							1			1			1			1	
	Class X—Diseases of the Genito-urinary system	T.	464	9	9	11	14	30	1	16	66	137		171		427	28	4	3	2	39	57	40	45	47	34	29	36	44	35	26	32	
		M.	298	3	6	4	8	20		8	43	111		95		277	17	1	2	1	29	42	25	31	32	16	19	23	24	21	17	19	
		F.	166	6	3	7	6	10	1	8	23	26		76		150	11	3	1	1	10	15	15	14	15	18	10	13	20	14	9	13	

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
				Under 15 yrs.	Single					Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other	Not Stated												
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	3	1	.....	1	.....	....	.....	.....	1	.....	....	2	....	8	.....	.....	.....	....	1	3	.....	.....	.....	.....	.....	.....	.....	1	1	2
		F.	6	4	.....	.....	.....	.....	....	1	.....	1	.....	....	.....	....	6	.....	.....	.....	....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	1
131	Chronic nephritis	M.	140	.....	4	4	4	5	....	....	6	25	48	....	44	....	125	12	1	2	....	17	20	13	13	12	6	9	12	14	10	8	6
		F.	116	.....	1	5	6	8	....	.. ..	4	10	20	....	62	....	105	7	3	.....	1	7	13	8	11	12	12	7	7	13	10	6	10
132	Nephritis unspecified (10 years and over)	M.	45	.....	.....	.....	3	3	....	....	.. ..	8	23	....	8	....	44	1	.....	.....	.....	.....	4	5	9	5	4	5	2	3	4	2	2
		F.	17	.....	.....	1	.....	1	....	....	2	5	3	....	5	..	14	3	.....	.....	.....	3	.....	2	1	1	1	1	.....	3	3	2	.....
133	Other diseases of the kidneys and ureters	M.	12	.....	1	.. ..	.....	2	....	....	.....	1	4	....	4	....	12	.....	.....	.....	. .	2	2	1	.....	3	.....	.....	2	.....	.....	.....	2
		F.	19	2	2	.....	.....	.....	....	....	.....	3	3	....	9	....	18	1	.....	.....	....	.....	2	3	1	1	3	1	3	2	1	1	1
134	Calculi of the urinary passages	M.	4	.....	.....	.....	.....	.....	....	....	1	2	.....	....	1	....	4	.....	.....	.....	....	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	1	....	....	.....	1	.....	....	.....	....	2	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1
135	Diseases of the bladder (tumours excepted)	M.	7	.....	.....	.....	.....	2	....	....	.....	1	1	....	3	....	7	.....	.....	.....	....	.....	1	.....	1	2	1	1	.....	.....	1	.....	.....
		F.	1	.....	.....	.....	.....	.....	....	....	.....	1	.....	....	.....	....	1	.....	.....	.....	....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
136	Diseases of the urethra, urinary abscess, etc	M.	3	.....	.....	.....	.....	.....	....	....	1	.....	2	....	.....	....	2	1	.....	.....	....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....
		F.	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	....	.....	...	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Stricture of the urethra	M.	2	.....	.....	.....	.....	.....	....	....	1	.....	1	....	.....	....	1	1	.....	.....	....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Others under this title	M.	1	.....	.....	.....	.....	.....	....	....	.....	.....	1	....	.....	....	1	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Diseases of the prostate	M.	78	.....	.....	.....	.....	8	....	....	.....	4	33	....	33	....	74	3	.....	.....	1	8	12	6	7	10	4	2	6	7	3	6	7
138	Diseases of the male genital organs (not specified as venereal)	M.	1	.....	.....	.....	.....	.....	....	....	.....	1	.....	....	.....	...	1	.....	.....	.....	....	.... ..	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
139	Diseases of the female genital organs (not specified as venereal)	F.	5	.....	.....	1	.....	.....	....	....	2	2	.....	....	.....	....	4	.....	.....	1	....	.....	.....	2	1	.....	.....	.....	1	1	.....	.....	.....
	(a) Of the ovary, Fallopian tube and parametrium	F.	4	.....	.....	1	.....	.....	....	....	1	2	.....	....	.....	....	3	.....	.....	1	....	.....	.....	1	1	.....	.....	.....	1	1	.....	... ..	... .
	(b) Of the uterus	F.	1	.....	.....	.....	.....	.....	....	....	1	.. ..	.....	....	.....	....	1	.....	.....	.....	....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Of the breast	F.	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	...	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	..	.....	.....	.....
	(d) Others under this title	F.	.....	.....	.....	.....	.....	.....	....	....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

Class XI—Diseases of Pregnancy, Childbirth and the Puerperal State ...... Total	51		1	1				20	29						48	2	1			3	8	2	8	4	6	5	3	9	2	1	
140 Abortion with septic conditions ...... F.	2								2						2								1				1				
(a) Abortion ...... F	2								2						2								1				1				
(b) Self induced abortion ...... F.																															
141 Abortion without mention of septic conditions (haemorrhage included) F.	2							1	1						2							1							1		
(a) Abortion ...... F.	2							1	1						2							1							1		
(b) Self-induced abortion ...... F.																															
142 Ectopic gestation ...... F.																															
(a) With septic conditions ...... F.																															
(b) Without mention of septic conditions ...... F																															
143 Other accidents of pregnancy (haemorrhages excluded) ...... F.																															
144 Puerperal haemorrhage ...... F.	5							3	2						5								2		1		1	1			
(a) Placenta praevia ...... F.	3							2	1						3								1		1			1			
(b) Other haemorrhages F.	2							1	1						2								1				1				
145 Puerperal septicaemia not specified as due to abortion) ...... F.	10							7	3						9	1					4	1		1	2	1				1	
(a) Puerperal septicaemia and pyaemia ...... F.	10							7	3						9	1					4	1		1	2	1				1	
(b) Puerperal tetanus ...... F.																															
146 Puerperal albuminuria and eclampsia ...... F.	14							6	8						13	1				2	1		2	1		4	1	3			
147 Other toxaemias of pregnancy ...... F.	5							2	3						5						2		1		1			1			
148 Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic ...... F.	4			1					3						3		1						1		2				1		
(a) Phlegmasia alba dolens and thrombosis F.																															
(b) Embolism ...... F.	3			1					2						3								1		1				1		
(c) Sudden death ...... F.	1								1								1								1						
149 Other accidents of childbirth ...... F.	9		1					1	7						9					1	1		1	2				4			
(a) Caesarean operation F.	4								4						4					1				1				2			
(b) Dystocia ...... F.	1		1												1						1										
(c) Other surgical operations and instrumental delivery F.	2							1	1						2								1	1							

TABLE XXXIII—Continued

Int. List No.	Causes of Death	Total	Conjugal Condition												Nativity					Months											
			Single						Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Not stated					United States	Other	Not stated												
	(d) Rupture of uterus in parturition	F.	1							1						1													1			
	(e) Others under this title	F.	1							1						1													1			
150	Other or unspecified condition of the puerperal tate	F.																														
	(a) Puerperal diseases of the breast	F.																														
	(b) Others under this title	F.																														
	Class XII—Diseases of the skin and Cellular Tissue	T.	9	1						2	1	2		3		7	2					1	3	1	1				1	1	1	
		M.	6	1						2		1		2		5	1					1	2	1						1	1	
		F.	3								1	1		1		2	1						1		1				1			
151	Carbuncle	M.	1							1						1						1										
		F.	1											1		1									1							
152	Cellu`itis, acute abscess	M.	5	1						1		1		2		4	1						2	1						1	1	
		F.	1								1						1												1			
153	Other diseases of the skin and annexa and of the cellular tissue	M.																														
		F.	1									1				1							1									
	Class XIII—Diseases of the bones and organs of locomotion	T.	14	2			2	3			4	3				12	2				1	2	1	3	2	1	1			2		1
		M.	11	1			2	1			4	3				10	1				1	1	1	3	1	1	1			1		1
		F.	3	1				2								2	1					1			1					1		
154	Osteomyelitis	M.	3				2				1					3								2						1		
		F.																														
155	Other diseases of the bones (tuberculosis excepted)	M.	4					1			1	2				4					1	1	1			1						
		F.	2					2								1	1								1					1		
156	Diseases of the joints and other organs of locomotion	M.	4	1							2	1				3	1							1	1		1					1
		F.	1	1												1						1										
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	4	1							2	1				3	1							1	1		1					1
		F	1	1												1						1										
	(b) Of other organs of locomotion	M																														
		F																														

	Class XIV — Congenital T.	69	67	2												69					2	6	5	7	5	11	8	5	4	7	6	3
	Malformations M.	40	38	2												40					2	4	2	3	2	7	7	1	4	4	3	1
	F.	29	29													29						2	3	4	3	4	1	4		3	3	2
157	Congenital malformations M.	40	38	2												40					2	4	2	3	2	7	7	1	4	4	3	1
	(stillbirths excluded) F.	29	29													29						2	3	4	3	4	1	4		3	3	2
	(a) Congenital M.	4	3	1												4							1	1	1		1					
	hydrocephalus F.	5	5													5								1		1		2				1
	(b) Spina bifida and M.	8	8													8					1			1	1	1	2		1		1	
	meningocele F.	5	5													5							1			1		1		1		1
	(c) Congenital malformations of the heart M.	13	12	1												13						2	1	1		4	1	1	2	1		
	F.	10	10													10						1	2		3	2				1	1	
	(d) Monstrosities M.																															
	F.																															
	(e) Others under this M.	15	15													15					1	2				2	3		1	3	2	1
	title F.	9	9													9						1		3			1	1		1	2	
	Class XV—Diseases T.	361	361													361					21	40	23	43	36	35	31	18	36	21	24	33
	of early infancy M.	204	204													204					11	22	12	27	18	23	21	11	20	12	9	18
	F.	157	157													157					10	18	11	16	18	12	10	7	16	9	15	15
158	Congenital debility M.	35	35													35					3	8	2	2	5	4		4	2	4		1
	F.	31	31													31					2	7	3	2	4	3	2	2	1		2	3
159	Premature birth M.	81	81													81					5	7	5	13	4	8	11	3	9	5	3	8
	F.	74	74													74					5	4	3	6	11	5	4	4	8	5	10	9
160	Injury at birth M.	48	48													48					2	4	4	7	6	5	6	3	3	2	2	4
	F.	26	26													26					1	5	3	3	1	1	3	1	2	2	2	2
	(a) With mention of M.	1	1													1						1										
	caesarean operation F.	1	1													1															1	
	(b) Without mention of M.	47	47													47					2	3	4	7	6	5	6	3	3	2	2	4
	caesarean operation F.	25	25													25					1	5	3	3	1	1	3	1	2	2	1	2
161	Other diseases peculiar M.	40	40													40					1	3	1	5	3	6	4	1	6	1	4	5
	to early infancy (under 3 months) F.	26	26													26					2	2	2	5	2	3	1		5	2	1	1
	(a) Atelectasis M.	11	11													11							1			3	1	1	3		1	1
	F.	2	2													2								1					1			
	(b) Icterus of the M.	5	5													5								2		1	2					
	new-born F.	1	1													1							1									
	(c) Sclerema and M.																															
	oedema F.																															
	(d) Athrepsia M.	1	1													1																1
	F.																															
	(e) Others, including M.	10	10													10						1		2	2	1			1		1	2
	lack of care F.	17	17													17					2	1	1	3	2		1		4	1	1	1
	(f) No cause given, no M.	13	13													13					1	2		1	1	1	1		2	1	2	1
	doctor in attendance F.	6	6													6						1		1		3				1		
	Class XVI— Senility T.	240					34					64		142		232	7	1			29	25	20	17	18	23	20	11	13	20	20	24
	M.	86					10					35		41		83	3				6	12	10	6	7	3	7	8	3	10	8	6
	F.	154					24					29		101		149	4	1			23	13	10	11	11	20	13	3	10	10	12	18
162	Senility M.	86					10					35		41		83	3				6	12	10	6	7	3	7	8	3	10	8	6
	F.	154					24					29		101		149	4	1			23	13	10	11	11	20	13	3	10	10	12	18
	(a) With senile demen- M.	3										2		1		3						1	1							1		
	tia (70 years and over) F.	6					1					1		4		6					1	1			1		1					2
	(b) Without senile dementia (70 years M.	83					10					33		40		80	3				6	11	9	6	7	3	7	8	3	9	8	6
	and over) F.	148					23					28		97		143	4	1			22	12	10	11	10	20	12	3	10	10	12	16

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Conjugal Condition												Nativity					Months											
					Single					Married																							
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
																			United States	Other												
	(c) Premature senility (55 years but under 70 years)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVII—Violent or Accidental Deaths	T.	325	47	45	42	16	15	1	2	39	37	34	....	47	....	291	15	6	10	3	21	17	26	22	20	26	42	26	30	37	24	34
		M.	244	37	38	38	16	7	1	2	37	31	21	....	16	....	218	10	5	8	3	12	12	18	18	17	24	28	24	26	29	15	21
		F.	81	10	7	4	.....	8	....	....	2	6	13	....	31	....	73	5	1	2	....	9	5	8	4	3	2	14	2	4	8	9	13
163-171	Suicides	M.	25	.....	3	5	4	1	....	....	4	3	2	....	3	....	19	2	1	2	1	3	.....	3	2	.....	4	.....	1	1	7	2	2
		F.	8	.....	2	1	.....	.....	.....	.....	.....	2	2	....	1	....	7	.....	.....	1	.....	.....	1	1	.....	.....	.....	3	1	1	.....	1	.....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	....	1	....	4	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....
		F.	4	.....	1	1	.....	.....	.....	.....	.....	2	.....	....	.....	....	3	.....	.....	1	.....	.....	1	.....	.....	.....	.....	2	1	.....	.....	.....	.....
164	Suicide by poisonous gas	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Suicide by hanging or strangulation	M.	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	....	.....	....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	....	1	....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
166	Suicide by drowning	M.	3	.....	.....	.....	1	.....	.....	.....	.....	.....	1	....	1	....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....
		F.	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	....	.....	....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....
167	Suicide by firearms	M.	12	.....	2	2	1	1	....	....	4	1	1	....	.....	....	9	.....	1	1	1	1	.....	2	2	.....	2	.....	1	1	1	1	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
168	Suicide by cutting or piercing instruments	M.	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	....	1	....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Suicide by jumping from high places	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	Suicide by crushing	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Suicide by other means	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	....	.....	....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173-175	Homicides	M.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	....	.....	....	1	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Homicide by firearms	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	....	.....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

174	Homicide by cutting or piercing instruments	M.																															
		F.																															
175	Homicide by other means	M.	2			1					1						1			1			1			1							
		F.																															
176-198	Other violent deaths	M.	217	37	35	32	12	6	1	2	32	28	19		13		198	8	4	5	2	9	11	15	16	16	20	28	23	25	22	13	19
		F.	73	10	5	3		8			2	4	11		30		66	5	1	1		9	4	7	4	3	2	11	1	3	8	8	13
176	**Attack by venomous animals**	M.																															
		F.	1								1						1											1					
177	**Food poisoning**	M.	2	1								1					2											2					
		F.																															
178	Accidental absorption of toxic gasses	M.	4			1					1	2					3				1	1					1	1			1		
		F.																															
179	Other acute accidental poisonings (except by gas)	M.																															
		F.	2	1								1					2					1									1		
180	Conflagration	M.	3	1		1					1						3							1							1		1
		F.	2										2				2								1							1	
181	**Accidental burns** (conflagration excepted)	M.	12	7	1							2	1		1		11	1					2	1	1	1	2	2			1	1	1
		F.	4	2				1							1		4					1	2	1									
182	**Accidental mechanical suffocation**	M.	2	2													2							1								1	
		F.																															
183	**Accidental drowning**	M.	43	13	12	11				1	3	2			1		39	1	3			2		1	6	3	3	8	8	8	1	1	2
		F.	6	2	2	1									1		6					1					1	3	1				
184	**Accidental injury by firearms**	M.	11	2	1	3					2	1	2				11					1							1	2	4	2	1
		F.	2	1		1											2							1									1
185	**Accidental injury by cutting or piercing instruments**	M.	5		2		1					2					5								1		1		1		1		1
		F.																															
186	**Accidental injury by fall crushing or land-slide**	M.	109	10	14	15	8	5		1	18	14	13		11		99	5	1	4		4	7	9	7	10	10	12	7	12	13	7	11
		F.	49	4	3	1		5			1	3	8		24		43	5	1			5	2	5	3	2		6		2	7	5	12
187	Cataclysm	M.																															
		F.																															
188	Injuries by animals	M.	4		1		2	1									4						1					2	1				
		F.																															
189	Hunger or thirst	M.																															
		F.																															
190	Excessive cold	M.	3						1		1		1				2				1			1	1								1
		F.																															
191	Excessive heat	M.	1				1										1												1				
		F.																															
192	Lightning	M.	2		2												2												2				
		F.																															
193	Accidents due to electric currents	M.	2	1							1						2										1			1			
		F.																															
194	Other accidents	M.	11		2	1					4	2	2				10			1			1	1		2	1	1	2	2			1
		F.	7					2					1		4		6			1		1				1	1	1		1		2	
	(a) **Foreign body**	M.																															
		F.																															

TABLE XXXIII—Continued

Int. List No.	Causes of Death		Total	Under 15 years	Conjugal Condition											Nativity					Months											
					Single					Married					Widowed	Not stated	Canada	British	Foreign			January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other	Not stated												
	(b) Others under this title	M.	11	.....	2	1	.....	.....	...	...	4	2	2	...	.....	...	10	.....	.....	1	...	.....	1	1	.....	1	1	1	2	2	.....	.....	1
		F.	7	.....	.....	.....	.....	2	...	...	.....	.....	1	...	4	...	6	.....	.....	1	...	1	.....	.....	.....	1	1	1	.....	1	.....	2	.....
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	3	.....	.....	.....	.....	.....	...	...	1	2	.....	...	.....	...	2	1	.....	.....	...	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....
		F.	.....	.....	.....	.....	.....	.....	...	...	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
198	Capital punishment	M.	.....	.....	.....	.....	.....	.....	...	...	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	...	...	.....	.....	.....	...	.....	...	.....	.....	.....	.....	...	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVIII—Ill-defined causes of death	T.	71	30	.....	.....	3	3	...	...	2	6	14	...	13	...	65	5	.....	1	...	3	7	5	8	9	5	3	4	8	2	10	7
		M.	41	17	.....	.....	1	3	...	...	1	2	10	...	7	...	36	4	.....	1	...	1	6	3	3	6	3	2	2	5	1	4	5
		F.	30	13	.....	.....	2	.....	...	...	1	4	4	...	6	...	29	1	.....	.....	...	2	1	2	5	3	2	1	2	3	1	6	2
199	Sudden death	M.	22	3	.....	.....	.....	3	...	...	1	2	7	...	6	...	17	4	.....	1	...	1	4	2	2	3	1	1	1	3	1	1	2
		F.	18	6	.....	.....	.....	.....	...	...	1	3	2	...	6	...	17	1	.....	.....	...	2	1	.....	4	2	2	.....	1	1	1	3	1
200	Cause of death not specified or ill-defined	M.	19	14	.....	.....	1	.....	...	...	.....	.....	3	...	1	...	19	.....	.....	.....	...	.....	2	1	1	3	2	1	1	2	.....	3	3
		F.	12	7	.....	.....	2	.....	...	...	.....	1	2	...	.....	...	12	.....	.....	.....	...	.....	.....	2	1	1	.....	1	1	2	.....	3	1

TABLE XXXIII—SPECIAL CLASSES OF ACCIDENTAL DEATHS (INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE) PROVINCE OF NOVA SCOTIA, 1936.

Int. List No.	Causes of Death		Total	Conjugal Conditions												Nativity					Months											
				Single						Married								Foreign															
				Under 15 Years	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 yrs and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
A	Accidents in mines and quarries	M.	19	....	3	3	1	1	....	....	4	5	2	....	....	....	13	3	....	3	....	2	3	2	1	2	2	2	2	1	2	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
B	Accidents caused by machines	M.	5	....	1	....	1	....	....	....	1	1	....	....	1	....	5	....	....	....	....	....	....	1	....	....	2	....	....	....	....	....	2
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
C	Railway accidents	M.	14	2	3	1	1	1	....	....	2	2	1	....	1	....	13	1	....	....	....	....	1	2	2	....	2	2	....	2	1	....	2
		F.	1	....	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
D	Street car accidents	M.	1	1	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
E	Automobile and motorcycle accidents	M.	42	6	6	9	4	1	....	....	7	6	2	....	1	....	41	....	1	....	....	1	....	1	1	4	5	5	5	6	6	2	6
		F.	18	4	3	....	....	1	....	....	1	3	3	....	3	....	14	3	1	....	....	1	....	2	2	2	....	3	1	1	3	1	2
F	Other land transportation	M.	2	....	1	....	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
		F.	1	....	1	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1
G	Water transportation	M.	20	1	5	6	....	....	1	....	5	2	....	....	....	....	17	1	....	....	2	2	....	2	2	1	2	2	....	6	....	1	2
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
H	Air transportation	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES NOVA SCOTIA 1936

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Deaths—All causes	T.	5897	216	174	892	278	394	253	164	1238	229	249	283	364	435	114	153	143	75	243
		M.	3157	113	101	492	147	202	153	84	638	129	133	154	182	240	59	84	78	31	137
		F.	2740	103	73	400	131	192	100	80	600	100	116	129	182	195	55	69	65	44	106
	Class I—Infectious and Parasitic Diseases	T.	832	12	28	141	30	38	28	30	174	21	59	76	34	55	10	20	26	10	40
		M.	410	7	14	71	17	15	11	10	83	11	28	42	13	27	7	9	17	3	25
		F.	422	5	14	70	13	23	17	20	91	10	31	34	21	28	3	11	9	7	15
1	Typhoid fever	M.	2						1						1						
		F.	2								1										1
2	Paratyphoid fever	M.																			
		F.																			
4	Relapsing fever	M.																			
		F.																			
5	Undulant fever	M.																			
		F.																			
6	Small-pox	M.																			
		F.																			
7	Measles	M.	2									1		1							
		F.	4								2			1	1						
8	Scarlet fever	M	3			2					1										
		F.	6					1		1				1		2					1
9	Whooping-cough	M.	37			7			1	2	6	2	6	1		4	4		2	1	1
		F.	61			12	4	2	1	8	13	2	9		1	5	2	1			1
10	Diphtheria	M.	6			2					4										
		F.	11			6			2		2		1								
11	Influenza	M.	73	3	2	15	6	4	1		9	2	4	8	7	6		1	2	1	2
		F.	75	1	7	15	2	3	4	2	10	2	7	4	8	5		2	1		2
	(a) Sole cause	M.	18	1	1	4	3				2		1		3	1			1	1	
		F.	16		3	4	1	2	1				1	2	2						
	(b) With bronchitis	M.	7			1	1		1		1		1	1							1
		F.																			
	(c) With pneumonia	M.	26			5	2	2			6	2	1	2	1	3		1			1
		F.	27		1	3	1	1	1	1	8	2	3		3	1					2
	(d) With other diseases of the respiratory system	M.	4	1	1									2							
		F.	3	1		1									1						
	(e) With intestinal complications	M.	3			2								1							
		F.	7			4					1					1		1			
	(f) With other causes	M.	15	1		3		2					1	2	3	2			1		
		F.	22		3	3			2	1	1		3	2	2	3		1	1		

13	Dysentery	M.																				
		F.	1											1								
15	Erysipelas	M.	4			2					2											
		F.	4			1					3											
16	Poliomyelitis and polioencephalitis (acute)	M.																				
		F.	1												1							
17	Lethargic or epidemic encephalitis	M.	1					1														
		F.																				
18	Epidemic cerebrospinal meningitis	M.	9			2	1				1		1		1	1	1					1
		F.	2								1		1									
19	Glanders	M.																				
		F.																				
20	Anthrax, malignant pustule	M.																				
		F.																				
21	Rabies	M.																				
		F.																				
22	Tetanus	M.																				
		F.																				
23–32	Tuberculosis	M.	248	4	11	36	9	10	7	8	50	6	17	30	4	14	2	8	12	1	19	
		F.	237	4	7	33	6	15	9	9	54	5	12	27	8	16	1	8	8	7	8	
23	Tuberculosis of the respiratory system	M.	204	3	10	26	7	7	5	6	39	5	16	28	4	13	1	7	10	1	16	
		F.	197	4	7	27	6	14	8	7	45	5	10	23	6	11	1	6	4	6	7	
24	Tuberculosis of the meninges and central nervous system	M.	18	1	1	4	1	2	1	2	2						1	1			2	
		F.	19			3		1		1	4		1	2	2	1		2	2			
25	Tuberculosis of the intestines and peritoneum	M	4								2								1		1	
		F.	7			2			1							2			1	1		
26	Tuberculosis of the vertebral column	M	4			2			1					1								
		F.	1			1																
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.	1											1								
		F.																				
	(a) Of bones	M.																				
		F.																				
	(b) Of joints	M.	1											1								
		F.																				
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M																				
		F.																				
29	Tuberculosis of the lymphatic system (bronchial mesenteric, retroperitoneal glands excepted)	M.	1										1									
		F.																				
30	Tuberculosis of the genito-urinary system	M.	3				1				2											
		F.	1										1									
31	Tuberculosis of other organs	M.																				
		F.																				
32	Disseminated tuberculosis	M.	13			4		1			5	1				1			1			
		F.	12							1	5			2		2			1		1	
	(a) Acute	M.	9			3					3	1				1			1			
		F.	11							1	5			2		2					1	
	(b) Chronic	M.																				
		F.																				
	(c) Not specified	M.	4			1		1			2											
		F.	1																1			

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
33	Leprosy	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Syphilis	M.	16	.....	.....	2	1	.....	.....	.....	7	.....	.....	1	.....	2	.....	.....	1	.....	2
		F.	11	.....	.....	1	1	.....	.....	.....	5	1	.....	.....	2	.....	.....	.....	.....	.....	1
35	Gonococcus infection and other venereal diseases	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Purulent infection, septicaemia (non-puerperal)	M.	9	.....	1	3	.....	1	.....	.....	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	5	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
38	Malaria	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Other diseases due to protozoal parasites	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
40	Ankylostomiasis	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
41	Hydatid cysts	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Of the liver	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Of other organs	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Other diseases caused by helminths	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
43	Mycoses	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	Other infectious or parasitic diseases	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Chicken- pox	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) German measles	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class II—Cancer and other Tumours	T.	715	29	20	89	35	46	26	16	166	23	21	38	51	67	18	12	8	9	41
		M.	332	14	11	46	16	21	13	6	86	10	9	18	23	24	10	6	2	2	15
		F.	383	15	9	43	19	25	13	10	80	13	12	20	28	43	8	6	6	7	26
45–53	Cancer and other malignant tumours	M.	321	14	11	45	15	21	12	6	84	8	9	18	23	21	10	6	2	2	14
		F.	366	13	9	43	19	23	13	10	73	13	12	20	27	40	8	6	6	7	24

45	Cancer of the buccal cavity and pharynx	M.	17			2	4	1		1	6		1			1	1						
		F.	7							1	3					2					1		
46	Cancer of the digestive tract and peritoneum	M.	207	10	9	24	5	16	9	3	53	7	4	12	20	11	6	5	1	1	11		
		F.	176	5	5	22	8	11	6	4	30	8	9	6	18	12	6	4	3	3	16		
	(a) Of the oesophagus	M.	3								1			1	1								
		F.	6	1		1					1		1	1	1								
	(b) Of the stomach and duodenum	M.	99	5	5	12	3	8	5	2	15	3	3	6	13	8	3	3	1		4		
		F.	62	2	2	7	2	6	4	1	7	2	5	1	7	3	2	3	2	1	5		
	(c) Of the rectum	M.	19	1	1			1	1		9	1		1	1						3		
		F.	16			3					3				2	1	3				4		
	(d) Of the liver and biliary ducts	M.	21	1	1	3		2			3	2	1		1	1	2	2			2		
		F.	21		1	5		1		1	5			1	1	2	1			1	2		
	(e) Of the pancreas	M.	11	1				2	1		6			1									
		F.	8			1	1	1		1	2				1						1		
	(f) Of the peritoneum	M	3								2					1							
		F.	1									1											
	(g) Of other organs	M.	51	2	2	9	2	3	2	1	17	1		3	4	1	1			1	2		
		F.	62	2	2	5	5	3	2	1	12	5	3	3	6	6		1	1	1	4		
47	Cancer of the respiratory organs	M.	15			2		1	1	1	6		1			2	1						
		F	7	1	1	1		1			1				2								
	(a) Of the larynx	M.	3							1			1			1							
		F.	3	1	1										1								
	(b) Of the lung	M.	11			2		1			6					1	1						
		F.	4			1		1			1				1								
	(c) Of the mediastinum	M.	1						1														
		F.																					
	(d) Of other organs of the respiratory system	M.																					
		F.																					
48	Cancer of the uterus	F.	67	1	1	5	4	3	6	3	24	2		5	2	7			1		3		
	(a) Of the uterus	F.	42	1		4	3	2	3	3	13	1		3	1	4			1		3		
	(b) Of the cervix uteri	F.	25		1	1	1	1	3		11	1		2	1	3							
49	Cancer of other female genital organs	F.	13	2		1		2			1	1		1		4			1				
50	Cancer of the breast	M.	1			1																	
		F.	48	3	1	4	6	5	1	1	5	2		4	2	6	1	1		3	3		
51	Cancer of the male genito-urinary organs	M.	46	4	1	6	4	3	1	1	10	1		5	1	5			1		3		
	(a) Of the bladder	M.	11		1	1		2			5										2		
	(b) Of the kidney	M.	4			1	1				1										1		
	(c) Of the prostate gland	M.	24	3		3	3	1	1		2			4	1	5			1				
	(d) Of the testicles and annexa	M.	5	1		1					1	1		1									
	(e) Of other male genito-urinary organs	M.	2							1	1												
52	Cancer of the skin	M.	13			3	1		1		2		1	1		2	2						
		F.	10			3					2		1			2					2		
53	Cancer of other or unspecified organs	M.	22		1	7	1				7		2		2			1		1			
		F.	38	1	1	7	1	1		1	7		2	4	3	7	1	1	1				
	(a) Of the eye and orbit	M.	1			1																	
		F.	4			1		1							1	1							
	(b) Of the circulatory system	M.																					
		F.																					
	(c) Of the glandular system	M.	3								1		1		1								
		F.	2			1					1												
	(d) Of the female urinary organs	F.	8		1		1				2		1	3									

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. list No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Of the bones and joints	M.	6		1	2					1		1		1						
		F.	7	1		1					2			1		2					
	(f) Of the brain	M.	2			1					1										
		F.	4			1				1	1						1				
	(g) Of the spine and spinal cord	M.	2								1									1	
		F.	1																1		
	(h) Of the neck	M.	2								1							1			
		F.	2			1										1					
	(i) Of the abdomen	M.	2			1	1														
		F.	7			2					1		1			3					
	(j) Of other specified organs	M.	2			1					1										
		F.																			
	(k) Multiple cancer	M.	1								1										
		F.																			
	(m) Of unspecified or unknown location	M.	1			1															
		F.	3												2			1			
54	Non-malignant tumours	M.	6						1		1	1				2					1
		F.	15	2				2			5				1	3					2
	(a) Of the ovary	F.	6					1			2				1	1					1
	(b) Of the uterus	F.	5	2				1			2										
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M.	4						1							2					1
		F.	1								1										
	(e) Of the thyroid gland	M.																			
		F.	1													1					
	(f) Of the prostate gland	M.	2								1	1									
	(g) Of other or unspecified sites	M.																			
		F.	2													1					1
55	Tumours, nature not specified	M.	5			1	1				1	1				1					
		F.	2								2										
	(a) Of the ovary	F.																			
	(b) Of the uterus	F																			
	(c) Of other female genital organs	F.																			
	(d) Of the brain	M	5			1	1				1	1				1					
		F.	1								1										
	(e) Of the tyhroid gland	M																			
		F.																			
	(f) Of the prostate gland	M.																			
	(g) Of other or unspecified sites	M.																			
		F.	1								1										

	CLASS III—Rheumatic Diseases, Diseases of Nutrition and of the endocrine glands and other general diseases	T.	129	6	1	23	7	11	7	5	28	4	2	2	7	14	4	1	1		6
		M.	53	3	1	12	4	2	2	2	10	2			3	6	1				5
		F.	76	3		11	3	9	5	3	18	2	2	2	4	8	3	1	1		1
56	Acute rheumatic fever	M.	10			4	1	1			1				2	1					
		F.	15			4		1	1		6				1	1	1				
57	Chronic rheumatism, osteo-arthritis	M.	5		1	1	1			1						1					
		F.	8	1			1	2			1					1	1	1			
58	Gout	M.																			
		F.																			
59	Diabetes mellitus	M.	27	2		5	1	1	2	1	6				1	3					5
		F.	41	2		6	1	6	3	3	8	2	1	1	2	5	1				
60	Scurvy	M.	1				1														
		F.																			
61	Beriberi	M.																			
		F.	1													1					
62	Pellagra	M.																			
		F.																			
63	Rickets	M.	2	1								1									
		F.	1												1						
64	Osteomalacia	M.																			
		F.	1																		1
65	Diseases of the pituitary gland	M.																			
		F.																			
66	Diseases of the thyroid and parathyroid glands	M.	1														1				
		F.	6			1	1		1		2			1							
	(a) Simple goitre	M.																			
		F.	2				1		1												
	(b) Exophthalmic goitre	M.	1														1				
		F.	2								1			1							
	(c) Myxoedema, cretinism	M.																			
		F.	2			1					1										
	(d) Tetany	M.																			
		F.																			
	(e) Others under this title	M.																			
		F.																			
67	Diseases of the thymus gland	M.	1									1									
		F.	1								1										
68	Diseases of the adrenals (Addison's disease)	M.	1								1										
		F.																			
69	Other general diseases	M.	5			2					2					1					
		F.	2										1						1		
	(a) Fatty or amyloid degeneration	M.	3			2					1										
		F.	2										1						1		
	(b) Steatosis	M.																			
		F.																			
	(c) Others under this title	M.	2								1					1					
		F.																			
	Class IV—Diseases of the blood and blood-forming organs	T.	53	2	2	4	1	5	4	1	13	2	1	2	2	6	2	1	2	1	2
		M.	32		1	1	1	1	4	1	7	1	1	2	2	4	1	1	2	1	1
		F.	21	2	1	3		4			6	1				2	1				1

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
70	Haemorrhagic conditions..	M.	4								1			1					1	1	
		F.	2								1					1					
	(a) Simple purpura	M.	2								1								1		
		F.	1													1					
	(b) Haemophilia	M.	2											1						1	
		F.	1								1										
71	Anaemia	M.	13			1		1	3		1				2	2		1	1		1
		F.	12	2	1	1		4			2					1	1				
	(a) Pernicious anaemia	M.	11			1		1	1		1				2	2		1	1		1
		F.	11	2	1	1		3			2					1	1				
	(b) Others under this title	M.	2						2												
		F.	1					1													
72	Leukaemia and aleukaemia	M.	12		1		1		1	1	3	1	1			2	1				
		F.	5			1					3										1
	(a) Leukaemia	M.	8		1					1	3		1			1	1				
		F.	3			1					1										1
	(b) Aleukaemia (Hodgkin's disease)	M.	4				1		1			1				1					
		F.	2								2										
73	Diseases of the spleen	M.	3								2			1							
		F.	1									1									
74	Other diseases of the blood and blood-forming organs	M.																			
		F.	1			1															
	Class V—Chronic poisonings and intoxications	T.	9			1			1		3			1	1	2					
		M.	9			1			1		3			1	1	2					
		F.																			
75	Alcoholism	M.	8			1					3			1	1	2					
		F.																			
	(a) Delirium tremens	M.	1								1										
		F.																			
	(b) Other alcoholic intoxications	M.	7			1					2			1	1	2					
		F.																			
76	Chronic poisoning, by other organic substances	M.																			
		F.																			
	(a) Chronic morphinism	M.																			
		F.																			
	(b) Chronic cocainism	M.																			
		F.																			
	(c) Occupational	M.																			
		F.																			
	(d) Other organic poisoning	M.																			
		F.																			

77	**Chronic poisoning by mineral substances**	M	1						1														
		F.																					
	(a) Lead (including occupational)	M.	1						1														
		F.																					
	(b) Occupational, except lead	M.																					
		F.																					
	(c) Others under this title	M.																					
		F.																					
	Class VI—Diseases of the Nervous System and of the organs of special sense	T.	383	17	13	77	16	22	16	2	72	12	16	25	26	25	7	11	12	3	11		
		M.	203	6	10	40	5	11	9	1	40	10	9	14	13	14	3	6	6	2	4		
		F.	180	11	3	37	11	11	7	1	32	2	7	11	13	11	4	5	6	1	7		
78	Encephalitis (non-epidemic)	M.	1											1									
		F.	4			2	1				1												
79	Simple meningitis	M.	9	1		3					1	1	2	1									
		F.	7			3			1								1				2		
80	Progressive locomotor ataxia (tabes dorsalis)	M.																					
		F.																					
81	Other diseases of the spinal cord	M.	16	1		4					2	3		2		2	1		1				
		F.	7	1		1	1	1					1			2							
82	Cerebral haemorrhage, cerebral embolism and thrombosis	M.	97	2	4	18	2	7	4	1	19	3	4	6	9	4	1	6	4	2	1		
		F.	115	9	3	19	7	7	2	1	17	2	5	10	11	5	3	4	5	1	4		
	(a) Cerebral haemorrhage	M.	80	1	4	16	2	5	1	1	17	3	3	4	8	3	1	6	4		1		
		F.	93	8	2	15	6	5	2	1	15	2	4	8	9	4	2	2	5		3		
	(b) Cerebral embolism and thrombosis	M.	8	1		1			1		2			2	1								
		F.	8			1					2			2	2						1		
	(c) Softening of the brain	M.	1					1															
		F.	1					1															
	(d) Hemiplegia and other paralysis, cause not specified	M.	8			1		1	2				1			1				2			
		F.	13	1	1	3	1	1					1			1	1	2		1			
83	General paralysis of the insane	M.	8	1		2			1		4												
		F.	5			3					1								1				
84	Dementia praecox and other psychoses	M.	13		1	3	1		2		3		1		1	1							
		F.	14	1		1	1	1	2		6			1		1							
	(a) Dementia praecox	M.	3			1			1						1								
		F.	8	1		1			1		4					1							
	(b) Other psychoses	M.	10		1	2	1		1		3		1			1							
		F.	6				1	1	1		2			1									
85	Epilepsy	M.	10			1	1	2			3	1		1		1							
		F.	4			2			1		1												
86	Convulsions (under 5 years of age)	M.	19	1		9			1		2	2	1	1	1	1							
		F.	12			4		2			2				1	2		1					
87	Other diseases of the nervous system	M.	19		2		1	1	1		3			2	1	4	1		1		2		
		F.	8			1	1		1		3		1								1		
	(a) Chorea	M.																					
		F.																					
	(b) Neuralgia and neuritis	M.	2													2							
		F.	1				1																
	(c) Paralysis agitans	M.	6					1			1			1		1	1				1		
		F.																					
	(d) Sclerosis (other than of the spinal cord)	M.	5		1		1								1				1		1		
		F.	4								3		1										

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(e) Others under this title	M.	6		1				1		2			1		1					
		F.	3			1			1												1
88	Diseases of the organs of vision	M.																			
		F.	1												1						
89	Diseases of the ear and mastoid process	M.	11		3			1			3		1		1	1					1
		F.	3			1					1					1					
	(a) Otitis	M.	8		2			1			2		1			1					1
		F.																			
	(b) Diseases of the Mastoid process	M.	3		1						1				1						
		F.	3			1					1					1					
	(c) Others under this title	M.																			
		F.																			
	Class VII—Diseases of the circulatory system	T.	1337	68	19	138	81	112	68	36	294	70	47	57	95	88	22	25	42	11	64
		M.	741	35	12	81	50	66	40	23	141	38	30	32	53	47	12	12	26	6	37
		F.	596	33	7	57	31	46	28	13	153	32	17	25	42	41	10	13	16	5	27
90-95	Diseases of the heart	M.	478	22	9	58	33	37	30	13	83	22	19	26	38	25	10	12	15	5	21
		F.	333	19	7	38	17	28	15	8	68	12	11	16	27	22	5	12	9	3	16
90	Pericarditis	M.																			
		F.	2			1															1
91	Acute endocarditis	M.	5			1			1		2			1							
		F.	4					1			2				1						
	(a) Endocarditis specified as acute	M.	5			1			1		2			1							
		F.	3					1			1				1						
	(b) Endocarditis unspecified (under 45 years of age)	M.																			
		F.	1								1										
92	Chronic endocarditis, valvular diseases	M.	126	8	3	7	7	14	12	1	24	6	6	4	5	8		7	5	4	5
		F.	102	6	6	3	7	5	6	1	21	7	5	4	5	11	1	6	4	1	3
	(a) Endocarditis specified as chronic and other valvular diseases	M.	117	8	3	7	7	12	12	1	22	4	5	4	5	6		7	5	4	5
		F.	94	6	6	3	5	5	6	1	20	6	5	4	5	7	1	6	4	1	3
	(b) Endocarditis, unspecified, (45 years and over)	M.	9					2			2	2	1			2					
		F.	8				2				1	1				4					
93	Diseases of the myocardium	M.	90	1	1	11	4	10	4	5	15	4	2	3	12	5		2	6		5
		F.	84	4		10		12	2	2	19		5	6	8	6	1	2	3		4
	(a) Acute myocarditis	M.	4			1	1	1			1										
		F.	1			1															
	(b) Myocarditis, unspecified, (under 45 years of age)	M.	1																1		
		F.	3			1		1								1					
	(c) Chronic myocarditis and myocardial degeneration	M.	41			4	1		3	3	10	2		2	8	2		1			5
		F.	48	2		1		2	2	2	17		5	5	7	3			1		1
	(d) Myocarditis, unspecified, (45 years and over)	M.	44	1	1	6	2	9	1	2	4	2	2	1	4	3		1	5		
		F.	32	2		7		9			2			1	1	2	1	2	2		3

94 Diseases of the coronary arteries and angina pectoris	M	158	10	.....	20	13	6	9	.....	33	7	6	8	13	10	9	2	3	1	8			
	F	76	7	.....	11	5	2	3	2	18	.....	1	3	9	5	1	.....	1	.....	8			
(a) Diseases of the coronary arteries	M	5	.....	.....	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1			
	F	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
(b) Embolism and thrombosis of the coronary arteries	M	103	9	.....	10	12	3	7	.....	22	2	5	5	11	3	7	.....	2	.....	5			
	F	56	4	.....	9	4	2	1	1	15	.....	.....	3	8	3	1	.....	.....	.....	2			
(c) Angina pectoris	M	50	1	.....	10	1	2	2	.....	8	5	1	3	2	7	2	2	1	1	3			
	F	19	3	.....	2	.....	.....	2	1	3	.....	1	.....	1	2	.....	.....	1	.....	.....			
95 Other diseases of the heart	M	99	3	5	19	9	7	4	7	9	5	5	10	8	2	1	1	1	.....	3			
	F	65	2	1	13	5	8	4	3	8	5	.....	3	4	.....	2	4	1	2	.....			
(a) Functional diseases of the heart	M	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....			
	F	9	.....	.....	1	1	.....	.....	.....	.....	3	.....	2	1	.....	1	.....	.....	.....	.....			
(b) Other and unspecified	M	93	3	5	18	9	7	4	7	9	5	5	8	7	1	.....	1	1	.....	3			
	F	56	2	1	12	4	8	4	3	8	2	.....	1	3	.....	1	4	1	2	.....			
96 Aneurysm (except of the heart)	M	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....			
97 Arteriosclerosis (of coronary arteries excepted)	M	212	12	2	14	11	27	6	8	52	15	6	6	9	18	2	.....	11	1	12			
	F	206	11	.....	12	13	14	10	4	71	19	2	7	12	17	1	.....	6	1	6			
98 Gangrene	M	9	1	1	2	1	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....			
	F	8	.....	.....	2	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	1			
99 Other diseases of the arteries	M	5	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....			
	F	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
100 Diseases of the veins (varices haemorrhoids, phlebitis, etc.)	M	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1			
101 Diseases of the lymphatic system (lymphangitis, etc.)	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
102 Idiopathic abnormalities of blood pressure	M	34	.....	.....	6	4	2	2	2	4	1	4	.....	4	3	.....	.....	.....	.....	.....			
	F	40	2	.....	5	1	2	2	1	12	1	3	1	2	1	4	1	.....	1	.....			
103 Other diseases of the circulatory system	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
Class VIII—Diseases of the respiratory system	T	506	24	8	74	28	41	15	18	105	25	20	21	31	49	10	9	14	5	18			
	M	268	13	4	43	14	20	10	9	51	13	11	8	18	25	6	6	4	2	11			
	F	238	11	4	31	14	21	5	9	54	12	9	13	13	15	4	3	10	3	7			
104 Diseases of the nasal fossae and annexa	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....			
105 Diseases of the larynx	M	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....			
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
(a) Croup	M	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....			
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
(b) Other diseases of the larynx	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
106 Bronchitis	M	7	.....	.....	2	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1			
	F	17	.....	.....	3	1	5	.....	.....	3	4	.....	.....	1	.....	.....	.....	.....	.....	.....			
(a) Acute	M	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	8	.....	.....	2	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....			
(b) Chronic	M	6	.....	.....	1	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1			
	F	5	.....	.....	1	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....			
(c) Unspecified	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....			
	F	4	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....			

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
107	Bronchopneumonia	M.	86	3	1	11	6	6	2	2	20	1	2	2	12	11	1	1	1	2	2
		F.	93	6	.....	8	4	6	3	2	24	2	6	4	5	10	1	2	5	1	4
	(a) Bronchopneumonia	M.	85	3	1	10	6	6	2	2	20	1	2	2	12	11	1	1	1	2	2
		F.	91	6	.....	7	4	6	3	2	23	2	6	4	5	10	1	2	5	1	4
	(b) Capillary bronchitis	M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Lobar pneumonia	M.	82	5	1	14	7	5	1	.....	12	5	6	2	1	12	3	2	1	.....	5
		F.	54	3	1	1	5	3	.....	1	15	5	.....	6	.....	4	2	.....	4	2	2
109	Pneumonia, unspecified	M.	54	2	1	11	.....	3	5	5	10	4	2	2	4	1	1	1	1	.....	1
		F.	42	2	3	9	1	6	2	4	7	.....	2	1	2	1	1	.....	.....	.....	1
110	Pleurisy	M.	9	.....	1	1	1	1	.....	.....	1	1	.....	1	.....	.....	1	.....	.....	.....	1
		F.	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
111	Congestion and haemorrhagic infarct of the lung, etc	M.	7	1	.....	1	.....	.....	1	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	15	.....	.....	3	1	.....	.....	1	3	1	.....	.....	5	.....	.....	1	.....	.....	.....
	(a) Pulmonary embolism and thrombosis	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	(b) Others under this title	M.	6	1	.....	1	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
		F.	14	.....	.....	3	1	.....	.....	1	3	1	.....	.....	5	.....	.....	.....	.....	.....	.....
112	Asthma	M.	10	1	.....	.....	.....	2	.....	2	3	.....	.....	.....	.....	1	.....	.....	.....	.....	1
		F.	11	.....	.....	4	1	1	.....	1	1	.....	1	1	.....	.....	.....	.....	1	.....	.....
113	Pulmonary emphysema	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	10	1	.....	2	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	2	1	.....	.....
		F.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Gangrene of the lung	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title	M.	9	1	.....	2	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	2	1	.....	.....
		F.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class IX—Diseases of the digestive system	T.	329	8	22	71	16	21	7	3	72	15	9	11	18	31	5	2	6	.....	12
		M.	179	4	14	35	4	9	3	.....	41	10	8	9	8	21	2	2	2	.....	7
		F.	150	4	8	36	12	12	4	3	31	5	1	2	10	10	3	.....	4	.....	5
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	11	1	.....	.....	1	.....	.....	.....	4	1	.....	.....	.....	1	.....	1	.....	.....	2
		F.	14	.....	.....	.....	1	.....	1	1	3	1	.....	.....	1	2	.....	.....	.....	.....	1
	(a) Diseases of the buccal cavity and annexa	M.	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	3	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(b) Diseases of the tonsils	M.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....

	(c) Others under this title	M.	7				1				2	1				1		1			1
		F.	6			1	1				2	1									1
116	Diseases of the oesophagus	M.																			
		F.	2			1													1		
117	Ulcer of the stomach or duodenum	M.	31		4	3		3	1		10	1		1	4	3			1		
		F.	4				1				1	1			1						
	(a) Ulcer of the stomach	M.	20		4	3		1	1		5	1		1	3	1					
		F.	3				1				1				1						
	(b) Ulcer of the duodenum	M.	11					2			5				1	2			1		
		F.	1									1									
118	Other diseases of the stomach	M.	18		2	3		1			3		2	1		3	2	1			
		F.	9			1	2		1		2	1	1			1					
119	Diarrhoea and enteritis (under 2 years of age)	M.	31		1	18					3	2	2		2	1					2
		F.	25			14		2			5				2		2				
120	Diarrhoea and enteritis (2 years and over)	M.	7			1					3	1		2							
		F.	12			2			1		5				1	3					
	(a) Diarrhoea and enteritis	M.	4			1					1	1		1							
		F.	7			1					3				1	2					
	(b) Ulceration of the intestines	M.	3								2			1							
		F.	5			1			1		2					1					
121	Appendicitis	M.	45	1	5	6	3	3	2		6	3	1	4	2	8					1
		F.	20	1	4	3		4			1				3	2					2
122	Hernia, intestinal obstruction	M.	17	2	2	1					5	1		1		3					2
		F.	26	1	2	6	2	2		1	7			1		2			1		1
	(a) Hernia	M.	6		1						3	1				1					
		F.	9		1	2	1	1			4										
	(b) Intestinal obstruction	M.	11	2	1	1					2			1		2					2
		F.	17	1	1	4	1	1		1	3			1		2			1		1
123	Other diseases of the intestines	M.	4					1			2		1								
		F.	1				1														
124	Cirrhosis of the liver	M.	10			2					4		1			2			1		
		F.	7		1	2					3	1									
	(a) Specified as alcoholic	M.	1			1															
		F.																			
	(b) Not specified as alcoholic	M.	9			1					4		1			2			1		
		F.	7		1	2					3	1									
125	Other diseases of the liver	M.	2			1							1								
		F.	4								2	1				1					
	(a) Yellow atrophy of the liver	M.	1			1															
		F.	1								1										
	(b) Others under this title	M.	1										1								
		F.	3								1	1				1					
126	Biliary calculi	M.	1									1									
		F.	10		1	4	2			1	1				1						
127	Other diseases of the gall-bladder and biliary passages	M.																			
		F.	12	2			3	2			1			1	1				1		1
128	Diseases of the pancreas	M.	2					1			1										
		F.																			
129	Peritonitis, cause not specified	M.																			
		F.	4					2	1										1		

TABLE XXXIV—CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	Class X—Diseases of the Genito-urinary system	T.	464	18	21	59	9	32	30	18	98	11	24	21	32	41	6	12	8	5	19
		M.	298	13	13	32	6	19	22	12	66	9	15	9	16	31	3	9	7	2	14
		F.	166	5	8	27	3	13	8	6	32	2	9	12	16	10	3	3	1	3	5
130	Acute nephritis (including unspecified, under 10 years of age)	M.	8	1	.....	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....
		F.	6	.....	1	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
131	Chronic nephritis	M.	140	4	5	17	2	15	10	5	32	2	10	5	6	16	1	.....	3	1	6
		F.	116	3	5	14	1	9	5	5	24	2	9	11	12	9	2	1	1	1	2
132	Nephritis unspecified (10 years and over)	M.	45	2	4	3	.....	1	4	2	6	1	2	1	3	8	.....	6	.....	.....	2
		F.	17	.....	1	6	1	.....	2	.....	3	.....	.....	.....	1	.....	.....	1	.....	1	1
133	Other diseases of the kidneys and ureters	M.	12	.....	2	.....	1	.....	.....	2	2	.....	.....	.....	2	2	1	.....	.....	.....	.....
		F.	19	2	1	4	.....	4	1	1	1	.....	.....	.....	1	1	1	1	.....	1	.....
134	Calculi of the urinary passages	M.	4	.....	.....	1	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
135	Diseases of the bladder (tumours excepted)	M.	7	.....	1	1	.....	.....	.....	.....	1	1	1	1	.....	1	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
136	Diseases of the urethra, urinary abscess, etc	M.	3	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Stricture of the urethra	M.	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Others under this title	M.	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
137	Diseases of the prostate	M.	78	5	.....	7	3	2	7	3	20	5	2	2	5	4	1	2	3	1	6
138	Diseases of the male genital organs (not specified as venereal)	M.	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
139	Diseases of the female genital organs (not specified as venereal)	F.	5	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	.....	.....	.....	.....	.....
	(a) Of the ovary, Fallopian tube and parametrium	F.	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	(b) Of the uterus	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	(c) Of the breast	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(d) Others under this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	51	1	.....	12	3	3	1	1	13	1	3	2	2	1	1	1	.....	2	4
140	Abortion with septic conditions	F.	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(a) Abortion	F.	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	(b) Self-induced abortion (cluded)	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Abortion without mention of septic conditions (Haemorrhage in-	F.	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Abortion	F.	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Self-induced abortion	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
142	Ectopic gestation	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) With septic conditions	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Without mention of septic conditions	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

143	Other accidents of pregnancy (haemorrhage excluded)	F.																			
144	Puerperal haemorrhage	F.	5			3						1									1
	(a) Placenta praevia	F.	3			2															1
	(b) Other haemorrhages	F.	2			1						1									
145	Puerperal septicaemia (not specified as due to abortion)	F.	10			2	1		1	3			1							2	
	(a) Puerperal septicaemia and pyaemia	F.	10			2	1		1	3			1							2	
	(b) Puerperal tetanus	F.																			
146	Puerperal albuminuria and eclampsia	F.	14			3		1		3		2		1	1	1	1				1
147	Other toxaemias of pregnancy	F.	5				1			2											2
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	4							2		1	1								
	(a) Phlegmasia alba dolens and thrombosis	F.																			
	(b) Embolism	F.	3							2		1									
	(c) Sudden death	F.	1										1								
149	Other accidents of childbirth	F.	9	1		3	1	1	1	2											
	(a) Caesarean operation	F.	4			3				1											
	(b) Dystocia	F.	1				1														
	(c) Other surgical operations and Instrumental delivery	F.	2	1					1												
	(d) Rupture of uterus in parturition	F.	1							1											
	(e) Others under this title	F.	1					1													
150	Other, or unspecified condition of the puerperal state	F.																			
	(a) Puerperal diseases of the breast	F.																			
	(b) Others under this title	F.																			
	Class XII—Diseases of the skin and cellular Tissue.	T.	9			2			1	4				1			1				
		M.	6			2				2				1			1				
		F.	3						1	2											
151	Carbuncle	M.	1			1															
		F.	1							1											
152	Cellulitis, acute abscess	M.	5			1				2				1			1				
		F.	1							1											
153	Other diseases of the skin and annexa and of the cellular tissue	M.																			
		F.	1						1												
	Class XIII—Diseases of the bones and organs of locomotion	T.	14		2	4	2			3	1		1			1					
		M.	11		1	4	1			3	1					1					
		F.	3		1		1						1								
154	Osteomyelitis	M.	3			2					1										
		F.																			
155	Other diseases of the bones (tuberculosis excepted)	M.	4		1	1	1									1					
		F.	2		1								1								
156	Diseases of the joints and other organs of locomotion	M.	4			1				3											
		F.	1				1														
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	4			1				3											
		F.	1				1														
	(b) Of other organs of locomotion	M.																			
		F.																			
	Class XIV—Congenital malformations	T.	69		3	11	3	10	3	20	3	2		4	7	1		2			
		M.	40		1	10	3	7	2	10		1		2	3			1			
		F.	29		2	1		3	1	10	3	1		2	4	1		1			
157	Congenital malformations (stillbirths excluded)	M.	40		1	10	3	7	2	10		1		2	3			1			
		F.	29		2	1		3	1	10	3	1		2	4	1		1			

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
	(a) Congenital hydrocephalus	M.	4					2			1								1		
		F.	5								1	1				2	1				
	(b) Spina bifida and meningocele	M.	8			2	1				4				1						
		F.	5								1	1				2			1		
	(c) Congenital malformations of the heart	M.	13		1	1	2	2	1		4		1		1						
		F.	10		1	1		2			3	1	1		1						
	(d) Monstrosities	M.																			
		F.																			
	(e) Others under this title	M.	15			7		3	1		1					3					
		F.	9		1			1	1		5				1						
	Class XV—Diseases of early infancy	T.	361	11	1	83	14	24	26	11	63	19	10	9	26	22	7	13	9	4	9
		M.	204	7		52	7	13	18	8	30	11	7	4	10	14	2	9	3	2	7
		F.	157	4	1	31	7	11	8	3	33	8	3	5	16	8	5	4	6	2	2
158	Congenital debility	M.	35	1		14		4	2		5				2	2	2	2			1
		F.	31		1	6	1	3	2	1	4	1	1	1	2	4	2		1		1
159	Premature birth	M.	81	4		22	5	7	6	3	11	4	3	1	6	3			2		4
		F.	74	2		16	4	4	2	2	21	2		2	11	1	2	1	3		1
160	Injury at birth	M.	48			11	1	2	8	3	8		3	3		6		1	1	1	
		F.	26	2		4	1	1	2		6	5	1	1	1	1			1		
	(a) With mention of caesarean operation	M.	1			1															
		F.	1								1										
	(b) Without mention of caesarean operation	M.	47			10	1	2	8	3	8		3	3		6		1	1	1	
		F.	25	2		4	1	1	2		5	5	1	1	1	1			1		
161	Other diseases peculiar to early infancy (under 3 months)	M.	40	2		5	1		2	2	6	7	1		2	3		6		1	2
		F.	26			5	1	3	2		2		1	1	2	2	1	3	1	2	
	(a) Atelectasis	M.	11	1							3	4				1					2
		F.	2			1										1					
	(b) Icterus of the new-born	M.	5			1						1			1	2					
		F	1					1													
	(c) Sclerema and oedema	M.																			
		F.																			
	(d) Athrepsia	M.	1			1															
		F.																			
	(e) Others, including lack of care	M.	10	1		1			2		2	2	1		1						
		F.	17			4	1	1	2		2		1	1	1	1	1	1	1		
	(f) No cause given, no doctor in attendance	M.	13			2	1			2	1							6		1	
		F.	6					1							1			2		2	
	Class XVI—Senility	T.	240	4	20	29	11	8	3	9	30	6	23	5	9	8	14	33	6	20	2
		M.	86	2	7	6	5	3	2	2	11	2	4	4	2	2	7	16	3	8	
		F.	154	2	13	23	6	5	1	7	19	4	19	1	7	6	7	17	3	12	2

162	Senility	M.	86	2	7	6	5	3	2	2	11	2	4	4	2	2	7	16	3	8	...
		F.	154	2	13	23	6	5	1	7	19	4	19	1	7	6	7	17	3	12	2
	(a) With senile dementia (70 years and over)	M.	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
		F.	6	.....	.....	2	.....	1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	(b) Without senile dementia (70 years and over)	M.	83	2	7	6	4	3	1	2	11	2	4	4	2	2	6	16	3	8	...
		F.	148	2	13	21	6	4	1	7	17	4	19	1	7	5	7	17	3	12	2
	(c) Premature senility (55 years but under 70 years)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class XVII—Violent or Accidental Deaths	T.	325	13	8	64	18	19	16	10	70	12	10	12	22	22	4	8	5	.....	12
		M.	244	7	8	52	12	14	15	8	48	9	9	11	15	14	3	6	5	.....	8
		F.	81	6	.....	12	6	5	1	2	22	3	1	1	7	8	1	2	.....	.....	4
163–171	Suicides	M.	25	2	.....	3	1	.....	1	2	7	2	2	2	1	1	.....	.....	.....	.....	1
		F.	8	.....	.....	1	.....	.....	.....	.....	3	.....	.....	.....	1	2	.....	1	.....	.....	.....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
		F.	4	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
164	Suicide by poisonous gas	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
165	Suicide by hanging or strangulation	M.	3	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
166	Suicide by drowning	M.	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
167	Suicide by firearms	M.	12	1	.....	.....	1	.....	1	1	3	2	1	1	.....	1	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
168	Suicide by cutting or piercing instruments	M.	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
169	Suicide by jumping from high places	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
170	Suicide by crushing	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Suicide by other means	M.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173–175	Homicides	M.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
173	Homicide by firearms	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
174	Homicide by cutting or piercing instruments	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
175	Homicide by other means	M.	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
176–198	Other violent deaths	M.	217	5	8	48	11	14	14	6	40	7	7	9	14	13	3	6	5	.....	7
		F.	73	6	.....	11	6	5	1	2	19	3	1	1	6	6	1	1	.....	.....	4
176	Attack by venomous animals	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
177	Food poisoning	M.	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Accidental absorption of toxic gases	M.	4	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Other acute accidental poisonings (except by gas)	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE XXXIV CAUSES OF DEATH BY COUNTIES—Continued

Int. List No.	Causes of Death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysboro	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shielburne	Victoria	Yarmouth
180	Conflagration	M.	3			1						1				1					
		F.	2							1					1						
181	Accidental burns (conflagration excepted)	M.	12		2	5	1	1					1	1	1						
		F.	4	1		2										1					
182	Accidental mechanical suffocation	M.	2							1						1					
		F.																			
183	Accidental drowning	M.	43	1	1	4	2	4	5		8	1	3	1	5	2		2	1		3
		F.	6			1	1	1			2					1					
184	Accidental injury by firearms	M.	11		1	2	1	1			1	2	1		2						
		F.	2					1							1						
185	Accidental injury by cutting or piercing instruments	M.	5						1			1	1	1		1					
		F.																			
186	Accidental injuries by fall, crushing or landslide	M.	109	3	2	33	4	7	3	2	23	2	1	6	4	8	2	3	3		3
		F.	49	5		5	5	3	1	1	12	3	1	1	4	4					4
187	Cataclysm	M.																			
		F.																			
188	Injuries by animals	M.	4		1			1			1				1						
		F.																			
189	Hunger or thirst	M.																			
		F.																			
190	Excessive cold	M.	3							1	1						1				
		F.																			
191	Excessive heat	M.	1																1		
		F.																			
192	Lightning	M.	2							2											
		F.																			
193	Accidents due to electric currents	M.	2		1				1												
		F.																			
194	Other accidents	M.	11	1		2	2		1		3				1			1			
		F.	7								5						1	1			
	(a) Foreign body	M.																			
		F.																			
	(b) Others under this title	M.	11	1		2	2		1		3				1			1			
		F.	7								5						1	1			
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	3			1					1										1
		F.																			
198	Capital punishment	M.																			
		F.																			

	Class XVIII—Ill-defined causes of death	T.	71	3	6	10	4	2	1	4	10	4	2	.....	3	6	2	4	2	5	3
		M.	41	2	4	4	2	1	1	2	6	2	1	.....	2	6	1	1	.....	3	3
		F.	30	1	2	6	2	1	.....	2	4	2	1	.....	1	.....	1	3	2	2	.....
199	Sudden death	M.	22	1	2	4	1	1	1	.....	3	.....	1	.....	2	4	.....	.....	.....	1	1
		F.	18	1	1	6	.....	1	.....	2	3	.....	.....	.....	.....	.....	.....	1	1	2	.....
200	Cause of death not specified or ill-defined	M.	19	1	2	.....	1	.....	.....	2	3	2	.....	.....	.....	2	1	1	.....	2	2
		F.	12	.....	1	.....	2	.....	.....	.....	1	2	1	.....	1	.....	1	2	1	.....	.....

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR COUNTIES OF NOVA SCOTIA, 1936.

(Included also under the numbers of the International List above.)

	Causes of death		Total	Annapolis	Antigonish	Cape Breton	Colchester	Cumberland	Digby	Guysborough	Halifax	Hants	Inverness	Kings	Lunenburg	Pictou	Queens	Richmond	Shelburne	Victoria	Yarmouth
A	Accidents in mines and quarries	M.	19	.....	.....	14	.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	1	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
B	Accidents caused by machines	M.	5	1	.....	..	1	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
C	Railway Accidents	M.	14	.....	1	4	1	1	.....	.....	4	.....	.....	2	.....	1	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
D	Street car accidents	M.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
E	Automobile and motorcycle accidents	M.	42	1	1	11	3	2	2	1	9	.....	.....	2	1	3	1	2	2	.....	1
		F.	18	.....	.....	2	1	1	1	.....	7	1	.....	1	.....	2	.....	.....	.....	.....	2
F	Other land transportation	M.	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
G	Water transportation	M.	20	.....	.....	2	2	.....	2	1	3	1	.....	.....	6	.....	.....	2	1	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
H	Air transportation	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE XXXV—CAUSES OF DEATH BY CITIES AND TOWNS OF NOVA SCOTIA, 1936

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesb'y	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	Deaths—All causes	T	2936	115	98	12	70	11	52	44	18	273	871	55	15	72	31	26	15	137	79	94	10	17	55	5	18	54	32	177	90	20	104	10	27	76	41	112
		M.	1565	53	57	3	39	3	18	29	8	151	454	35	9	38	17	11	6	78	50	55	6	10	32	3	11	27	18	92	48	10	50	8	14	46	21	55
		F.	1371	62	41	9	31	8	34	15	10	122	417	20	6	34	14	15	9	59	29	39	4	7	23	2	7	27	14	85	42	10	54	2	13	30	20	57
	Class I—Infectious and Parasitic diseases	T.	443	15	24	....	6	1	2	2	4	30	128	13	1	48	5	3	1	11	15	16	....	....	8	2	2	3	5	29	14	5	12	4	9	7	5	13
		M.	228	4	12	....	3	....	....	1	2	17	65	5	....	27	4	....	1	3	7	8	....	....	4	1	2	3	4	18	6	2	8	3	7	2	3	6
		F.	215	11	12	....	3	1	2	1	2	13	63	8	1	21	1	3	....	8	8	8	....	....	4	1	....	....	1	11	8	3	4	1	2	5	2	7
1	Typhoid fever	M.	1	.....	.....	....	1	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	1	.....	.....	....	....	....	....	....	....	.....	1	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
2	Paratyphoid fever	M.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
4	Relapsing fever	M.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
5	Undulant fever	M.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
6	Small-pox	M.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
7	Measles	M.	.....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	2	.....	.....	....	....	....	....	....	....	.....	2	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
8	Scarlet fever	M.	3	.....	.....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	1	.....	....	.....	....	....	....	1	1
		F.	4	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	1	.....	....	....	....	1	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
9	Whooping-cough	M.	17	.....	.....	....	....	....	....	....	....	.....	4	1	....	....	2	....	....	.....	4	1	....	....	....	....	....	....	2	1	.....	....	.....	....	2	....	....	.....
		F.	28	.....	.....	....	....	....	....	....	....	1	9	2	....	....	....	....	....	1	3	1	....	....	....	....	....	....	....	3	1	2	3	....	....	1	....	1
10	Diphtheria	M.	6	.....	.....	....	....	....	....	....	....	1	4	....	....	....	....	....	....	.....	1	...	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	6	.....	.....	....	....	....	....	....	....	1	2	....	....	....	....	....	....	.....	3	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
11	Influenza	M.	29	.....	1	...	2	....	....	....	1	4	4	....	....	4	....	....	....	1	1	1	....	....	2	....	....	1	....	1	2	....	1	....	2	....	1	.....
		F.	29	2	5	....	1	....	....	....	1	4	4	....	....	1	....	2	....	2	.....	1	....	....	....	....	....	....	....	.....	4	....	.....	....	1	....	....	1
	(a) Sole cause	M.	3	.....	...	....	....	....	....	....	1	1	1	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	6	1	1	....	....	....	....	....	1	1	.....	....	....	1	....	....	....	....	.....	....	....	....	....	....	....	....	....	.....	1	....	.....	....	....	....	....	.....
	(b) With bronchitis	M.	1	.....	.....	....	....	....	....	....	....	.....	1	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
		F.	.....	....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
	(c) With pneumonia	M.	13	.....	.....	....	....	....	....	....	....	2	2	....	....	2	....	....	....	.....	.....	....	....	....	2	....	....	1	....	1	1	....	1	....	1	....	....	.....
		F.	9	1	1	....	....	....	....	....	....	1	2	....	....	...	....	1	....	.....	.....	....	....	....	....	....	....	....	....	.....	1	....	.....	....	1	....	....	1
	(d) With other diseases of the respiratory system	M.	3	.....	1	....	....	....	....	....	....	.....	.....	....	....	1	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	1	.....
		F.	2	.....	.....	....	1	....	....	....	....	.....	.....	....	....	...	....	....	....	.....	.....	1	....	....	....	....	....	....	....	.....	1	....	.....	....	....	....	....	.....
	(e) With intestinal complications	M.	3	.....	.....	....	....	....	....	....	....	1	.....	....	....	1	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	2	....	.....	....	....	....	....	.....
		F.	4	.....	.....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....
	(f) With other causes	M.	6	.....	.....	....	2	....	....	....	....	.....	.....	....	....	....	....	....	....	1	1	1	....	....	....	....	....	....	....	.....	.....	....	.....	....	1	....	....	.....
		F.	8	.....	3	....	....	....	....	....	....	1	1	....	....	....	....	1	....	2	.....	....	....	....	....	....	....	....	....	.....	.....	....	.....	....	....	....	....	.....

13 Dysentery	M																																				
	F.																																				
15 Erysipelas	M	4									1	2																	1								
	F.	3						1				1																	1								
16 Poliomyelitis and polioencephalitis (acute)	M.																																				
	F.																																				
17 Epidemic lethargic or encephalitis	M.	1							1																												
	F.																																				
18 Epidemic cerebrospinal meningitis	M.	4									1	1																			1	1					
	F.	2										1	1																								
19 Glanders	M.																																				
	F.																																				
20 Anthrax, malignant pustule	M.																																				
	F.																																				
21 Rabies	M.																																				
	F.																																				
22 Tetanus	M.																																				
	F.																																				
23–32 Tuberculosis	M.	141	4	10						1	8	39	4		23	2		1	2	1	3			2	1	1	1	2	13	4	1	5	3	1	2	1	6
	F.	128	7	7		1	1	1	1	1	6	39	5	1	20	1	1		4	2	6			3	1			1	6	3	1		1	1	3	1	3
23 Tuberculosis of the respiratory system	M.	111	2	9							3	28	4		23	1		1	2	1	2			2	1	1	1	1	12	2	1	3	2	1	2	1	5
	F.	101	6	7				1		1	4	30	4	1	18	1	1		2	2	4			2				1	6	2	1		1	1	3		2
24 Tuberculosis of the meninges and central nervous system	M.	12	1	1							2	2				1														2		1	1				1
	F.	12	1			1	1				1	4	1						1											1						1	
25 Tuberculosis of the intestines and peritoneum	M.	2										2																									
	F.	4							1										1		2																
26 Tuberculosis of the vertebral column	M.	2									1										1																
	F.	1									1																										
27 Tuberculosis of bones and joints (vertebral column excepted)	M																																				
	F.																																				
(a) Of bones	M.																																				
	F.																																				
(b) Of joints	M.																																				
	F.																																				
28 Tuberculosis of the skin and sub-cutaneous cellular tissue	M.																																				
	F.																																				
29 Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	M.																																				
	F.																																				
30 Tuberculosis of the genito-urinary system	M.	3										2																				1					
	F.	1																							1												
31 Tuberculosis of other organs	M.																																				
	F.																																				
32 Disseminated tuberculosis	M.	11	1							1	2	5															1	1									
	F.	9										5			2									1													1
(a) Acute	M.	7								1	2	3															1										
	F.	9										5			2									1													1
(b) Chronic	M																																				

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(c) Not specified	M.	4	1	....	....	....	....	....	....	....	.....	2	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	1	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
33	Leprosy	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
34	Syphilis	M.	13	....	....	....	....	....	....	....	....	1	7	....	....	....	....	..	....	.....	.....	....	....	....	....	....	1	..	....	1	.....	....	1	....	2	....	....	....
		F.	7	.....	....	....	....	....	....	....	....	1	4	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	1	....	....	1	....	....
35	Gonococcus infection and other venereal diseases	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	2	1	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	1	.....	....	....	....	....	....	....	....
36	Purulent infection, septicaemia (non-puerperal)	M.	9	.....	1	....	....	....	....	....	....	.....	3	....	....	....	....	....	....	.....	.....	3	....	....	....	....	....	1	....	....	.....	....	....	....	....	....	1	....
		F.	3	1	....	....	1	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	..	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	1
38	Malaria	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
39	Other diseases due to protozoal parasites	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
40	Ankylostomiasis	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
41	Hydatid cysts	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	(a) Of the liver	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	(b) Of other organs	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
42	Other diseases caused by helminths	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
43	Mycoses	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.... ..	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
44	Other infectious or parasitic diseases	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	(a) Chicken-pox	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	(b) German measles	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	(c) Others under this title	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	.....	.....	....	....	....	....	....	....	....	....	....	.....	....	....	....	....	....	....	....
	Class II—Cancer and other tumours	T.	374	18	12	1	10	1	6	6	....	24	127	3	2	5	6	3	2	21	5	12	1	1	3	1	2	8	5	23	10	3	13	..	4	8	7	21
		M.	182	8	6	....	5	....	....	3	....	11	72	3	2	1	4	1	....	9	4	7	....	....	..	..	1	5	2	8	5	2	7	....	....	4	5	7
		F.	192	10	6	1	5	1	6	3	....	13	55	....	....	4	2	2	2	12	1	5	1	1	3	1	1	3	3	15	5	1	6	....	4	4	2	14

45–53	Cancer and other malignant	M.	175	8	6		5			3		11	70	3	2	1	4	1		8	4	7					1	5	2	8	5	1	6			2	5	7
	tumours	F.	177	9	6	1	4	1	5	3		13	49			4	2	2	2	10	1	5	1	1	2	1	1	2	3	15	5	1	6		4	4	2	12
45	Cancer of the buccal cavity	M.	11	1								1	6	1			1																1					
	and pharynx	F.	5					1					3																						1			
46	Cancer of the digestive	M.	108	5	5		4			2		8	43	1	2	1	3	1		6	1	4						3	2	1	4		1			2	3	6
	tract and peritoneum	F.	80	6	3		3		1			8	20				2	1	2	3	1	3			1	1		1	1	8	1		2			4		8
	(a) Of the oesophagus	M.	2										1																								1	
		F.																																				
	(b) Of the stomach and	M.	40		3		3			2		3	10	1	1					5	1	2						3	2		2		1					1
	duodenum	F.	23	3	2							2	4				1		2	1		2				1		1		2	1							1
	(c) Of the rectum	M.	14										9		1																					1		3
		F.	11				1					1	3				1													2								3
	(d) Of the liver and biliary	M.	13	1	1							2	2				2	1		1										1						1		1
	ducts	F.	12		1							2	3								1				1				1	2								1
	(e) Of the pancreas	M.	6	1									4			1																						
		F.	7	1			1						2																	1			1					1
	(f) Of the peritoneum	M.	2										2																									
		F.																																				
	(g) Of other organs	M.	31	3	1		1					3	15				1					2									2						2	1
		F.	27	2			1		1			3	8					1		2		1								1			1			4		2
47	Cancer of the respiratory	M.	11	1						1			6																	2		1						
	organs	F.	3		1							1	1																									
	(a) Of the larynx	M.	1																													1						
		F.	1		1																																	
	(b) Of the lung	M.	9	1									6																	2								
		F.	2									1	1																									
	(c) Of the mediastinum	M.	1							1																												
		F.																																				
	(d) Of other organs of the	M.																																				
	respiratory system	F.																																				
48	Cancer of the uterus	F.	37	1			1		2	3		2	14			2		1		3		1					1		2		1	2						1
	(a) Of the uterus	F.	23				1		2	2		2	8							2		1					1		1			2						1
	(b) Of the cervix uteri	F.	14	1						1			6			2		1		1									1		1							
49	Cancer of other female																																					
	genital organs	F.	7	1		1							1			1				2									1									
50	Cancer of the breast	M.	1																		1																	
		F.	20		1				1				4			1						1		1					1	2	1		2		2		1	2
51	Cancer of the male genito-	M.	23	1								1	8							1	1	1					1	2		2			2				2	1
	urinary organs																																					
	(a) Of the bladder	M.	8	1									4															1		1								1
	(b) Of the kidney	M.	2									1	1																									
	(c) Of the prostate gland	M.	10										1							1	1						1	1		1			2				2	
	(d) Of the testicle and annexa	M.	2										1									1																
	(e) Of other male genito-urinary organs	M.	1										1																									
52	Cancer of the skin	M.	6										1							1	1	1								1			1					
		F.	6										1																1	1	2							1
53	Cancer of other or un-	M.	15		1		1					1	6	1								1							2	1			1					
	specified organs	F.	19	1	1				1			2	5							2		1			1		1		1	1				1			1	

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Of the eye and orbit	M.																																			
		F.	2	1																															1			
	(b) Of the circulatory system	M.																																			
		F.																																			
	(c) Of the glandular system	M.	3				1						1	1																							
		F.	2						1			1																									
	(d) Of the female urinary organs	F.	3		1								2																								
	(e) Of the bones and joints	M.	3		1								1																	1							
		F.	5										2							1		1														1	
	(f) Of the brain	M.	1																											1							
		F.	1																											1							
	(g) Of the spine and spinal cord	M.	1										1														1										
		F.	1																																		
	(h) Of the neck	M.	1										1																								
		F.	1																											1							
	(i) Of the abdomen	M.	2																			1											1				
		F.	4									1	1							1					1												
	(j) Of other specified organs	M.	2									1	1																								
		F.																																			
	(k) Multiple cancer	M.	1										1																								
		F.																																			
	(m) Of unspecified or unknown location	M.	1																											1							
		F.																																			
54	Non-malignant tumours	M.	3										1												1						1				1		
		F.	13	1			1		1				4							2					1			1								2	
	(a) Of the ovary	F.	6				1						2												1			1								1	
	(b) Of the uterus	F.	3	1					1				1																								
	(c) Of other female genital organs	F.																																			
	(d) Of the brain	M.	1																												1						
		F.	1										1																								
	(e) Of the thyroid gland	M.																																			
		F.	1																	1																	
	(f) Of the prostate gland	M.	2										1																							1		
	(g) Of other or unspecified sites	M.																																			
		F.	2																	1																	1

55	Tumours, nature not specified	M.	4										1							1													1			1		
		F.	2										2																									
	(a) Of the ovary	F.																																				
	(b) Of the uterus	F.																																				
	(c) Of other female genital organs	F.																																				
	(d) Of the brain	M.	4										1							1													1			1		
		F.	1										1																									
	(e) Of the thyroid gland	M.																																				
		F.																																				
	(f) Of the prostate gland	M.																																				
	(g) Of other or unspecified sites	M.																																				
		F.	1										1																									
	Class III—Rheumatic diseases, Diseases of nutrition and of the endocrine glands and other general diseases	T.	69	4		1	2		1	1		6	19		1		1			7	4	2		1	3			1		6	1		3					5
		M.	32			1						1	8		1		1			4	2	2			1					3	1		2					5
		F.	37	4			2		1	1		5	11							3	2			1	2			1		3			1					
56	Acute rheumatic fever	M.	6									1	1							1	1									1			1					
		F.	11				1					2	4								1				1			1		1								
57	Chronic rheumatism, osteo-arthritis	M.																																				
		F.	3	1									1												1													
58	Gout	M.																																				
		F.																																				
59	Diabetes mellitus	M.	21			1							5		1					2	1	2			1					1	1		1					5
		F.	19	3			1		1			3	4							3				1						2			1					
60	Scurvy	M.																																				
		F.																																				
61	Beriberi	M.																																				
		F.																																				
62	Pellagra	M.																																				
		F.																																				
63	Rickets	M.																																				
		F.																																				
64	Osteomalacia	M.																																				
		F.																																				
65	Diseases of the pituitary gland	M.																																				
		F.																																				
66	Diseases of the thyroid and parathyroid glands	M.	1														1																					
		F.	4							1			2								1																	
	(a) Simple goitre	M.																																				
		F.	1							1																												
	(b) Exophthalmic goitre	M.	1														1																					
		F.	1										1																									
	(c) Myxoedema, cretinism	M.																																				
		F.	2										1								1																	
	(d) Tetany	M.																																				
		F.																																				
	(e) Others under this title	M.																																				
		F.																																				
67	Diseases of the thymus gland	M.																																				
		F.																																				

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
68	Diseases of the adrenals (Addison's disease)	M.	1										1																								
		F.																																				
69	Other general diseases	M.	3										1							1										1								
		F.																																				
	(a) Fatty or amyloid degeneration	M.	1																											1								
		F.																																				
	(b) Steatosis	M.																																				
		F.																																				
	(c) Others under this title	M.	2										1							1																		
		F.																																				
	Class IV—Diseases of the blood and blood-forming organs	T.	31	2	2		1						12	1			1			2					2		1	1		1	3		1					1
		M.	16		1		1						7	1						1					2		1				1		1					
		F.	15	2	1								5				1			1								1		1	2							1
70	Haemorrhagic conditions	M.	2										1														1											
		F.																																				
	(a) Simple purpura	M.	2										1														1											
		F.																																				
	(b) Haemophilia	M.																																				
		F.																																				
71	Anaemia	M.	4				1						1												1						1							
		F.	9	2	1								2				1			1								1			1							
	(a) Pernicious anaemia	M.	4				1						1												1						1							
		F.	8	2	1								2				1			1											1							
	(b) Others under this title	M.																																				
		F	1																									1										
72	Leukaemia and aleukaemia	M.	8		1								3	1						1					1								1					
		F.	5										3																		1							1
	(a) Leukaemia	M.	6		1								3	1						1																		
		F.	3										1																		1							1
	(b) Aleukaemia (Hodgkin's disease)	M.	2																						1								1					
		F.	2										2																									
73	Diseases of the spleen	M.	2										2																									
		F.																																				
74	Other diseases of the blood and blood-forming organs	M.																																				
		F.	1																											1								

Class V—Chronic poisonings and intoxications	T.	6										3							1	1				1													
	M.	6										3							1	1				1													
	F.																																				
75 Alcoholism	M.	6										3							1	1				1													
	F.																																				
(a) Delirium tremens	M.	1										1																									
	F.																																				
(b) Other alcoholic intoxications	M.	5										2							1	1				1													
	F.																																				
76 Chronic poisoning, by other organic substances	M.																																				
	F.																																				
(a) Chronic morphinism	M.																																				
	F.																																				
(b) Chronic cocainism	M.																																				
	F.																																				
(c) Occupational	M.																																				
	F.																																				
(d) Other organic poisoning	M.																																				
	F.																																				
77 Chronic poisoning by mineral substances	M.																																				
	F.																																				
(a) Lead (including occupational)	M.																																				
	F.																																				
(b) Occupational, except lead	M.																																				
	F.																																				
(c) Others under this title	M.																																				
	F.																																				
Class VI—Diseases of the nervous system and of the organs of special sense	T.	159	2	6	1	3		6		1	16	43	2	2	4	2	1		4	5	9	2	1	4		2	2	1	13	9		5		2	5	2	4
	M.	82	1	6		2		2			7	23	2		3				2	4	5	1	1	3		2			7	3					4	2	2
	F.	77	1		1	1		4		1	9	20		2	1	2	1		2	1	4	1		1			2	1	6	6		5		2	1		2
78 Encephalitis (non-epidemic)	M.																																				
	F.	3									1	1								1																	
79 Simple meningitis	M.	4									1									1	1														1		
	F.	5									1					1					2																1
80 Progressive locomotor ataxia (Tabes Dorsalis)	M.																																				
	F.																																				
81 Other diseases of the spinal cord	M.	10										2			1					1						1			3						1	1	
	F.	3									1													1			1										
82 Cerebral haemorrhage, cerebral embolism and thrombosis	M.	34		2		1		1			1	11			2				2	2	2	1	1	1		1			3	2							1
	F.	42	1		1			3			3	10		1	1	1	1		1		2	1						1	6	4		3			1		1
(a) Cerebral haemorrhage	M.	30		2				1			1	9			2				2	2	2	1	1			1			3	2							1
	F.	35	1		1			3			2	8		1	1	1			1			1						1	6	3		3			1		1
(b) Cerebral embolism and thrombosis	M.	3				1						2																									
	F.	4										2					1				1																
(c) Softening of the brain	M.																																				
	F.																																				
(d) Hemiplegia and other paralysis, cause not specified	M.	1																						1													
	F.	3									1										1									1							

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
83	General paralysis of the	M.	1										1																								
	insane	F.	2									1																			1						
84	Dementia praecox and other	M.	1																																		
	psychoses	F.	6									1	3																			1		1			
	(a) Dementia praecox	M.																																			
		F.	5									1	3																								
	(b) Other psychoses	M.	1																											1				1			
		F.	1																																		
85	Epilepsy	M.	4						1				2																			1					
		F.	2										1																	1					1		
86	Convulsions (under 5 years	M.	11									5	1	1							2								1					1		
	of age)	F.	7						1		1		1		1					1						1										
87	Other diseases of the nervous	M.	8		1								3												2												
	system	F.	4										3																				1				
	(a) Chorea	M.																																			
		F.																																			
	(b) Neuralgia and Neuritis	M.	2																						2												
		F.	1																													1					
	(c) Paralysis agitans	M.	3										1																								
		F.																																			
	(d) Sclerosis (other than of	M.																																			
	the spinal cord)	F.	3										3																								
	(e) Others under this title	M.	3		1								2																								
		F.																																			
88	Diseases of the organs of	M.																																			
	vision	F.	1				1																														
89	Diseases of the ear and	M.	9	1	3		1						3	1																							
	mastoid process	F.	2									1	1																								
	(a) Otitis	M.	6	1	2								2	1																							
		F.																																			
	(b) Diseases of the Mastoid	M.	3		1		1						1																								
	process	F.	2									1	1																								
	(c) Others under this title	M.																																			
		F.																																			
	Class VII—Diseases of the	T.	621	26	6	5	8	5	22	14	2	42	201	8	2	9	7	11	7	27	8	15	2	10	7	....	5	18	12	36	13	4	20	2	7	18	11	31
	circulatory system	M.	329	14	4	1	5	2	11	10	2	25	90	4	1	6	4	7	4	16	4	9	1	7	4	....	3	13	6	20	7	3	9	1	4	11	5	16
		F.	292	12	2	4	3	3	11	4	....	17	111	4	1	3	3	4	3	11	4	6	1	3	3	....	2	5	6	16	6	1	11	1	3	7	6	15

90-95	Diseases of the heart	M.	206	6	2	1	3		8	6	2	18	51	1	1	5	3	6	4	11	1	7	1	6	3		3	4	3	14	5		7	1	2	7	4	10
		F.	148	9	2	1	1	2	7	1		11	42	2		2		4	2	7	1	3		2	1		2	2	2	12	5		7	1	2	2	4	9
90	Pericarditis	M.																																				
		F.	2																											1								1
91	Acute endocarditis	M.	3							1	1		1																									
		F.	2										2																									
	(a) Endocarditis specified as acute	M.	3							1	1		1																									
		F.	1										1																									
	(b) Endocarditis unspecified (under 45 years of age)	M.																																				
		F.	1										1																									
92	Chronic endocarditis, valvular diseases	M.	33						2			3	12					1		3		2	1	2	1			1	1	1					1			2
		F.	36	2	1			1	2			2	12	1		1				1							1	2	2	1			3		1	2	1	
	(a) Endocarditis specified as chronic and other valvular diseases	M.	29						2			3	10					1		2		2	1	1	1			1	1	1					1			2
		F.	34	2	1			1	2			2	11	1		1				1							1	2	2	1			2		1	2	1	
	(b) Endocarditis, unspecified (45 years and over)	M	4										2							1				1														
		F.	2										1																				1					
93	Diseases of the myocardium	M.	54	5	1				2	1	1	4	11	1				3	2	2				3			3		2	2	2		2			3	2	2
		F.	43	6			1		2			6	12	1				1	1	3							1			3	1			1	1		2	1
	(a) Acute myocarditis	M.	1																											1								
		F.	1									1																										
	(b) Myocarditis, unspecified, (under 45 years of age)	M	1																								1											
		F.	2																	1											1							
	(c) Chronic myocarditis and myocardial degeneration	M.	24						2		1	1	7					2	1	1									1	1	1					2	2	2
		F.	20				1		2				10	1				1	1											1				1	1		1	
	(d) Myocarditis, unspecified (45 years and over)	M.	28	5	1					1		3	4	1				1	1	1				3			2		1		1		2			1		
		F.	20	6								5	2							2							1			2							1	1
94	Diseases of the coronary arteries and angina pectoris	M.	81	1		1	3		4	2		7	20			2	3	2	2	5		4			1			1		7	1		4	1	1	3	2	4
		F.	42	1		1		1	3			2	9					3	1	3	1			1	1					4	1		3					7
	(a) Diseases of the coronary arteries	M	4						1				2															1										
		F.	1																														1					
	(b) Embolism and thrombosis of the coronary arteries	M.	45	1		1	3		2	1		5	12			2	2	2	1			1								4			3				2	3
		F.	31	1				1	3			1	7					3	1	2	1			1						4			2					4
	(c) Angina pectoris	M.	32						1	1		2	6				1		1	5		3			1					3	1		1	1	1	3		1
		F.	10			1						1	2							1					1						1							3
95	Other diseases of the heart	M	35		1					2		4	7		1	3				1	1	1		1	1			2		4	2		1			1		2
		F.	23		1					1		1	7			1						3		1						3	3		1				1	
	(a) Functional diseases of the heart	M.	4									1				2				1																		
		F.	3									1				1																					1	
	(b) Others and unspecified	M.	31		1					2		3	7		1	1					1	1		1	1			2		4	2		1			1		2
		F.	20		1					1			7									3		1						3	3		1					
96	Aneurysm (except of the heart)	M.	1																		1																	
		F.																																				
97	Arteriosclerosis (of coronary arteries excepted)	M.	96	7	1		1	2	3	2		2	34	2		1	1	1		4	1	2		1				9	1	6	1	3		2	4	1	4	
		F.	114	2		3	2	1	3	2		2	57	2	1				1	4	2	3	1	1	1			3	4	3	1	1	4		1	5	1	3
98	Gangrene	M	5		1							1	1																		1		1					
		F.	5							1		1	2																	1								
99	Other diseases of the arteries	M.	2										1							1																		
		F	1																																			1

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
100	Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.	2							2																											
		F.	2																																	1	1
101	Diseases of the lymphatic system (lymphangitis,etc.)	M.																																			
		F.																																			
102	Idiopathic abnormalities of blood pressure	M.	17	1			1					4	3	1							1			1				2				1				2
		F.	22	1					1			3	10			1	3				1			1												1
103	Other diseases of the circulatory system	M.																																			
		F.																																			
	Class VIII—Diseases of the respiratory system	T.	245	7	3	2	9	1	3	4	5	17	72	3	3	2	1	2	2	9	9	8	3	2	9	1	2	2	2	17	3	5	14	1		8	4	10
		M.	132	5	2	1	7			4	1	12	34	2	1			1		5	6	5	2	1	5	1	1	1	2	11	2	1	7	1		5	1	5
		F.	113	2	1	1	2	1	3		4	5	38	1	2	2	1	1	2	4	3	3	1	1	4		1	1		6	1	4	7			3	3	5
104	Diseases of the nasal fossae and annexa	M.																																			
		F.																																			
105	Diseases of the larynx	M.	1												1																						
		F.																																			
	(a) Croup	M.	1												1																						
		F.																																			
	(b) Other diseases of the larynx	M.																																			
		F.																																			
106	Bronchitis	M.	5																				1							2						1		1
		F.	6	1						1	1	1												1			1										
	(a) Acute	M.	1																											1							
		F.	4	1							1	1																1									
	(b) Chronic	M.	4																				1							1						1		1
		F.	1							1																											
	(c) Unspecified	M.																																			
		F.	1																					1													
107	Bronchopneumonia	M.	50	2	1	1	7					4	15					1		2	3	1		1	4				1	2		1	3					1
		F.	49	1		1	2		1		3	1	19	1	1	2	1			2	1	2			3							3	3					2
	(a) Bronchopneumonia	M.	49	2	1	1	7					4	15					1		2	2	1		1	4				1	2		1	3					1
		F.	47	1		1	2		1		3	1	18	1	1	2	1			2		2			3							3	3					2
	(b) Capillary bronchitis	M.	1																		1																
		F.	2										1								1																	
108	Lobar pneumonia	M.	41	1	1					1	4	9	2							3	2	1	1		1	1	1		1	3	1		3	1		1	1	2
		F.	28						1			1	12		1					1					1		1					1	2			3	2	2
109	Pneumonia, unspecified	M.	20	1						4		4	4								1									3	1					2		
		F.	16		1								4							1	2	1	1							3	1						1	1

110	Pleurisy	M.	6										1															1		1			1			1		1
		F.	1																														1					
111	Congestion and haemorrhagic	M.	2										1									1																
	infarct of the lung, etc.	F.	8					1	1				1					1	2											1			1					
	(a) Pulmonary embolism	M.																																				
	and thrombosis	F.																																				
	(b) Others under this title	M.	2										1									1																
		F.	8					1	1				1					1	2											1			1					
112	Asthma	M.	3	1									2																									
		F.	3									2																		1								
113	Pulmonary emphysema	M.																																				
		F.																																				
114	Other diseases of the respiratory system (tuberculosis	M.	4										2									2																
	excepted)	F.	2										1																	1								
	(a) Chronic interstitial pneumonia including occupational diseases of the re-	M.																																				
	spiratory system	F.																																				
	(b) Gangrene of the lung	M.																																				
		F.																																				
	(c) Others under this title	M.	4										2									2																
		F.	2										1																	1								
	Class IX—Diseases of the	T.	232	13	17	1	7		2	5	3	39	59	4			1	1		17	6	5		2	3		2	4	1	7	6		9		1	7	3	7
	digestive system	M.	124	6	10		3		1	3	2	18	34	4						11	4	3		1	3		1	1		3	3		2			6	1	4
		F.	108	7	7	1	4		1	2	1	21	25				1	1		6	2	2		1			1	3	1	4	3		7		1	1	2	3
115	Diseases of the buccal cavity	M.	6										4																							1		1
	and annexa, and of the pharynx and tonsils (including adenoid vegetations)	F.	11						1	1		3	2							1													1			1		1
	(a) Diseases of the buccal	M.	1																																			1
	cavity and annexa	F.	1						1																													
	(b) Diseases of the tonsils	M.	2										2																									
		F.	4							1		2								1																		
	(c) Others under this title	M.	3										2																							1		
		F.	6									1	2																				1			1		1
116	Diseases of the oesophagus	M.																																				
		F.																																				
117	Ulcer of the stomach or	M.	27	3	3		2			1		2	10							3							1			1							1	
	duodenum	F.	2										1																				1					
	(a) Ulcer of the stomach	M.	16	1	3		1			1		2	5							1										1							1	
		F.	2										1																				1					
	(b) Ulcer of the duodenum	M.	11	2			1						5							2							1											
		F.																																				
118	Other diseases of the	M.	4									1	1	1								1																
	stomach	F.	1										1																									
119	Diarrhoea and enteritis (under	M	23		1						1	13	2	1								1									2					1		1
	2 years of age)	F.	21								1	10	4				1				1							2			2							
120	Diarrhoea and enteritis	M.	4								1		2																							1		
	(2 years and over)	F.	9										4							1	1								1	1					1			

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Diarrhoea and enteritis	M.	2								1																								1		
		F.	5										2																1	1					1		
	(b) Ulceration of the intestines	M.	2										2																								
		F.	4										2							1	1																
121	Appendicitis	M.	36	2	5		1			2		2	6	1						6	2			1			1		1	1		2			2		1
		F.	20	4	4	1	3					1	1							2									2							2
122	Hernia, intestinal obstruction	M.	11		1				1				3							1				2					1						1	1
		F.	21		1							3	7							2		1		1			1	1	1			2			1	
	(a) Hernia	M.	5						1				2							1															1	
		F.	9		1							2	4											1								1				
	(b) Intestinal obstruction	M.	6		1								1											2					1							1
		F.	12									1	3							2		1					1	1	1			1			1	
123	Other diseases of the intestines	M.	3										2											1													
		F.																																			
124	Cirrhosis of the liver	M.	7										3	1						1	2																
		F.	6		1								3									1								1							
	(a) Specified as alcoholic	M.	1																		1																
		F.																																			
	(b) Not specified as alcoholic	M.	6										3	1						1	1																
		F.	6		1								3									1								1							
125	Other diseases of the liver	M.	1																			1															
		F.	1										1																								
	(a) Yellow atrophy of the liver	M.	1																			1															
		F.	1										1																								
	(b) Others under this title	M.																																			
		F.																																			
126	Biliary calculi	M.																																			
		F.	8		1		1					4																				2					
127	Other diseases of the gall-bladder and biliary passages	M.																																			
		F.	6	2									1					1														1			1		
128	Diseases of the pancreas	M.	2	1									1																								
		F.																																			
129	Peritonitis, cause not specified	M.																																			
		F.	2	1						1																											
	Class X—Diseases of the genito-urinary system	T.	218	10	10	1	8		4	3		18	69	4	2	2	3			15	5	5	1		3			1	2	16	7	1	5	2	3	5	4	9
		M.	139	3	7		3		2	3		7	50	3	2		2			10	2	4	1		3				2	9	6	1	3	2	2	5	1	6
		F.	79	7	3	1	5		2			11	19	1		2	1			5	3	1								7	1		2		1			3

130	Acute nephritis (including unspecified, (under 10 years of age)	M.	4									1	1																	1	1							
		F.	5		1							1	1																				1					1
131	Chronic nephritis	M.	66	3	4				2	1		3	19	2	2		1			7	2	2			1				1	5	3		2	1	1		1	3
		F	47	3	1	1	2		1			6	13	1		1	1			5	3							1		2	1				1		3	1
132	Nephritis unspecified	M.	13		1								5									1			1					2		1		1				1
	(10 years and over)	F.	11		1		1		1			1	1									1								4			1					
133	Other diseases of the kidneys	M.	6				1						2							2													1					
	and ureters	F.	8	4								2	1																	1								
134	Calculi of the urinary	M.	4										3									1																
	passages	F.	2									1	1																									
135	Diseases of the bladder	M.	4		1								1												1											1		
	(tumours excepted)	F.	1																																			1
136	Diseases of the urethra,	M.	2										1										1															
	urinary abscess, etc.	F.																																				
	(a) Stricture of the urethra	M.	1										1																									
		F.																																				
	(b) Others under this title	M.	1																				1															
		F.																																				
137	Diseases of the prostate	M.	39				2			2		3	18	1			1			1									1	1	2				1	4		2
138	Diseases of the male genital organs (not specified as venereal)	M.	1		1																																	
139	Diseases of the female genital organs (not specified as venereal)	F.	5				2						2			1																						
	(a) Of the ovary, Fallopian tube and parametrium	F.	4				2						2																									
	(b) Of the uterus	F.	1													1																						
	(c) Of the breast	F.																																				
	(d) Others under this title	F.																																				
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	38	3			1			1	1	5	11	2			1			1										4	2		1			1		4
140	Abortion with septic conditions	F.	2				1																								1							
	(a) Abortion	F.	2				1																								1							
	(b) Self-induced abortion	F.																																				
141	Abortion without mention of septic conditions (haemorrhage included)	F.	2	1									1																									
	(a) Abortion	F	2	1									1																									
	(b) Self-induced abortion	F																																				
142	Ectopic gestation	F.																																				
	(a) With septic conditions	F.																																				
	(b) Without mention of septic conditions	F.																																				
143	Other accidents of pregnancy (haemorrhage excluded)	F.																																				
144	Puerperal haemorrhage	F.	5									3																								1		1

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(a) Placenta praevia	F.	3									2																									1
	(b) Other haemorrhages	F.	2									1																								1	
145	Puerperal septicaemia (not specified as due to abortion)	F.	4										2																	1	1						
	(a) Puerperal septicaemia and pyaemia	F.	4										2																	1	1						
	(b) Puerperal tetanus	F.																																			
146	Puerperal albuminuria and eclampsia	F.	11	1								1	3	1			1			1									2							1
147	Other toxaemias of pregnancy	F.	4										2																								2
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	3										2	1																							
	(a) Phlegmasia alba dolens and thrombosis	F.																																			
	(b) Embolism	F.	3										2	1																							
	(c) Sudden death	F.																																			
149	Other accidents of childbirth	F.	7	1						1	1	1	1																	1			1				
	(a) Caesarean operation	F.	4								1	1	1																	1							
	(b) Dystocia	F.	1																														1				
	(c) Other surgical operations and instrumental delivery	F.	1							1																											
	(d) Rupture of uterus in parturition	F.																																			
	(e) Others under this title	F.	1	1																																	
150	Other or unspecified condition of the puerperal state	F.																																			
	(a) Puerperal diseases of the breast	F.																																			
	(b) Others under this title	F.																																			
	Class XII—Diseases of the skin and cellular tissue	T.	6				1					2	3																								
		M.	5				1					2	2																								
		F.	1										1																								
151	Carbuncle	M.	1									1																									
		F.																																			
152	Cellulitis, acute abscess	M.	4				1					1	2																								
		F.	1										1																								

153	Other diseases of the skin and annexa and of the cellular tissue	M.																																				
		F.																																				
	Class XIII—Diseases of the bones and organs of locomotion	T.	11		2							2	3				1													1			1				1	
		M.	8		1							2	3				1													1								
		F.	3		1																												1				1	
154	Osteomyelitis	M.	2									2																										
		F.																																				
155	Other diseases of the bones (tuberculosis excepted)	M.	3		1												1													1								
		F.	2		1																																1	
156	Diseases of the joints and other organs of locomotion	M.	3										3																									
		F.	1																														1					
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	3										3																									
		F.	1																														1					
	(b) Of other organs of locomotion	M.																																				
		F.																																				
	Class XIV—Congenital Malformations	T.	45	3	2				1		1	8	17	2						4								4		1	1					1		
		M.	28	2	1						1	7	10	1						1								3		1	1							
		F.	17	1	1				1			1	7	1						3								1								1		
157	Congenital malformations (stillbirths excluded)	M.	28	2	1						1	7	10	1						1								3		1	1							
		F.	17	1	1				1			1	7	1						3								1								1		
	(a) Congenital hydrocephalus	M.	2	1									1																									
		F.	1																	1																		
	(b) Spina bifida and meningocele	M.	6									1	4																	1								
		F.	4						1											2																1		
	(c) Congenital malformations of the heart	M.	8		1								4	1														1			1							
		F.	5	1								1	2	1																								
	(d) Monstrosities	M.																																				
		F.																																				
	(e) Others under this title	M.	12	1							1	6	1							1								2										
		F.	7		1								5															1										
	Class XV—Diseases of early infancy	T.	194	6	1		8	1	2	4		42	48	6	2	1	1		2	8	8	13	1		3		2	5	2	8	5	1	5			6	1	2
		M.	108	5			4	1	1	1		26	21	6	2				1	8	7	9	1		1					3	3		2			4		2
		F.	86	1	1		4		1	3		16	27			1	1		1		1	4			2		2	5	2	5	2	1	3			2	1	
158	Congenital debility	M.	22	1			1					5	4							1	4	3	1							2								
		F.	18		1		2			1		2	2								1							2	2	1	1	1				1	1	
159	Premature birth	M.	43	2			3	1				11	5	3	2				1	2	2	4									2		2			2		1
		F.	46				2		1	1		8	19			1	1		1			4						1		2	1		3			1		
160	Injury at birth	M.	27	2					1	1		8	7	2						2		1			1					1	1							
		F.	10									4	4														1	1										
	(a) With mention of caesarean operation	M	1									1																										
		F.	1										1																									
	(b) Without mention of caesarean operation	M.	26	2					1	1		7	7	2						2		1			1					1	1							
		F.	9									4	3														1	1										
161	Other diseases peculiar to early infancy (under 3 months)	M.	16									2	5	1						3	1	1														2		1
		F.	12	1						1		2	2												2		1	1		2								
	(a) Atelectasis	M.	5										3							1																		1
		F.	2																						1					1								

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
	(b) Icterus of the new-born	M.	4																	2		1														1		
		F.	1	1																																		
	(c) Sclerema and oedema	M.																																				
		F.																																				
	(d) Athrepsia	M.	1									1																										
		F.																																				
	(e) Others, including lack of care	M.	5									1	2	1																								
		F.	9							1		2	2																							1		
	(f) No cause given No Doctor in attendance	M.	1																		1				1		1	1		1							
		F.																																				
	Class XVI—Senility	T.	46	1	4			1	1			3	5	4		1	1	2			1	2			4			1		2	5		4			4		
		M.	6											1		1	1								1						1					1		
		F	40	1	4			1	1			3	5	3				2			1	2			3			1		2	4		4			3		
162	Senility	M.	6											1		1	1								1						1					1		
		F.	40	1	4			1	1			3	5	3				2			1	2			3			1		2	4		4			3		
	(a) With senile dementia (70 years and over)	M.																																				
		F.	4	1								1	1																										
	(b) Without senile dementia (70 years and over)	M.	6											1		1	1								1						1					1		
		F.	36		4			1	1			2	4	3				2			1	2			3			1		2	3		4			3		
	(c) Premature senility (55 years but under 70 years)	M.																																				
		F.																																				
	Class XVII—Violent or accidental deaths	T.	172	5	7		5	1	2	4	1	18	46	3				3	1	6	10	3			5	1		2	2	13	10	1	10		1	4	3	5
		M.	125	5	7		4		1	4		16	28	3				2		3	8	2			4	1		2	2	8	9	1	8		1	3	3	2
		F.	47				1	1	1		1	2	18					1	1	3	2	1			1					5	1		2			1		3
163	Suicides	M.	10										3	1				1																				
-171		F.	3				1		1												1								1		1		1			1	1	
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	1															1																				
		F.	2						1												1																	
164	Suicide by poisonous gas	M.																																				
		F.																																				
165	Suicide by hanging or strangulation	M.	1										1																									
		F.																																				
166	Suicide by drowning	M.	1										1																									
		F.	1				1																															
167	Suicide by firearms	M.	5										1	1															1				1				1	
		F.																																				

168	Suicide by cutting or piercing	M.	1																																		1
	instruments	F.																																			
169	Suicide by jumping from high	M.																																			
	places	F.																																			
170	Suicide by crushing	M.																																			
		F.																																			
171	Suicide by other means	M.	1																												1						
		F.																																			
173	Homicides	M.	1																		1																
-175		F.																																			
173	Homicide by firearms	M.																																			
		F.																																			
174	Homicide by cutting or piercing	M.																																			
	instruments	F.																																			
175	Homicide by other means	M.	1																		1																
		F.																																			
176	Other violent deaths	M.	114	5	7		4		1	4		16	25	2				1		3	7	2			4	1			1	8	8	1	7		1	3	2	1
-198		F.	44					1			1	2	18					1	1	3	1	1			1			2		5	1		2			1		3
176	Attack by venemous animals	M.																																			
		F.	1									1																									
177	Food Poisoning	M.																																			
		F.																																			
178	Accidental absorption of toxic	M.	2										2																								
	gases	F.																																			
179	Other acute accidental poison-	M.																																			
	ings (except by gas)	F.	2								1																			1							
180	Conflagration	M.	2																						1					1							
		F.																																			
181	Accidental burns (conflag-	M.	9	1	2		1					2									1									1	1						
	ration excepted)	F.	2																		1										1						
182	Accidental mechanical suffo-	M.	1																	1																	
	cation	F.																																			
183	Accidental drowning	M.	13		1					2		1	2	1							1					1					1				1	1	1	
		F.	4									1	1															1					1					
184	Accidental injury by firearms	M.	7	1	1		1					1																		1			1			1		
		F.																																			
185	Accidental injury by cutting or	M.	3							1															1											1		
	piercing instruments	F.																																			
186	Accidental injuries resulting from falling, crushing or	M.	64	3	1		1					11	18	1				1		2	5	1			2				1	5	5	1	4				1	1
	landslide	F.	30					1					12					1	1	3		1			1			1		4			1			1		3
187	Cataclysm	M.																																			
		F.																																			
188	Injuries by animals	M.	2		1								1																								
		F.																																			
189	Hunger or thirst	M.																																			
		F.																																			
190	Excessive cold	M.																																			
		F.																																			

TABLE XXXV—Continued

Int. List No.	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Pt. Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
191	Excessive heat	M.																																			
		F.																																				
192	Lightning	M.																																			
		F.																																			
193	Accidents due to electric currents	M.	2		1					1																											
		F.																																			
194	Other accidents	M.	7				1						2									1									1		2				
		F.	5										5																								
	(a) Foreign body	M.																																			
		F.																																			
	(b) Others under this title	M.	7				1						2									1									1		2				
		F.	5										5																								
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	M.	2						1			1																									
		F.																																			
198	Capital punishment	M.																																			
		F.																																			
	Class XVIII—Ill-defined causes of death	T.	26		2		1					1	5							4	2	4						2			1		1	1		2	
		M.	15				1						4							4	1	1						1					1	1		1	
		F.	11		2							1	1								1	3						1			1					1	
199	Sudden death	M.	9				1						2							2	1	1						1					1				
		F.	9		1							1	1								1	3						1			1						
200	Cause of death not specified or ill-defined	M.	6										2							2														1		1	
		F.	2		1																															1	

SPECIAL CLASSES OF ACCIDENTAL DEATHS FOR CITIES AND TOWNS OF NOVA SCOTIA, 1936

(Included also under the numbers of the International List above)

	CAUSES OF DEATH		Total	Amherst	Antigonish	Bridgetown	Bridgewater	Canso	Dartmouth	Digby	Dominion	Glace Bay	Halifax	Inverness	Joggins	Kentville	Liverpool	Lunenburg	Mahone Bay	New Glasgow	New Waterford	North Sydney	Oxford	Parrsboro	Pictou	Port Hawkesbury	Shelburne	Springhill	Stellarton	Sydney	Sydney Mines	Trenton	Truro	Wedgeport	Westville	Windsor	Wolfville	Yarmouth
A	Accidents in mines and quarries	M	17	....	....	....	....	....	....	....	....	6	1	1	....	....	....	....	....	....	4	....	....	....	....	....	....	....	1	....	4	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
B	Accidents caused by machines	M	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....	....	1	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
C	Railway accidents	M	11	....	1	....	....	....	....	....	....	2	4	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	1	....
		F	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....
D	Street car accidents	M	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
E	Automobile and motorcycle accidents	M	18	2	....	....	....	....	....	....	....	3	6	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	1	2	....	2	....	....	....	....	....
		F	13	....	....	....	....	....	....	....	....	....	7	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	1	....	2
F	Other land transportation	M	1	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
G	Water transportation	M	7	....	....	....	1	....	....	1	....	....	2	....	....	....	....	1	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	1
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
H	Air transportation	M	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

TABLE XXXVI—CAUSES OF DEATH BY SEX AND AGE, IN THE CITY OF HALIFAX 1936

Int. List No.	Causes of Death		Ages																									
			Total	Under 1 year	1 year	2 years	3 years	4 years	5 to 9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	Deaths—All causes	T.	871	104	22	6	5	7	15	12	15	30	23	26	35	42	41	49	55	58	81	77	73	46	36	10	2	....	1
		M.	454	55	11	1	3	4	9	4	8	12	11	16	15	24	23	26	35	38	46	44	37	19	11	....	1	....	1
		F.	417	49	11	5	2	3	6	8	7	18	12	10	20	18	18	23	20	20	35	33	36	27	25	10	1	....	....
	Class I—Infectious and parasitic diseases	T.	128	16	13	1	1	3	6	1	8	14	13	11	10	10	1	5	6	3	3	2	....	1	....	....	....	....	....
		M.	65	11	4	1	....	2	3	....	4	5	5	6	5	5	....	4	4	2	3	1	....	....	....	....	....	....	....
		F.	63	5	9	....	1	1	3	1	4	9	8	5	5	5	1	1	2	1	....	1	....	1	....	....	....	....	....
1	Typhoid fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
2	Paratyphoid fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
4	Relapsing fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
5	Undulant fever	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Small-pox	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Measles	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	....	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	Scarlet fever	M.	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
9	Whooping-cough	M.	4	2	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	9	2	6	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

10	Diphtheria	M.	4	1	1	1			1																			
		F.	2						1		1																	
11	Influenza	M.	4									1							1		1	1						
		F.	4									1								1		1		1				
	(a) Sole cause	M.	1																		1							
		F.																										
	(b) With bronchitis	M.	1																			1						
		F.																										
	(c) With pneumonia	M.	2									1							1									
		F.	2									1										1						
	(d) With other diseases of the respiratory system	M.																										
		F.																										
	(e) With intestinal complications	M.																										
		F.	1																	1								
	(f) With other causes	M.																										
		F.	1																					1				
13	Dysentery	M.																										
		F.																										
15	Erysipelas	M.	2	1																	1							
		F.	1									1																
16	Poliomyelitis and polioencephalitis (acute)	M.																										
		F.																										
17	Lethargic or epidemic encephalitis	M.																										
		F.																										
18	Epidemic cerebrospinal meningitis	M.	1										1															
		F.	1							1																		
19	Glanders	M.																										
		F.																										
20	Anthrax, malignant pustule (bacillus anthracis)	M.																										
		F.																										
21	Rabies	M.																										
		F.																										
22	Tetanus	M.																										
		F.																										
23-32	Tuberculosis	M.	39	2	2			1	1		4	4	3	6	4	4		3	3	1	1							
		F.	39	2	1		1		2		3	6	8	5	4	3	1	1	2									
23	Tuberculosis of the respiratory system	M.	28		1			1			1	4	2	5	3	4		3	2	1	1							
		F.	30				1				2	4	8	5	3	3	1	1	2									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																													
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
24	Tuberculosis of the meninges and central nervous system	M.	2								1								1										
		F.	4						2		1	1																	
25	Tuberculosis of the intestines and peritoneum	M.	2								2																		
		F.																											
26	Tuberculosis of the vertebral column	M.																											
		F.																											
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.																											
		F.																											
	(a) Of bones	M.																											
		F.																											
	(b) Of joints	M.																											
		F.																											
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M																											
		F.																											
29	Tuberculosis of the lymphatic system (bronchial mesenteric, and retroperitoneal glands excepted)	M.																											
		F.																											
30	Tuberculosis of the genito-urinary system	M.	2										1		1														
		F.																											
31	Tuberculosis of other organs	M.																											
		F.																											
32	Disseminated tuberculosis	M.	5	2	1				1					1															
		F.	5	2	1							1			1														

(a) Acute	M.	3	2	1																								
	F.	5	2	1							1			1														
(b) Chronic	M.																											
	F.																											
(c) Not specified	M.	2						1					1															
	F.																											
33 Leprosy	M.																											
	F.																											
34 Syphilis	M.	7	3									1		1			1		1									
	F.	4	1											1	2													
35 Gonococcus infection and other venereal diseases	M.																											
	F.																											
36 Purulent infection, septicaemia (non puerperal)	M.	3	1					1							1													
	F.																											
38 Malaria	M.																											
	F.																											
39 Other diseases due to protozoal parasites	M.																											
	F.																											
40 Ankylostomiasis	M.																											
	F.																											
41 Hydatid cysts	M.																											
	F.																											
(a) Of the liver	M.																											
	F.																											
(b) Of other organs	M.																											
	F.																											
42 Other diseases caused by helminths	M.																											
	F.																											
43 Mycoses	M.																											
	F.																											
44 Other infectious or parasitic diseases	M.																											
	F.																											
(a) Chicken-pox	M.																											
	F.																											
(b) German measles	M.																											
	F.																											
(c) Others under this title	M.																											
	F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	Class II—Cancer and other Tumours	T.	127	....	....	....	2	....	....	1	....	1	....	1	3	12	12	9	14	12	20	13	16	6	4	....	....	....	1
		M.	72	....	....	....	2	....	....	....	....	....	....	1	1	5	5	4	10	10	13	6	8	4	2	....	....	....	1
		F.	55	....	....	....	....	....	....	1	....	1	....	....	2	7	7	5	4	2	7	7	8	2	2	....	....	....	....
45–53	Cancer and other malignant tumours	M.	70	....	....	....	1	....	....	....	....	....	....	1	1	5	5	4	10	9	13	6	8	4	2	....	....	....	1
		F.	49	....	....	....	....	....	....	1	....	1	....	....	2	5	6	5	4	2	6	6	7	2	2	....	....	....	....
45	Cancer of the buccal cavity and pharynx	M.	6	....	....	....	....	....	....	....	....	....	....	1	....	....	....	1	....	1	2	1	....	....	....	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	1	....	....	....	....
46	Cancer of the digestive tract and peritoneum	M.	43	....	....	....	1	....	....	....	....	....	....	....	....	5	4	2	3	5	9	5	5	2	1	....	....	....	1
		F.	20	....	....	....	....	....	....	....	....	....	....	....	....	1	2	4	2	....	3	3	3	1	1	....	....	....	....
	(a) Of the oesophagus	M.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(b) Of the stomach and duodenum	M.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	4	2	1	1	....	1	....	....	....	....
		F.	4	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	....	2	....	....	....	....	....	....	....	....
	(c) Of the rectum	M.	9	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	....	....	1	3	1	1	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....	....	....	....	....	....	....
	(d) Of the liver and biliary ducts	M.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	....	....	....	....	....	....
		F.	3	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	....	1	....	....	....	....
	(e) Of the pancreas	M.	4	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	3	....	....	....	....	....	....	....	....
		F.	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....
	(f) Of the peritoneum	M.	2	....	....	....	1	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(g) Of other organs	M.	15	....	....	....	....	....	....	....	....	....	....	....	....	3	2	....	3	1	3	1	....	1	....	....	....	....	1
		F.	8	....	....	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	1	1	2	1	....	....	....	....	....

47	Cancer of the respiratory organs	M.	6															1	2	2	1								
		F.	1									1																	
	(a) Of the larynx	M.																											
		F.																											
	(b) Of the lung	M.	6															1	2	2	1								
		F.	1									1																	
	(c) Of the mediastinum	M.																											
		F.																											
	(d) Of other organs of the respiratory system	M.																											
		F.																											
48	Cancer of the uterus	F.	14												2	2	3	1	1	1	1		2	1					
	(a) Of the uterus	F.	8												1	2		1			1		2	1					
	(b) Of the cervix uteri	F.	6												1		3		1	1									
49	Cancer of other female genital organs	F.	1													1													
50	Cancer of the breast	M.																											
		F.	4														1		1		1	1							
51	Cancer of the male genito-urinary organs	M.	8												1				3	1			2	1					
	(a) Of the bladder	M.	4																1	1			1	1					
	(b) Of the kidney	M.	1																1										
	(c) Of the prostate gland	M.	1																				1						
	(d) Of the testicles and annexa	M.	1												1														
	(e) Of other male genita-urinary organs	M.	1																1										
52	Cancer of the skin	M.	1														1												
		F.	1													1													
53	Cancer of other or unspecified organs	M.	6																2		1		1	1	1				
		F.	5							1										1		1	2						
	(a) Of the eye and orbit	M.																											
		F.																											
	(b) Of the cirulatory system	M.																											
		F.																											
	(c) Of the glandular system	M.	1																1										
		F.																											
	(d) Of the female urinary organs	F.	2																	1		1							
	(e) Of the bones and joints	M.	1																		1								
		F.	2							1													1						
	(f) Of the brain	M.																											
		F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated			
	(g) Of the spine and spinal cord	M.	1																1												
		F.																													
	(h) Of the neck	M.	1																				1								
		F.																													
	(i) Of abdomen	M.																													
		F.	1																				1								
	(j) Of other specified organs	M.	1																						1						
		F.																													
	(k) Multiple cancer	M.	1																					1							
		F.																													
	(m) Of unspecified or unknown location	M.																													
		F.																													
54	Non-malignant tumours	M.	1																	1											
		F.	4													1	1					1	1								
	(a) Of the ovary	F.	2													1						1									
	(b) Of the uterus	F.	1														1														
	(c) Of other female genital organs	F.																													
	(d) Of the brain	M.																													
		F.	1																				1								
	(e) Of the thyroid gland	M.																													
		F.																													
	(f) Of the prostate gland	M.	1																	1											
	(g) Of other or unspecified sites	M.																													
		F.																													

55	Tumours, nature not specified	M.	1				1																								
		F.	2												1					1										
	(a) Of the ovary	F.																													
	(b) Of the uterus	F.																													
	(c) Of other female genital organs	F.																													
	(d) Of the brain	M.	1				1																								
		F.	1												1																
	(e) Of the thyroid gland	M.																													
		F.																													
	(f) Of the prostate gland	M.																													
	(g) Of other or unspecified sites	M.																													
		F.	1																	1										
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	19	1			1	1		1			2				1	1	5	2	1	2		1							
		M.	8	1			1						1						3	1	1										
		F.	11					1		1			1				1	1	2	1		2		1							
56	Acute rheumatic fever	M.	1																		1										
		F.	4					1		1									1	1											
57	Chronic rheumatism, osteo-arthritis	M.																													
		F.	1																1												
58	Gout	M.																													
		F.																													
59	Diabetes mellitus	M.	5				1												3	1											
		F.	4														1	1				1		1							
60	Scurvy	M.																													
		F.																													
61	Beriberi	M.																													
		F.																													
62	Pellagra	M.																													
		F.																													
63	Rickets	M.																													
		F.																													
64	Osteomalacia	M.																													
		F.																													
65	Diseases of the pituitary gland	M.																													
		F.																													
66	Diseases of the thyroid and parathyroid glands	M.																													
		F.	2										1									1									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Under 1 year	Ages																									
					1 year	2 years	3 years	4 years	5–9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 Years and over	Not stated
	(a) Simple goitre	M.																												
		F.																												
	(b) Exophthalmic goitre	M.																												
		F.	1											1																
	(c) Myxoedema, cretinism	M.																												
		F.	1																				1							
	(d) Tetany	M.																												
		F.																												
	(e) Others under this title	M.																												
		F.																												
67	Diseases of the thymus gland	M.																												
		F.																												
68	Diseases of the adrenals (Addison's disease)	M.	1											1																
		F.																												
69	Other general diseases	M.	1	1																										
		F.																												
	(a) Fatty or amyloid degeneration	M.																												
		F.																												
	(b) Steatosis	M.																												
		F.																												
	(c) Others under this title	M.	1	1																										
		F.																												
	Class IV—Diseases of the blood and blood-forming organs	T.	12			1			1			1	1			1		1	2	1	2		1							
		M.	7						1			1	1			1			1	1	1									
		F.	5			1												1	1		1		1							

70	Haemorrhagic conditions	M.	1																	1								
		F.																										
	(a) Simple purpura	M.	1																	1								
		F.																										
	(b) Haemophilia	M.																										
		F.																										
71	Anaemia	M.	1															1										
		F.	2			1												1										
	(a) Pernicious anaemia	M.	1															1										
		F.	2			1												1										
	(b) Others under this title	M.																										
		F.																										
72	Leukaemia and aleukaemia	M.	3									1	1								1							
		F.	3															1				1		1				
	(a) Leukaemia	M.	3									1	1								1							
		F.	1																					1				
	(b) Aleukaemia (Hodgkin's disease)	M.																										
		F.	2															1				1						
73	Diseases of the spleen	M.	2						1							1												
		F.																										
74	Other diseases of the blood and blood-forming organs	M.																										
		F.																										
	Class V—Chronic poisonings and intoxications	T.	3												1	1		1										
		M.	3												1	1		1										
		F.																										
75	Alcoholism	M.	3												1	1		1										
		F.																										
	(a) Delirium tremens	M.	1															1										
		F.																										
	(b) Other alcoholic intoxications	M.	2												1	1												
		F.																										
76	Chronic poisoning, by other organic substances	M																										
		F.																										
	(a) Chronic morphinism	M.																										
		F.																										
	(b) Chronic cocainism	M.																										
		F.																										

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																													
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(c) Occupational	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(d) Other organic poisoning	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
77	Chronic poisoning by mineral substances	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) Lead (including occupational)	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Occupational, except lead	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c) Others underthis title	M	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Class VI—Diseases of the nervous system	T.	43	4	2	....	....	....	....	1	....	2	....	1	1	1	2	5	2	5	4	6	4	1	2	....	....	....	....
	and of the organs of special sense	M.	23	3	2	....	....	....	....	....	....	1	....	....	....	1	1	2	1	3	2	5	2	....	....	....	....	....	....	....
		F.	20	1	....	....	....	....	....	1	....	1	....	1	1	....	1	3	1	2	2	1	2	1	2	....	....	....	....	....
78	Encephalitis (non-epidemic)	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	1	.....	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
79	Simple meningitis	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
80	Progressive locomotor ataxia(tabes doraslis)	M.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
81	Other diseases of the spinal cord	M.	2	.....	...	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...	1	...	...	...	...	...	...	...	...
		F.	.....	.....	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

82	Cerebral haemorrhage, cerebral embolism	M.	11		1													2	1	1	1	3	2								
	and thrombosis	F.	10											1				1		2	1	1	2	1	1						
	(a) Cerebral haemorrhage	M.	9															1	1	1	1	3	2								
		F.	8											1				1		1	1	1	1	1	1						
	(b) Cerebral embolism and thrombosis	M.	2		1													1													
		F.	2																	1			1								
	(c) Softening of the brain	M.																													
		F.																													
	(d) Hemiplegia and other paralysis,	M.																													
	cause not specified	F.																													
83	General paralysis of the insane	M.	1																	1											
		F.																													
84	Dementia praecox and other psychoses	M.																													
		F.	3									1				1		1													
	(a) Dementia praecox	M.																													
		F.	3									1				1		1													
	(b) Other psychoses	M.																													
		F.																													
85	Epilepsy	M.	2									1				1															
		F.	1					1																							
86	Convulsions (under 5 years of age)	M.	1	1																											
		F.	1	1																											
87	Other diseases of the nervous system	M.	3		1															1		1									
		F.	3															1			1				1						
	(a) Chorea	M.																													
		F.																													
	(b) Neuralgia and Neuritis	M.																													
		F.																													
	(c) Paralysis agitans	M.	1																	1											
		F.			.																										
	(d) Sclerosis (other than of the Spinal	M.																													
	Cord)	F.	3															1			1				1						
	(e) Others under this title	M.	2		1																	1									
		F.																													
88	Diseases of the organs of vision	M.																													
		F.																													
89	Diseases of the ear and mastoid process	M.	3	2																1											
		F.	1															1													

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Under 1 year	Ages 1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Otitis	M.	2	2																									
		F.																											
	(b) Diseases of the Mastoid process	M.	1																	1									
		F.	1															1											
	(c) Others under this title	M.																											
		F.																											
	Class VII—Diseases of the circulatory system	T.	201		1			1	1		1	1	1	5	4	12	14	16	11	27	29	31	19	20	6	1			
		M.	90									1		1	2	2	9	5	9	8	12	11	15	8	7				
		F.	111		1			1	1				1		3	2	3	9	7	3	15	18	16	11	13	6	1		
90–95	Diseases of the heart	M.	51											1	1	1	9	4	7	5	7	4	6	3	3				
		F.	42		1				1				1		2	2	3	3	4	1	9	5	3	3	1	3			
90	Pericarditis	M.																											
		F.																											
91	Acute endocarditis	M.	1																		1								
		F.	2							1			1																
	(a) Endocarditis specified as acute	M.	1																		1								
		F	1										1																
	(b) Endocarditis unspecified (under 45 years of age)	M.																											
		F.	1							1																			
92	Chronic endocarditis, valvular diseases	M.	12													1	5	2		1	1	1		1					
		F.	12												2	2	2		1		3	2							
	(a) Endocarditis specified as chronic and other valvular diseases	M.	10													1	5	1		1	1			1					
		F.	11												2	2	2		1		2	2							

(b) Endocarditis, unspecified, (45 years and over)	M.	2															1				1							
	F.	1																		1								
93 Diseases of the myocardium	M.	11														1	1	1	1	2		1	2	2				
	F.	12															1	1		3	2	2	2	1				
(a) Acute myocarditis	M.																											
	F.																											
(b) Myocarditis, unspecified, (under 45 years of age)	M.																											
	F.																											
(c) Chronic myocarditis and myocardial degeneration	M.	7																1	1	1		1	2	1				
	F.	10															1	1		2	2	2	2					
(d) Myocarditis, unspecified, (45 years and over)	M	4														1	1			1				1				
	F.	2																		1				1				
94 Diseases of the coronary arteries and angina pectoris	M.	20											1	1		3	1	4	1	3	2	3		1				
	F.	9															1	1	1	3	1	1	1					
(a) Diseases of the coronary arteries	M	2												1						1								
	F.																											
(b) Embolism and thrombosis of the coronary arteries	M.	12														3	1	3		2	1	2						
	F.	7															1	1		2	1	1	1					
(c) Angina pectoris	M.	6											1					1	1		1	1		1				
	F.	2																	1	1								
95 Other diseases of the heart	M.	7																2	2		1	2						
	F.	7			1											1	1	1							3			
(a) Functional diseases of the heart	M.																											
	F.																											
(b) Others and unspecified	M.	7																2	2		1	2						
	F	7			1											1	1	1							3			
96 Aneurysm (except of the heart)	M.																											
	F.																											
97 Arteriosclerosis (of coronary arteries excepted)	M.	34															1	1	3	5	7	8	5	4				
	F.	57												1			4	2	1	4	13	11	8	10	2	1		
98 Gangrene	M.	1									1																	
	F.	2						1																	1			
99 Other diseases of the arteries	M	1												1														
	F.																											
100 Diseases of the veins (varices, haemorrhoids, phlebitis, etc.)	M.																											
	F.																											
101 Diseases of the lymphatic system (lymphangitis, etc.)	M.																											
	F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
102	Idiopathic abnormalities of blood pressure	M.	3	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	1	....	....	....	....	....	....
		F.	10	....	....	....	....	....	....	....	....	....	....	....	....	....	....	2	1	1	2	....	2	....	2	....	....	....	....
103	Other diseases of the circulatory system	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Class VIII—Diseases of the respiratory system	T.	72	15	3	1	....	1	2	3	3	3	....	2	1	1	4	3	4	7	5	4	3	6	..	1	....	....	....
		M.	34	7	2	....	....	....	2	2	1	....	....	1	....	1	3	1	2	3	3	2	2	2	....	....	....	....	....
		F.	38	8	1	1	....	1	....	1	2	3	....	1	1	....	1	2	2	4	2	2	1	4	....	1	....	....	....
104	Diseases of the nasal fossae and annexa	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
105	Diseases of the larynx	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(a) Croup	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(b) Other diseases of the larynx	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
106	Bronchitis	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	(a) Acute	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	(b) Chronic	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Unspecified	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

107	Bronchopneumonia	M.	15	6	1					1							1			1	2	1	1	1					
		F.	19	8		1		1				1						1	2	2	1			1		1			
	(a) Bronchopneumonia	M.	15	6	1					1							1			1	2	1	1	1					
		F.	18	8		1		1				1						1	2	2				1		1			
	(b) Capillary bronchitis	M.																											
		F.	1																		1								
108	Lobar pneumonia	M.	9	1	1				1		1						1		1	1	1		1						
		F	12		1					1		2		1	1			1		2			1	2					
109	Pneumonia, unspecified	M.	4													1		1		1				1					
		F.	4								1										1	1		1					
110	Pleurisy	M.	1											1															
		F..																											
111	Congestion and haemorrhagic infarct of the lung, etc	M.	1																			1							
		F.	1														1												
	(a) Pulmonary embolism and thrombosis	M																											
		F.																											
	(b) Others under this title	M.	1																			1							
		F.	1														1												
112	Asthma	M.	2							1									1										
		F.																											
113	Pulmonary emphysema	M.																											
		F.																											
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	2						1								1												
		F.	1								1																		
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																											
		F.																											
	(b) Gangrene of the lung	M.																											
		F.																											
	(c) Others under this title	M.	2						1								1												
		F.	1								1																		
	Class IX—Diseases of the digestive system	T.	59	7	3	1		1		2	1		1	5	2	7	4	4	1	4	3	6	5		1	1			
		M.	34	3	2			1		1	1			4	1	5	2	4		2	1	3	4						
		F	25	4	1	1				1			1	1	1	2	2		1	2	2	3	1		1	1			
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	4		1			1								1							1						
		F	2			1																1							

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																													
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Diseases of the buccal cavity and annexa	M.																															
		F.																															
	(b) Diseases of the tonsils	M.	2					1								1																	
		F.																															
	(c) Others under this title	M.	2		1																		1										
		F.	2			1																1											
116	Diseases of the oesophagus	M.																															
		F.																															
117	Ulcer of the stomach or duodenum	M.	10											3	1	2		3				1											
		F.	1														1																
	(a) Ulcer of the stomach	M.	5											2		1		1				1											
		F.	1														1																
	(b) Ulcer of the duodenum	M.	5											1	1	1		2															
		F.																															
118	Other diseases of the stomach	M.	1	1																													
		F.	1		1																												
119	Diarrhoea and enteritis (under 2 years of age)	M.	2	1	1																												
		F.	4	4																													
120	Diarrhoea enteritis (2 years and over)	M.	2																	2													
		F.	4							1				1			1					1											
	(a) Diarrhoea and enteritis	M.																															
		F.	2							1										2		1											
	(b) Ulceration of the intestines	M.	2																														
		F.	2											1			1																

121	Appendicitis	M.	6						1	1			1		1							2											
		F.	1												1																		
122	Hernia, intestinal obstruction	M.	3	1																	1	1											
		F.	7																2	2	1			1	1								
	(a) Hernia	M.	2																		1	1											
		F.	4																2	1	1												
	(b) Intestinal obstruction	M.	1	1																													
		F.	3																	1				1	1								
123	Other diseases of the intestines	M.	2													1	1																
		F.																															
124	Cirrhosis of the liver	M.	3												1	1					1												
		F.	3										1	1			1																
	(a) Specified as alcoholic	M.																															
		F.																															
	(b) Not specified as alcoholic	M.	3												1	1					1												
		F.	3										1	1			1																
125	Other diseases of the liver	M.																															
		F.	1								1																						
	(a) Yellow atrophy of the liver	M.																															
		F.	1								1																						
	(b) Others under this title	M.																															
		F.																															
126	Biliary calculi	M.																															
		F.																															
127	Other diseases of the gall-bladder and biliary passages	M.																															
		F.	1																			1											
128	Diseases of the pancreas	M.	1																	1													
		F.																															
129	Peritonitis, cause not specified	M.																															
		F.																															
	Class X—Diseases of the genito-urinary system	T.	69				1				1	1	2	3	2	4	3	6	7	9	13	7	6	3		1							
		M.	50								1	1	1	1	1	1	3	5	6	7	12	6	3	1		1							
		F.	19				1						1	2	1	3		1	1	2	1	1	3	2									
130	Acute nephritis (including unspecified, under 10 years of age)	M.	1															1															
		F.	1				1																										
131	Chronic nephritis	M.	19										1	1	1	1	1	2	1	5	3		2	1									
		F.	13											1	1	2			1	2		1	3	2									

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																													
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated					
132	Nephritis, unspecified (10 years and over)	M.	5															2	2				1										
		F.	1																			1											
133	Other diseases of the kidneys and ureters	M.	2									1								1													
		F.	1																1														
134	Calculi of the urinary passages	M.	3																	2		1											
		F.	1														1																
135	Diseases of the bladder (tumours excepted)	M.	1																					1									
		F.																															
136	Diseases of the urethra, urinary abscess, etc	M.	1										1																				
		F.																															
	(a) Stricture of the urethra	M.	1										1																				
		F.																															
	(b) Others under this title	M.																															
		F.																															
137	Diseases of the prostate	M.	18																	2	2	8	5				1						
138	Diseases of the male genital organs (not specified as venereal)	M.																															
139	Diseases of the female genital organs (not specified as venereal)	F.	2											1	1																		
	(a) Of the ovary, Fallopian tube and parametrium	F.	2											1	1																		
	(b) Of the uterus	F.																															
	(c) Of the breast	F.																															
	(d) Others under this title	F.																															

No.	Cause	Sex	Total																										
	Class XI—Diseases of pregnancy, childbirth and the puerperal state	T.	11									4	1		5	1													
140	Abortion with septic conditions	F.																											
	(a) Abortion	F.																											
	(b) Self-induced abortion	F.																											
141	Abortion without mention of septic conditions (haemorrhage included)	F.	1												1														
	(a) Abortion	F.	1												1														
	(b) Self-induced abortion	F.																											
142	Ectopic gestation	F.																											
	(a) With septic conditions	F.																											
	(b) Without mention of septic conditions	F																											
143	Other accidents of pregnancy (haemorrhage excluded)	F.																											
144	Puerperal haemorrhage	F.																											
	(a) Placenta praevia	F.																											
	(b) Other haemorrhages	F.																											
145	Puerperal septicaemia (not specified as due to abortion)	F.	2									2																	
	(a) Puerperal septicaemia and pyaemia	F.	2									2																	
	(b) Puerperal tetanus	F.																											
146	Puerperal albuminuria and eclampsia	F.	3									2				1													
147	Other toxaemas of pregnancy	F.	2										1		1														
148	Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic)	F.	2												2														
	(a) Phlegmasia alba dolens and thrombosis	F.																											
	(b) Embolism	F.	2												2														
	(c) Sudden death	F.																											
149	Other accidents of childbirth	F.	1												1														
	(a) Caesarean operation	F.	1												1														
	(b) Dystocia [ental delivery]	F.																											
	(c) Other surgical operatons and Instrum-	F.																											
	(d) Rupture of uterus in parturition	F.																											
	(e) Others under this title	F.																											
150	Other or unspecified conditions of the puerperal state	F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(a) Puerperal diseases of the breast	F.																													
	(b) Others under this title	F.																													
	Class XII—Diseases of the skin and cellular tissue	T.	3													1		1				1									
		M.	2													1						1									
		F.	1															1													
151	Carbuncle	M.																													
		F.																													
152	Cellulitis, acute abscess	M.	2													1						1									
		F.	1															1													
153	Other diseases of the skin and annexa and of the cellular tissue	M.																													
		F.																													
	Class XIII—Diseases of the bones and organs of locomotion	T.	3														1		1		1										
		M.	3														1		1		1										
		F.																													
154	Oste omyelitis	M.																													
		F.																													
155	Other diseases of the bones (tuberculosis excepted)	M.																													
		F.																													
156	Diseases of the joints and other organs of locomotion	M.	3														1		1		1										
		F.																													
	(a) Of the joints (tuberculosis and rheumatism excepted)	M.	3														1		1		1										
		F.																													
	(b) Of other organs of locomotion	M.																													
		F.																													

Class XIV—Congenital malformations	T.	17	11	1	1			2	2																			
	M.	10	7	1				2																				
	F.	7	4		1				2																			
157 Congenital malformations (stillbirths excluded)	M.	10	7	1				2																				
	F.	7	4		1				2																			
(a) Congenital hydrocephalus	M.	1	1																									
	F.																											
(b) Spina bifida and meningocele	M.	4	3	1																								
	F.																											
(c) Congenital malformations of the heart	M.	4	3					1																				
	F.	2	1		1																							
(d) Monstrosities	M.																											
	F.																											
(e) Others under this title	M.	1						1																				
	F.	5	3						2																			
Class XV—Diseases of early infancy	T.	48	48																									
	M.	21	21																									
	F.	27	27																									
158 Congenital debility	M.	4	4																									
	F.	2	2																									
159 Premature birth	M.	5	5																									
	F.	19	19																									
160 Injury at birth	M.	7	7																									
	F.	4	4																									
(a) With mention of caesarean operation	M.																											
	F.	1	1																									
(b) Without mention of caesarean operation	M.	7	7																									
	F.	3	3																									
161 Other diseases peculiar to early infancy (under 3 mos.)	M.	5	5																									
	F.	2	2																									
(a) Atelectasis	M.	3	3																									
	F.																											
(b) Icterus of the new-born	M.																											
	F																											
(c) Sclerema and oedema	M.																											
	F.																											
(d) Athrepsia	M.																											
	F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																										
				Under 1 year	1 year	2 years	3 years	4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
	(e) Others, including lack of care	M.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	2	2	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(f) No cause given, no doctor in Attendance	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Class XVI—Senility	T.	5	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....
		M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	5	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....
162	Senility	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	5	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	1	2	1	....	....	....	....
	(a) With senile dementia (70 years and over)	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....
	(b) Without senile dementia (70 years and over)	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	4	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	2	1	....	....	....	....
	(c) Premature senility (55 years but under 70 years)	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Class XVII—Violent or acidental deaths	T.	46	.....	....	....	2	....	2	1	2	3	5	1	4	1	1	2	1	2	5	1	3	6	3	1	....	....	....
		M.	28	.....	....	....	1	....	1	1	2	3	4	1	4	1	1	2	1	....	2	1	....	2	1	....	....	....	....
		F.	18	.....	....	....	1	....	1	....	....	....	1	....	....	....	....	....	....	2	3	....	3	4	2	1	....	....	....	....
163–171	Suicides	M.	3	.....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
164	Suicide by poisonous gas	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

165	Suicide by hanging or strangulation	M.	1												1														
		F.																											
166	Suicide by drowning	M.	1																			1							
		F.																											
167	Suicide by firearms	M.	1										1																
		F.																											
168	Suicide by cutting or piercing instruments	M.																											
		F.																											
169	Suicide by jumping from high places	M.																											
		F.																											
170	Suicide by crushing	M.																											
		F.																											
171	Suicide by other means	M.																											
		F.																											
173–175	Homicides	M.																											
		F.																											
173	Homicide by firearms	M.																											
		F.																											
174	Homicide by cutting or piercing instruments	M.																											
		F.																											
175	Homicide by other means	M.																											
		F.																											
176–198	Other violent deaths	M.	25				1		1	1	2	3	3	1	3	1	1	2	1		2			2	1				
		F.	18				1		1				1							2	3		3	4	2	1			
176	Attack by venomous animals	M.																											
		F.																											
177	Food poisoning	M.																											
		F.																											
178	Accidental absorption of toxic gases	M.	2											1			1												
		F.																											
179	Other acute accidental poisonings (except by gas)	M.																											
		F.																											
180	Conflagration	M.																											
		F.																											
181	Accidental burns (conflagration excepted)	M.																											
		F.																											
182	Accidental mechanical suffocation	M.																											
		F.																											

TABLE XXXVI—Continued

Int. List No.	Causes of Death		Total	Ages																											
				Under 1 year	1 year	2 years	3 years	4 years	5–9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 years and over	Not stated
183	Accidental drowning	M.	2	.....	....	....	....	....	....	....	....	1	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	1	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....
184	Accidental injury by firearms	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
185	Accidental injury by cutting or piercing instruments	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
186	Accidental injuries by fall, crushing or landslide	M.	18	.....	....	....	1	....	1	1	1	1	2	....	2	1	....	2	1	....	2	....	....	2	1	....	....	....	....
		F.	12	.....	....	....	1	....	1	..	....	....	1	....	....	....	....	....	....	1	3	..	2	1	2	....	....	....	....
187	Cataclysm	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.. ....	.....	....	....	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
188	Injuries by animals	M.	1	.....	....	....	....	....	....	....	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	... ..	....	....	....	....	....	...	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
189	Hunger or thirst	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
190	Excessive cold	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
191	Excessive heat	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
192	Lightning	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
193	Accidents due to electric currents	M.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
194	Other accidents	M.	2	.....	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	5	.....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	1	3	....	1	....	....	....

	(a) Foreign body	M.																													
		F.																													
	(b) Others under this title	M.	2										1	1																	
		F.	5																				1	3		1					
195	Violent deaths of which the nature (acci-	M.																													
	dent, suicide, homicide) is unknown	F.																													
198	Capital punishment	M.																													
		F.																													
	Class XVIII—Ill-defined causes of death	T.	5	2															1	1		1									
		M.	4	2															1			1									
		F.	1																	1											
199	Sudden death	M.	2																1			1									
		F.	1																	1											
200	Cause of death not specified or ill-defined	M.	2	2																											
		F.																													

SPECIAL CLASSES OF ACCIDENTAL DEATHS

(Included also under the numbers of the International List above.)

Halifax, 1936

A	Accidents in mines and quarries	M	1																1												
		F.																													
B	Accidents caused by machines	M.																													
		F.																													
C	Railway accidents	M.	4					1				1					1				1										
		F.																													
D	Street car accidents	M.	1				1																								
		F.																													
E	Automobile and motorcycle accidents	M.	6						1			1		2	1	1															
		F.	7				1		1											1	2		1		1						
F	Other land transportation	M.	1							1																					
		F.																													
G	Water transportation	M.	2								1		1																		
		F.																													
H	Air transportation	M.																													
		F.																													

TABLE XXXVII—CAUSES OF DEATH FOR EACH SEX BY CONJUGAL CONDITION, NATIVITY AND MONTH OF DEATH IN THE CITY OF HALIFAX, 1936

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Deaths– All Causes–Total		871	171	36	52	36	48	1	9	65	136	120	....	197	....	732	103	13	17	6	70	72	73	94	85	65	73	53	76	68	67	75
		M.	454	87	19	28	26	19	1	1	36	85	80	....	72	....	376	59	5	10	4	40	41	37	50	51	31	34	27	38	36	36	33
		F.	417	84	17	24	10	29	....	8	29	51	40	....	125	....	356	44	8	7	2	30	31	36	44	34	34	39	26	38	32	31	42
	Class 1—Infectious and Parasitic diseases.....	T.	128	41	20	23	4	1	....	2	17	8	3	....	9	....	114	10	2	2	....	12	11	6	13	14	10	13	11	14	11	4	9
		M.	65	21	9	11	3	1	....	....	9	5	2	....	4	....	56	5	2	2	....	9	7	2	8	6	4	7	3	6	6	2	5
		F.	63	20	11	12	1	....	....	2	8	3	1	....	5	....	58	5	....	.....	....	3	4	4	5	8	6	6	8	8	5	2	4
1	Typhoid fever.....	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
		F.	1	.....	....	....	....	....	....	1	....	.....	.....	....	.....	....	1	.....	....	.....	....	.....	....	.....	....	....	....	1	....	....	....	....	....
2	Paratyphoid fever.....	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
4	Relapsing fever.....	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	...	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
5	Undulant fever.....	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	....	....	....	....	....	....	....	....	....

6	Small-pox	M.																															
		F.																															
7	Measles	M.																															
		F.	2	2													2					1		1									
8	Scarlet fever	M.	1	1													1					1											
		F.																															
9	Whooping-cough	M.	4	4													4											1		1	1		1
		F.	9	9													9										1	1	2	2	3		
10	Diphtheria	M.	4	4													4					1	2		1								
		F.	2	1	1												2						1				1						
11	Influenza	M.	4		1		1						1		1		4								1			1			1		1
		F.	4		1							1	1		1		4								1	2							1
	(a) Sole cause	M.	1										1				1								1								
		F.																															
	(b) With bronchitis	M.	1												1		1											1					
		F.																															
	(c) With pneumonia	M.	2		1		1										2														1		1
		F.	2		1								1				2									2							
	(d) With other diseases of the respiratory system	M.																															
		F.																															
	(e) With intestinal complications	M.																															
		F.	1									1					1																1
	(f) With other causes	M.																															
		F.	1												1		1								1								
13	Dysentery	M.																															
		F.																															
15	Erysipelas	M.	2	1									1				2					1			1								
		F.	1		1												1							1									
16	Poliomyelitis and polioencephalitis (acute)	M.																															
		F.																															

TABLE XXXVII—Continued

Int. List. No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
				Single						Married						Widowed	Not stated	Canada	British	Foreign		Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated						United States	Other													
17	Lethargic or epidemic encephalitis	M.																														
		F.																														
18	Epidemic cerebrospinal meningitis	M.	1			1														1								1				
		F.	1	1														1							1							
19	Glanders	M.																														
		F.																														
20	Anthrax, malignant pustule	M.																														
		F.																														
21	Rabies	M.																														
		F.																														
22	Tetanus	M.																														
		F.																														
23–32	Tuberculosis	M.	39	6	8	9	2	1			7	3			3		32	5		2		4	5	2	3	5	3	4	3	3	3	2	2
		F.	39	6	8	12	1			1	7	2			2		34	5				2	2	2	3	5	4	4	5	5	2	2	3
23	Tuberculosis of the respiratory system	M.	28	2	5	8	2	1			5	2			2		23	4		1		3	4	2	1	4	2	4	1	2	3	1	1
		F.	30	1	5	12	1			1	6	2			2		25	5				2	2		1	3	4	4	5	5	1		3

No.	Cause	Sex																													
24	Tuberculosis of the meninges and central nervous system	M.	2		1										1		2										1		1				
		F.	4	2	2												4							2		2							
25	Tuberculosis of the intestines and peritoneum	M.	2		2												2					1				1							
		F.																															
26	Tuberculosis of the vertebral column	M.																															
		F.																															
27	Tuberculosis of the bones and joints (vertebral column excepted)	M.																															
		F.																															
	(a) Of bones	M.																															
		F.																															
	(b) Of joints	M.																															
		F.																															
28	Tuberculosis of the skin and sub-cutaneous cellular tissue	M.																															
		F.																															
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	M.																															
		F.																															
30	Tuberculosis of the genito-urinary system	M.	2			1					1						1			1					1					1			
		F																															
31	Tuberculosis of other organs	M.																															
		F.																															
32	Disseminated Tuberculosis	M.	5	4							1						4	1					1		1				1			1	1
		F.	5	3	1						1						5								2						1	2	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Others													
	(a) Acute	M.	3	3	....	....	....	....	....	....	....	....	....	....	....	....	3	....	....	....	....	....	....	....	1	....	....	....	....	....	1	1
		F.	5	3	1	....	....	....	....	....	1	....	....	....	....	....	5	....	....	....	....	....	....	....	2	....	....	....	....	1	2	....
	(b) Chronic	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	(c) Not specified	M.	2	1	....	....	....	....	....	....	1	....	....	....	....	....	1	1	....	....	....	....	1	....	....	....	....	....	1	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
33	Leprosy	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
34	Syphilis	M.	7	3	....	1	....	....	....	....	1	2	....	....	....	....	7	....	....	....	....	1	....	....	2	1	....	....	....	2	1	....
		F.	4	1	....	....	....	....	....	....	1	....	....	....	2	....	4	....	....	....	....	....	1	....	....	1	....	....	1	1	....	....
35	Gonococcus infection and other venereal diseases	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
36	Purulent infection septicaemia (non puerperal)	M.	3	2	....	....	....	....	....	....	1	....	....	....	....	....	2	....	1	....	....	1	....	....	....	1	....	....	....	....	....	1
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
38	Malaria	M.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
		F.	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....

39	Other diseases due	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	to protozoal parasites	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
40	Ankylostomiasis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
41	Hydatid cysts..........	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) Of the liver........	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) Of other organs	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
42	Other diseases caused	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	by helminths.............	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
43	Mycoses....................	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
44	Other infectious or	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	parasitic diseases....	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(a) Chicken Pox....	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(b) German mealses	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	(c) Others under this	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	title............................	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	CLASS II—Cancer	T.	127	3	1	6	7	6	1	...	8	36	24	...	35	...	102	21	2	2	...	10	11	15	9	9	9	7	8	7	10	15	17
	and other tumors......	M.	72	2	...	3	6	2	1	...	4	21	17	...	16	...	55	14	1	2	...	5	7	9	3	6	7	1	5	4	6	10	9
		F.	55	1	1	3	1	4	...	...	4	15	7	...	19	...	47	7	1	...	...	5	4	6	6	3	2	6	3	3	4	5	8
45-	Cancer and other	M.	70	1	...	3	6	2	1	...	4	20	17	...	16	...	53	14	1	2	...	5	6	9	3	6	7	1	5	3	6	10	9
53	malignant tumors....	F.	49	1	1	3	1	3	...	...	3	14	6	...	17	...	42	6	1	...	...	5	3	5	5	3	2	6	2	3	4	4	7
45	Cancer of the buccal	M.	6	...	...	...	1	1	...	...	1	1	1	...	1	...	4	1	...	1	...	2	...	...	...	...	1	...	1	...	1	1	...
	cavity and pharynx..	F.	3	...	...	...	...	...	...	...	...	...	1	...	2	...	2	1	...	...	...	...	...	...	...	1	...	2	...	...	...	...	...

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Others													
46	Cancer of the digestive tract and peritoneum,	M.	43	1	....	3	2	.. .	1	....	2	11	13	....	10	....	31	11	...	1	....	2	5	6	2	4	3	1	3	1	2	6	8
		F.	20	.....	....	....	....	2	....	....	....	6	2	....	10	....	18	2	....	.....	....	2	1	1	2	2	....	3	2	2	1	1	3
	(a) Of the oesophagus	M.	1	.....	....	....	....	....	....	....	....	.....	.....	....	1	....	.....	1	....	.....	....	.....	....	....	.....	.. .	1	....	....	....	....	....	....
		F.	.....	.....	....	....	....	...	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	.....	....	....	....	....	....	....	....
	(b) Of the stomach	M.	10	.....	....	....	1	....	....	....	....	4	2	....	3	....	8	2	....	.....	....	2	1	1	1	3	....	....	....	....	1	....	1
	and duodenum	F.	4	.....	....	....	....	....	....	....	....	2	1	...	1	....	4	.. ..	....	.....	..	1	....	....	.....	1	....	....	1	1	....	....	....
	(c) Of the rectum	M.	9	.....	....	.. .	....	....	....	....	....	2	5	....	2	....	6	3	....	.....	....	.....	....	1	1	....	....	1	1	....	1	1	3
		F.	3	.....	....	....	....	....	....	....	....	1	.....	....	2	....	3	....	....	.....	....	1	....	....	.....	1	....	1	....	....	.. .	....	....
	(d) Of the liver and biliary ducts.....	M.	2	.....	....	....	....	....	....	....	....	.....	1	....	1	....	1	1	....	.....	....	.....	....	....	.....	1	....	....	....	....	....	....	1
		F.	3	.....	....	....	....	....	....	....	....	.....	.....	....	3	....	2	1	....	.....	....	.....	1	..	.....	...	....	....	....	....	1	....	1
	(e) Of the pancreas....	M.	4	.....	....	....	....	....	....	1	.....	2	....	....	1	....	4	.....	....	.....	....	.....	1	1	.....	.....	....	....	....	2	....	....	....
		F.	2	.....	....	....	....	....	....	....	....	1	.....	....	1	....	2	.....	....	.....	....	.....	.. .	....	.....	.....	....	....	1	....	....	....	....	1
	(f) Of the peritoneum	M	2	1	....	1	....	....	....	....	....	.....	.....	....	.....	....	2	.....	....	.....	....	.....	...	....	.....	.....	....	....	....	....	.. .	....	2	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	....	.....	.....	....	....	....	....	....	....	....	....
	(g) Of other organs.....	M.	15	.....	....	2	1	....	1	....	1	5	3	....	2	....	10	4	....	1	....	.....	3	3	.....	....	2	....	....	1	....	3	3
		F.	8	.....	....	....	....	2	....	....	....	2	1	....	3	....	7	1	....	.....	....	.....	...	1	2	....	....	1	1	1	....	1	1
47	Cancer of the respiratory organs	M.	6	.....	....	....	....	.. .	....	....	....	5	1	....	.....	....	4	2	....	.....	....	1	....	1	.....	....	....	....	....	1	1	1	1
		F.	1	.....	1	....	....	....	....	....	....	.....	.....	....	.....	....	1	.....	....	.....	....	.....	....	....	.....	.. .	....	....	....	....	....	1	....

(a) Of the larynx........M.																															
F.																															
(b) Of the lung.......... M.	6									5	1				4	2				1		1						1	1	1	1
F.	1		1												1															1	
(c) Of the mediastinum M.																															
F.																															
(d) Of other organs of the respiratory system M.																															
F.																															
48 Cancer of the uterus F.	14			2	1	1			2	5	1		2		13	1				2	1	1	2		1				1	2	4
(a) Of the uterus.......... F.	8			2		1			1	1	1		2		8					2	1				1				1	2	1
(b) Of the cervix uteri....F.	6				1				1	4					5	1						1	2								3
49 Cancer of other female genital organs................F.	1			1											1											1					
50 Cancer of the breast ....M.																															
F.	4									2	1		1		3		1			1		1						1	1		
51 Cancer of the male genito-urinary organs.. M.	8				1				1	2	2		2		7		1				1	2	1	2	1				1		
(a) Of the bladder...... M	4									1	1		2		3		1					1	1	2							
(b) Of the kidney.........M.	1									1					1							1									
(c) Of the prostate gland..............................M.	1										1				1														1		
(d) Of the testicles and annexa..............................M.	1								1						1						1										
(e) Of other male genito-urinary organs ..M.	1				1										1										1						
52 Cancer of the skin ....M.	1				1										1												1				
F.	1								1						1														1		
53 Cancer of other or unspecified organs M.	6				1	1				1			3		6										2			1	1	2	
F.	5	1								1	1		2		3	2					1	2	1		1						
(a) Of the eye and orbit M.																															
F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION													NATIVITY					MONTHS											
				Single						Married						Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated						United States	Other													
	(b) Of the circulatory system	M.																														
		F.																														
	(c) Of the glandular system	M.	1				1											1													1		
		F.																														
	(d) Of female urinary organs	F.	2									1	1					2							1			1					
	(e) Of the bones and joints	M.	1					1										1												1			
		F	2	1												1		2							1	1							
	(f) Of the brain	M.																														
		F.																														
	(g) Of the spine and spinal cord	M.	1									1						1														1	
		F.																														
	(h) Of the neck	M.	1													1		1										1					
		F.																														
	(i) Of the abdomen	M.																														
		F.	1													1		1						1									
	(j) Of other specified organs	M.	1													1		1										1					
		F.																														

	(k) Multiple cancer M.	1												1		1															1	
	F.																															
	(m) Of unspecified M.																															
	or unknown location F.																															
54	Non-malignant M.	1									1					1													1			
	tumors F.	4					1			1	1	1				3	1							1				1			1	1
	(a) Of the ovary F.	2								1		1				1	1											1				1
	(b) Of the uterus F.	1									1					1															1	
	(c) Of other female genital organs F.																															
	(d) Of the brain M.																															
	F.	1					1									1								1								
	(e) Of the thyroid M.																															
	gland F.																															
	(f) Of the prostate gland M.	1									1					1													1			
	(g) Of other or un- M.																															
	specified sites F.																															
55	Tumours, nature not M.	1	1													1						1										
	specified F.	2												2		2						1	1									
	(a) Of the ovary F.																															
	(b) Of the uterus F.																															
	(c) Of other female genital organs F.																															
	(d) Of the brain M.	1	1													1						1										
	F.	1												1		1						1										
	(e) Of the thyroid M.																															
	gland F.																															
	(f) Of the prostate gland M.																															
	(g) Of other or un- M.																															
	specified sites F.	1												1		1							1									

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	Class III—Rheumatic diseases, diseases of nutrition and of the endocrine glands and other general diseases	T.	19	3	1	1	1	1	....	....	1	5	3	....	3	....	14	4	....	1	....	2	....	5	.....	2	1	2	....	2	....	2	3
		M.	8	2	....	....	1	....	....	....	1	1	1	....	2	....	7	.....	....	1	..	.....	....	1	.....	1	1	1	....	2	...	1	1
		F.	11	1	1	1	....	1	....	....	....	4	2	....	1	....	7	4	....	.....	....	2	....	4	.....	1	....	1	....	.....	....	1	2
56	Acute rheumatic fever	M.	1	.....	....	....	....	....	....	....	....	.....	1	....	.....	....	1	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	1
		F.	4	1	1	....	....	....	....	....	....	1	1	....	.....	....	3	1	....	.....	....	1	..	2	.....	....	....	....	....	.....	....	1	....
57	Chronic rheumatism, Osteo-arthritis	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
		F.	1	.....	....	....	....	....	....	....	....	1	.....	....	.....	....	.....	1	....	.....	....	.....	....	.....	.....	1	....	....	....	.....	....	....	....
58	Gout	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
59	Diabetes mellitus	M.	5	1	....	....	1	....	....	....	....	1	.....	....	2	....	5	.....	....	.....	....	.....	....	1	.....	1	....	1	....	1	....	1	....
		F.	4	.....	....	....	....	1	....	....	....	2	.....	....	1	....	3	1	....	.....	....	.....	....	1	.....	....	....	1	....	.....	....	....	2
60	Scurvy	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
61	Beriberi	M.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....
		F.	.....	.....	....	....	....	....	....	....	....	.....	.....	....	.....	....	.....	.....	....	.....	....	.....	....	.....	.....	....	....	....	....	.....	....	....	....

62	Pellagra	M.																															
		F.																															
63	Rickets	M.																															
		F.																															
64	Osteomalacia	M.																															
		F.																															
65	Diseases of the pituitary gland	M.																															
		F.																															
66	Diseases of the thyroid and parathyroid glands	M.																															
		F.	2			1							1				1	1				1		1									
	(a) Simple goitre	M.																															
		F.																															
	(b) Exophthalmic goitre	M.																															
		F.	1			1											1					1											
	(c) Myxoedema, cretinism	M.																															
		F.	1										1					1						1									
	(d) Tetany	M.																															
		F.																															
	(e) Others under this title	M.																															
		F.																															
67	Diseases of the thymus gland	M.																															
		F.																															
68	Diseases of the adrenals (Addison's disease)	M.	1								1									1										1			
		F.																															
69	Other general diseases	M.	1	1													1										1						
		F.																															
	(a) Fatty or amyloid degeneration	M.																															
		F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not stated	Canada	British	Foreign		Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(b) Steatosis	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under	M.	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class IV—Diseases of	T.	12	2	1	2	1	.....	.....	.....	.....	1	3	.....	2	.....	11	.....	.....	1	.....	.....	.....	.....	1	.....	1	3	2	2	1	2
	the blood and blood-	M.	7	1	1	2	1	.....	.....	.....	.....	.....	1	.....	1	.....	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	1	1	1
	forming organs	F.	5	1	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	1
70	Haemorrhagic con-	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	ditions	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Simple purpura	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Haemophilia	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Anaemia	M.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
	(a) Pernicious	M.	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	anaemia	F.	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
	(b) Others under	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

72 Leukaemia, and M.	3		1	1									1		3												1	1			1
aleukaemia F.	3										2		1		2			1								1	1				1
(a) Leukaemia M.	3		1	1									1		3												1	1			1
F.	1										1							1													1
(b) Aleukaemia M.																															
(Hodgkin's disease) F.	2										1		1		2											1	1				
73 Diseases of the spleen M.	2	1		1											2												1			1	
F.																															
74 Other diseases of the blood and blood M.																															
forming organs F																															
Class V—Chronic Total	3				1				2						3					1			1								1
poisonings and in- M.	3				1				2						3					1			1								1
toxications F.																															
75 Alcoholism M.	3				1				2						3					1			1								1
F.																															
(a) Delirium tremens M.	1				1										1																1
F.																															
(b) Other alcoholic M.	2								2						2					1			1								
intoxications F.																															
76 Chronic poisoning by M.																															
other organic substances F.																															
(a) Chronic mor- M.																															
phinism F.																															
(b) Chronic cocainism M.																															
F.																															
(c) Occupational M.																															
F.																															
(d) Other organic M.																															
poisoning F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																						
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not Stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
																			United States	Other												
77	Chronic poisoning by mineral substances..	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(a) Lead (including occupational).....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(b) Occupational, except lead.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	(c) Others under this title.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class VI—Diseases of the nervous system and of the organs of special sense.....	Total	43	7	2	2	4	1	....	....	1	8	4	....	14	....	37	5	1	.....	....	3	7	3	5	5	2	4	1	3	3	2	5
		M.	23	5	1	1	2	1	....	.....	.....	4	3	....	6	....	19	4	....	.....	....	2	2	....	3	4	1	3	....	1	1	1	5
		F.	20	2	1	1	2	....	....	.....	1	4	1	....	8	....	18	1	1	.....	....	1	5	3	2	1	1	1	1	2	2	1	....
78	Encephalitis (non epidemic).....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	1	.....	....	1	....	....	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
79	Simple meningitis.....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
80	Progressive locomotor ataxia (tabes dorsalis)....	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

81	Other diseases of the	M.	2			1									1		2								1	1							
	spinal cord	F.																															
82	Cerebral haemorrhage,	M.	11	1			1	1				2	2		4		9	2				1	2		1	1		1		1	1	1	2
	cerebral Embolism and																																
	thrombosis	F.	10				1				1	2	1		5		9	1					4	3	1						1	1	
	(a) Cerebral haem-	M.	9				1	1				1	2		4		8	1				1	2		1	1		1				1	2
	orrhage	F.	8								1	2	1		4		7	1					4	2	1						1		
	(b) Cerebral embol-	M.	2	1								1					1	1												1	1		
	ism and thrombosis	F.	2				1								1		2							1								1	
	(c) Softening of the	M.																															
	brain	F.																															
	(d) Hemiplegia and																																
	other paralysis, cause	M.																															
	not specified	F.																															
83	General paralysis of	M.	1									1						1															1
	the insane	F.																															
84	Dementia praecox	M.																															
	and other psychoses	F.	3		1		1								1		3								1					2			
	(a) Dementia praecox	M.																															
		F.	3		1		1								1		3								1					2			
	(b) Other psychoses	M.																															
		F.																															
85	Epilepsy	M.	2		1							1					2								1			1					
		F.	1	1													1									1							
86	Convulsions (under 5	M.	1	1													1											1					
	years of age)	F.	1	1													1										1						
87	Other diseases of the	M.	3	1			1						1				2	1								1	1						1
	nervous system	F.	3									1			2		3					1							1		1		
	(a) Chorea	M.																															
		F.																															
	(b) Neuralgia and	M.																															
	Neuritis	F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married									Foreign														
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(c) Paralysis agitans....	M.	1				1											1							1							1
		F.																														
	(d) Sclerosis (other	M.																														
	than of the spinal cord)	F.	3									1			2		3					1						1		1		
	(e) Others under this..	M.	2	1									1				2									1						1
	title.....	F.																														
88	Diseases of the organs	M.																														
	of vision.....	F.																														
89	Diseases of the ear and	M.	3	2											1		3					1			1							1
	mastoid process.....	F.	1									1					1						1									
	(a) Otitis.....	M.	2	2													2					1										1
		F.																														
	(b) Diseases of the	M.	1												1		1								1							
	Mastoid process.....	F.	1									1					1						1									
	(c) Others under this	M.																														
	title.....	F.																														

	Class VII—Diseases	Tot'l	201	3	1	3	9	22	...	...	7	40	44	...	72	..	152	32	5	9	3	19	18	19	28	20	13	14	9	15	18	13	15
	of the circulatory	M.	90		1	1	6	5			4	24	27	...	22	...	65	17	1	5	2	11	12	11	13	9	5	5	5	5	6	5	3
	system	F.	111	3		2	3	17			3	16	17	...	50	...	87	15	4	4	1	8	6	8	15	11	8	9	4	10	12	8	12
90-95	Diseases of the heart	M.	51	...		1	3	1	...		2	21	11	...	12	...	34	13	..	4	.	4	9	6	8	5	2	4	3	3	1	4	2
		F.	42	2	..	2	1	4	...	...	2	8	5	...	18	...	34	4	1	3	...	2	2	5	9	5	2	3	..	3	7	3	1
90	Pericarditis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
91	Acute endocarditis	M.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1			...	...	...
		F.	2	1	...	...	...	...	...	...	1	...	...	...	...	...	2	...		...	...	1	...	...	1	...	.	...	...	...	.	...	...
	(a) Endocarditis	M.	1	...	...	...	...	...	...	...	...	...	...	...	1	...	1	...	...	...	...	...	...	...	...	...	...	1	...	...	...	...	...
	specified as acute	F.	1	...	...	...	...	...		...	1	...	...	...	...	...	1	...	.	...	...	1	...	...	...				...	...		...	...
	(b) Endocarditis unspecified (under 45	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		...	..	.	..	...	...	...	...	..	.
	years of age)	F.	1	1	...	...	...				...	...	...		...		1	...	...	...		...	.		1	...	...	...		.	...	...	...
92	Chronic endocarditis,	M.	12				1	.			1	6	1		3		8	3		1		2	2	1	2	2	1		...	1		1	
	valvular diseases	F.	12	...	...	2	...	1	...	...	1	2	2	...	4	...	9	2	...	1	..	1	1	1	1	1	1	2	...	...	2	1	1
	(a) Endocarditis specified as chronic and other	M.	10	..			1				1	6	1		1		7	3		..		2	2	1	2	1		...		1		1	
	valvular diseases	F.	11	...	...	2	...	1	...	...	1	2	2	...	3	..	8	2	...	1	...	1	1	1	1	1	1	2	...	...	1	1	1
	(b) Endocarditis, unspecified, (45 years and	M.	2	...	...	...	...	...	...	...	...	...	...	...	2	...	1	...	...	1	...	...	...	...	...	1	1	...	...	.	...		
	over)	F.	1												1		1														1		
93	Diseases of the myo-	M.	11				1					3	5		2		10	1		..		.	1	1	2	1	1	2		1		1	1
	cardium	F.	12	...	...	...	...	1	...	...	...	2	1	...	8	...	10	...	1	1	...	...	...	2	4	2	1	...	...	1	2		
	(a) Acute myocarditis	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
		F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...								
	(b) Myocarditis, unspecified, (under 45	M.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	years of age)	F.	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single						Married								Foreign													
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
	(c) Chronic myocarditis and myocardial degeneration	M.	7									2	4		1		6	1						1	1	1		2		1			1
		F.	10					1				2	1		6		8		1	1				2	4	2				1	1		
	(d) myocarditis, unspecified, (45 years and over)	M.	4				1					1	1		1		4						1		1		1				1	
		F.	2												2		2										1			1		
94	Diseases of the coronary arteries and angina pectoris	M.	20			1	1	1			1	8	4		4		11	6		3		2	4	2	4	2		1	2			2	1
		F.	9				1	2				2	2		2		9							2	3					3	1	
	(a) Diseases of the coronary arteries	M.	2			1							1				1			1					1			1				
		F.																														
	(b) Embolism and thrombosis of the coronary arteries	M.	12				1					6	2		3		9	2		1		2	1	2	1	2			2			2	
		F.	7					1				2	2		2		7							2	2					2	1	
	(c) Angina pectoris	M.	6					1			1	2	1		1		1	4		1			3		2								1
		F.	2				1	1									2								1					1		
95	Other diseases of the heart	M	7									4	1		2		4	3					2					1	1	1		
		F.	7	1								2			4		4	2		1			1		2		1		2		1	

(a) Functional diseases of the heart M.																															
F.																															
(b) Other and unspecified M.	7									4	1		2		4	3					2	2					1	1	1		
F	7	1								2			4		4	2		1			1			2		1		2		1	
96 Aneurysm (except of the heart) M.																															
F.																															
97 Arteriosclerosis (of coronary arteries excepted) M.	34				3	4				2	15		10		26	4	1	1	2	6	1	4	5	4	2	1	2	2	5	1	1
F.	57				2	12			1	4	11		27		42	10	3	1	1	3	4	3	4	6	6	5	3	5	4	3	11
98 Gangrene M.	1		1												1							1									
F.	2	1											1		2												1			1	
99 Other diseases of the arteries M.	1								1						1					1											
F.																															
100 Diseases of the veins (varices, haemorrhoids, phlebitis, etc.) M																															
F.																															
101 Diseases of the lymphatic system (lymphangitis, etc.) M.																															
F.																															
102 Idiopathic abnormalities of blood pressure M.	3								1	1	1				3						2				1						
F.	10					1				4	1		4		9	1				3			2			1		2	1	1	
103 Other diseases of the circulatory system M.																															
F.																															
Class VIII—Diseases of Respiratory System Total	72	25	4	2	1	4		2	2	11	7		14		65	6	1			5	6	9	8	10	4	2	4	3	4	7	10
M.	34	13	1	2		3				8	3		4		32	2				3	3	3	2	6	2	1	1	1	3	6	3
F.	38	12	3		1	1		2	2	3	4		10		33	4	1			2	3	6	6	4	2	1	3	2	1	1	7
104 Diseases of the nasal fossae and annexa M.																															
F.																															
105 Diseases of the larynx M.																															
F.																															
(a) Croup M.																															
F.																															
(b) Other diseases of the larynx M.																															
F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married								Foreign															
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	United States	Other	Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
106	Bronchitis	M.																													
		F.	1												1		1							1								
	(a) Acute	M.																													
		F	1												1		1							1								
	(b) Chronic	M.																													
		F.																													
	(c) Unspecified	M.																													
		F.																													
107	Bronchopneumonia	M.	15	8				2				2	2		1		15					1	1	1	2	1	1		1		2	2	3
		F.	19	10	1		1					2	2		3		17	1	1			1	2	4	1	3	1	1	2	2			2
	(a) Bronchopneumonia	M.	15	8				2				2	2		1		15					1	1	1	2	1	1		1		2	2	3
		F.	18	10	1		1					2	1		3		16	1	1			1	2	4	1	2	1	1	2	2			2
	(b) Capillary bronchitis	M.																														
		F.	1										1				1								1							
108	Lobar pneumonia	M.	9	3	1							2			3		8	1				2	2	1		1		1				2	
		F.	12	2	1					1	2	1	1		4		10	2				1	1	2	2		1				1	1	3

109	Pneumonia, unspecified	M.	4			1						2	1				4									2					1	1	
		F.	4					1		1			1		1		4								2	1							1
110	Pleurisy	M.	1			1											1										1						
		F.																															
111	Congestion and haemorrhagic infarct of the lung, etc.	M.	1					1									1									1							
		F.	1												1			1															1
	(a) Pulmonary embolism and thrombosis	M.																															
		F.																															
	(b) Others under this title	M.	1					1									1									1							
		F.	1												1			1															1
112	Asthma	M.	2	1								1					2									1						1	
		F.																															
113	Pulmonary emphysema	M.																															
		F.																															
114	Other diseases of the respiratory system (tuberculosis excepted)	M.	2	1								1					1	1						1						1			
		F.	1		1												1												1				
	(a) Chronic interstitial pneumonia including occupational diseases of the respiratory system	M.																															
		F.																															
	(b) Gangrene of the lung	M.																															
		F.																															
	(c) Others under this title	M.	2	1								1					1	1						1						1			
		F.	1		1												1												1				
	Class IX—Diseases of the digestive system	Total	59	14	1	3	4	3			10	6	7		11		51	7	1			3	5	7	5	5	6	9	3	8	3	5	
		M.	34	7	1	3	2	1			6	5	6		3		28	5	1				3	5	4	3	4	6	1	4	1	3	
		F.	25	7			2	2			4	1	1		8		23	2				3	2	2	1	2	2	3	2	4	2	2	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION											NATIVITY					MONTHS											
				Single					Married					Widowed	Not Stated	Canada	British	Foreign		Not Stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other												
115	Diseases of the buccal cavity and annexa, and of the pharynx and tonsils (including adenoid vegetations)	M.	4	2				1			1					4								1	1	1	1				
		F.	2	1											1	2								1				1			
	(a) Diseases of the buccal cavity and annexa	M.																													
		F.																													
	(b) Diseases of the tonsils	M.	2	1							1					2								1			1				
		F.																													
	(c) Others under this title	M.	2	1				1								2									1	1					
		F.	2	1										1		2								1				1			
116	Diseases of the oesophagus	M.																													
		F.																													
117	Ulcer of the stomach or duodenum	M.	10			1	2			4	1	1		1		8	2					1					3	1	2	1	2	
		F.	1				1									1						1									
	(a) Ulcer of the stomach	M.	5				1			2		1		1		4	1					1					2	1		1		
		F.	1				1									1						1									

	(b) Ulcer of the duo-	M.	5			1	1				2	1					4	1										1		2		2	
	denum	F.																															
118	Other diseases of the	M.	1	1													1													1			
	stomach	F.	1	1													1					1											
119	Diarrhoea and enteritis	M.	2	2													2							1			1						
	(under 2 years of age)	F.	4	4													4										2	2					
120	Diarrhoea and enteritis	M.	2									2					1	1					1							1			
	(2 years and over)	F.	4	1			1				1				1		4							1				1	1		1		
	(a) Diarrhoea and	M.																															
	enteritis	F.	2	1											1		2												1		1		
	(b) Ulceration of the	M.	2									2					1	1					1							1			
	intestines	F.	2				1				1						2							1				1					
121	Appendicitis	M.	6	1	1	2							1		1		6								1	2	1	2					
		F.	1								1						1													1			
122	Hernia, intestinal	M.	3	1									2				2	1						3									
	obstruction	F.	7					2					1		4		6	1				2	1			1				2		1	
	(a) Hernia	M.	2										2				1	1						2									
		F.	4					1							3		4					1	1							2			
	(b) Intestinal ob-	M.	1	1													1							1									
	struction	F.	3					1					1		1		2	1				1				1						1	
123	Other diseases of the	M.	2									1			1		1	1						1			1						
	intestines	F.																															
124	Cirrhosis of the liver	M.	3								1	1	1				2	1							2							1	
		F.	3								1	1			1		3									1					1	1	
	(a) Specified as	M.																															
	alcoholic	F.																															
	(b) Not specified as	M.	3								1	1	1				2	1							2							1	
	alcoholic	F.	3								1	1			1		3									1					1	1	
125	Other diseases of the	M.																															
	liver	F.	1								1						1													1			

TABLE XXXVII— Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married					Widowed	Not Stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(a) Yellow atrophy of	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	the liver	F.	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	(b) Others under	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	this title	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Biliary calculi	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
127	Other diseases of the gall-bladder and	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	biliary passages	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Diseases of the pan-	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	creas	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Peritonitis, cause not	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	specified	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Class X—Diseases of	T.	69	1	1	4	2	7	..	....	4	15	15	....	20	....	56	10	1	1	1	4	8	4	9	6	6	4	6	7	6	4	5
	the Genito-Urinary	M.	50	.....	1	1	2	5	....	..	3	12	14	....	12	....	42	8	....	.....	....	4	4	3	6	5	2	4	5	5	6	3	3
	System	F.	19	1	....	3	....	2	....	....	1	3	1	....	8	....	14	2	1	1	1	.....	4	1	3	1	4	....	1	2	....	1	2
130	Acute nephritis (including unspecified, under	M.	1	.....	....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
	10 years of age)	F.	1	1	....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

131	Chronic nephritis	M.	19			1	1	2			2	4	5		4		14	5					2	1	2	3	1	2	1	1	3	2	1
		F.	13			2		2				1			8		10	1	1		1		4	1	2	1	2			1		1	1
132	Nephritis, unspecified (10 years and over)	M.	5				1					3	1				5								2	1			1	1			
		F.	1										1					1									1						
133	Other diseases of the kidneys and ureters	M.	2		1							1					2												1				1
		F.	1									1					1																1
134	Calculi of the urinary passages	M.	3									2			1		3					1						2					
		F.	1									1					1													1			
135	Diseases of the bladder (tumours excepted)	M.	1												1		1														1		
		F.																															
136	Diseases of the urethra, urinary abscess, etc.	M.	1								1							1									1						
		F.																															
	(a) Stricture of the urethra	M.	1								1							1									1						
		F.																															
	(b) Others under this title	M.																															
		F.																															
137	Diseases of the prostate	M.	18					3				1	8		6		16	2				3	2	2	2	1			2	3	1	1	1
138	Diseases of the male genital organs (not specified as venereal)	M.																															
139	Diseases of the female genital organs (not specified as venereal)	F.	2			1					1						1			1					1				1				
	(a) Of the ovary, Fallopian tube and parametrium	F.	2			1					1						1			1					1				1				
	(b) Of the uterus	F.																															
	(c) Of the breast	F.																															
	(d) Others under this title	F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH	Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
			Single						Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
			Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	Class XI— Diseases of pregnancy, childbirth and the puerperal state ..Total	11			1				4	6						11						2	1	2		2	2		1	1		
140	Abortion with septic conditions..... F.																														
	(a) Abortion..... F.																														
	(b) Self-induced abortion.....F.																														
141	Abortion without mention of septic conditions (haemorrhage included) .....F.	1								1						1														1	
	(a) Abortion..... F.	1								1						1														1	
	(b) Self-induced abortion.....F.																														
142	Ectopic gestation..... F.																														
	(a) With septic conditions..... F.																														
	(b) Without mention of septic conditions .....F.																														

143 Other accidents of pregnancy (haemorrhage excluded) F.																															
144 Puerperal haemorrhage F.																															
(a) Placenta praevia F.																															
(b) Other haemorrhage F.																															
145 Puerperal septicaemia (not specified as due to abortion) F.	2							2							2						1	1									
(a) Puerperal septicaemia and pyaemia F.	2							2							2						1	1									
(b) Puerperal tetanus F.																															
146 Puerperal albuminuria and eclampsia F.	3							2	1						3						1					2					
147 Other toxaemias of pregnancy F.	2								2						2								1		1						
148 Puerperal phlegmasia alba dolens, embolism or sudden death (not specified as septic) F.	2			1					1						2								1		1						
(a) Phlegmasia alba dolens and thrombosis F.																															
(b) Embolism F.	2			1					1						2								1		1						
(c) Sudden death F.																															
149 Other accidents of childbirth F.	1								1						1													1			
(a) Caesarean operation F.	1								1						1													1			
(b) Dystocia F.																															
(c) Other surgical operations and instrumental delivery F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(d) Rupture of uterus in parturition	F.																													
	(e) Others under this title	F.																													
150	Other or unspecified condition of the puerperal state	F.																													
	(a) Puerperal diseases of the breast	F.																													
	(b) Others under this title	F.																													
	Class—XII Diseases of the skin and cellular tissue	Total	3							1	1	1				1	2						1	1					1		
		M.	2							1		1				1	1						1	1							
		F.	1									1					1												1		
151	Carbuncle	M.																													
		F.																													
152	Cellulitis, acute abscess	M.	2							1		1				1	1						1	1							
		F.	1									1					1												1		

153 Other diseases of the																															
skin and annexa and M.																															
of the cellular tissue. F.																															
Class XIII—Dis- Total	3									2	1				2	1								1		1					1
eases of the bones and M.	3									2	1				2	1								1		1					1
organs of locomotion F.																															
154 Osteomyelitis .... M.																															
F.																															
155 Other diseases of the																															
bones (tuberculosis.... M.																															
excepted).................. F.																															
156 Diseases of the joints																															
and other organs of M.	3									2	1				2	1								1		1					1
locomotion................ F.																															
(a) Of the joints (tuber-																															
culosis and rheumat- M.	3									2	1				2	1								1		1					1
ism excepted)...... .... F.																															
(b) Of other organs of M.																															
locomotion................ F.																															
Class XIV—Congen- Total	17	17													17					1			4	1	3	1	2	1	1	3	
ital Malformations.... M.	10	10													10					1			3	1	2	1	1	1			
F.	7	7													7								1		1		1		1	3	
157 Congenital malform-																															
ations (stillbirths M.	10	10													10					1			3	1	2	1	1	1			
excluded)..................... F	7	7													7								1		1		1		1	3	
(a) Congenital hydro- M.	1	1													1								1								
cephalus...................... F.																															
(b) Spina bifida and M.	4	4													4								1	1	1	1					
meningocele................. F.																															
(c) Congenital mal- M.	4	4													4								1		1		1	1	1		
formations of the heart F.	2	2													2										1					1	

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Under 15 years	Single					Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
					15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
	(d) Monstrosities	M.																													
		F.																													
	(e) Others under this	M.	1	1													1					1										
	title	F.	5	5													5								1			1		1	2	
	Class XV—Diseases	Total	48	48													48					4	1		4	6	4	6	5	8	2	6	2
	of early infancy	M.	21	21													21					2	1		2	4	1	1	3	4	1	2	
		F.	27	27													27					2			2	2	3	5	2	4	1	4	2
158	Congenital debility	M.	4	4													4					1	1			1			1				
		F.	2	2													2					1						1				
159	Premature birth	M.	5	5													5					1			1			1		1	1		
		F.	19	19													19					1			2	2	3	2	1	2	1	3	2
160	Injury at birth	M.	7	7													7								1	2	1		1			2	
		F.	4	4													4											1	1	1		1	
	(a) With mention of	M.																															
	caesarean operation	F.	1	1													1															1	
	(b) Without mention	M.	7	7													7								1	2	1		1			2	
	of caesarean operation	F.	3	3													3											1	1	1			
161	Other diseases peculiar	M.	5	5													5									1			1	3			
	to early infancy (under 3 months)	F.	2	2													2											1		1			

(a) Atelectasis	M.	3	3													3												1	2			
	F.																															
(b) Icterus of the	M.																															
new-born	F.																															
(c) Sclerema and	M.																															
oedema	F.																															
(d) Athrepsia	M.																															
	F.																															
(e) Others, including	M.	2	2													2									1				1			
lack of care	F.	2	2													2											1		1			
(f) No cause given, no	M.																															
doctor in attendance	F.																															
Class XVI—Senility Tot'l		5												5		4	1				2	1					2					
	M.																															
	F.	5												5		4	1				2	1					2					
162 Senility	M.																															
	F.	5												5		4	1				2	1					2					
(a) With senile dement-	M.																															
ia (70 years and over)	F.	1												1		1											1					
(b) Without senile dementia (70 years	M.																															
and over)	F.	4												4		3	1				2	1					1					
(c) Premature senility (55 years but under	M.																															
70 years)	F.																															
Class XVII Violent	Total	46	5	4	5	2	3		1	6	2	7		11		40	3		1	2	4	1	3	5	4	4	5	1	2	7	5	5
or accidental deaths	M.	28	3	4	4	2	1		1	6	2	3		2		25	1			2	2	1	2	4	3	2	3	1	2	5	2	1
	F.	18	2		1		2					4		9		15	2		1		2		1	1	1	2	2			2	3	4

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
					Single					Married																						
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	Widowed	Not stated	Canada	British	Foreign: United States	Foreign: Other	Not stated	January	February	March	April	May	June	July	August	September	October	November	December
163–171	Suicides	M.	3			2							1				2				1									3		
		F.																														
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	M.																														
		F.																														
164	Suicide by poisonous gas	M.																														
		F.																														
165	Suicide by hanging or strangulation	M.	1			1											1													1		
		F.																														
166	Suicide by drowning	M.	1										1				1													1		
		F.																														
167	Suicide by firearms	M.	1			1															1									1		
		F.																														
168	Suicide by cutting or piercing instruments	M.																														
		F.																														
169	Suicide by jumping from high places	M.																														
		F.																														
170	Suicide by crushing	M.																														
		F.																														

171	Suicide by other means	M.																															
		F.																															
173-175	Homicides	M.																															
		F.																															
173	Homicide by firearms	M.																															
		F.																															
174	Homicide by cutting or piercing instruments	M.																															
		F.																															
175	Homicide by other means	M.																															
		F.																															
176–198	Other violent deaths	M.	25	3	4	2	2	1		1	6	2	2		2		23	1			1	2	1	2	4	3	2	3	1	2	2	2	1
		F.	18	2		1		2					4		9		15	2		1		2		1	1	1	2	2			2	3	4
176	Attack by venomous animals	M.																															
		F.																															
177	Food poisoning	M.																															
		F.																															
178	Accidental absorption of toxic gases	M.	2								1	1					1				1	1									1		
		F.																															
179	Other acute accidental poisonings (except by gas)	M.																															
		F.																															
180	Conflagration	M.																															
		F.																															
181	Accidental burns (conflagration excepted)	M.																															
		F.																															
182	Accidental mechanical suffocation	M.																															
		F.																															

TABLE XXXVII—Continued

Int. List No.	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married					Widowed	Not stated	Canada	British	Foreign		Not stated	January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated					United States	Other													
183	Accidental drowning..	M.	2		1						1						2									2						
		F.	1												1		1									1						
184	Accidental injury by firearms	M.																														
		F.																														
185	Accidental injury by cutting or piercing instruments	M.																														
		F.																														
186	Accidental injury by fall, crushing or landslide	M.	18	3	1	1	2	1		1	4	1	2		2		17	1				1	1	2	4	2		1	1	2	1	2	1
		F.	12	2		1							3		6		10	2				2		1	1			1			2	1	4
187	Cataclysm	M.																														
		F.																														
188	Injuries by animals	M.	1		1												1										1					
		F.																														
189	Hunger or thirst	M.																														
		F.																														
190	Excessive cold	M.																														
		F.																														
191	Excessive heat	M.																														
		F.																														

192 Lightning	M.																															
	F.																															
193 Accidents due to	M.																															
electric currents	F.																															
194 Other accidents	M.	2		1	1											2									1		1					
	F.	5					2					1		2		4			1						1	1	1				2	
(a) Foreign body	M.																															
	F.																															
(b) Others under this	M.	2		1	1											2									1		1					
title	F.	5					2					1		2		4			1						1	1	1				2	
195 Violent deaths of which the nature (accident, suicide, homicide)	M.																															
is unknown	F.																															
198 Capital punishment	M.																															
	F.																															
Class XVIII–Ill-de-	Total	5	2								1	1		1		4	1					1			1	1			2			
fined causes of death	M.	4	2								1	1				3	1					1			1				2			
	F.	1												1		1										1						
199 Sudden death	M.	2									1	1				1	1					1			1							
	F.	1												1		1										1						
200 Cause of death not	M.	2	2													2													2			
specified or ill-defined	F.																															

SPECIAL CLASSES OF ACCIDENTAL DEATHS
(INCLUDED ALSO UNDER THE NUMBERS OF THE INTERNATIONAL LIST ABOVE)
HALIFAX, 1936

	CAUSES OF DEATH		Total	CONJUGAL CONDITION												NATIVITY					MONTHS											
				Single						Married						Widowed	Not stated			Foreign			January	February	March	April	May	June	July	August	September	October	November	December
				Under 15 years	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated	15 to 24 years	25 to 44 years	45 to 64 years	65 years and over	Age not stated				Canada	British	United States	Other	Not stated												
A	Accidents in mines and quarries	M.	1									1						1					1										
		F.																														
B	Accidents caused by machines	M.																														
		F.																														
C	Railway Accidents	M.	4	1			1				1				1			4							2	1						1	
		F.																														
D	Street Car Accidents	M.	1	1														1													1	
		F.																														
E	Automobile and motor-cycle accidents	M.	6	1		1					3	1						6									1			1	1	2	1	
		F.	7	2									2		3			5	2				1		1	1			1		2		1
F	Other land transportation	M.	1		1													1								1							
		F.																															
G	Water transportation	M.	2		1						1							1				1	1					1					
		F.																															
H	Air transportation	M.																														
		F.																														

TABLE XXXVIII.—MARRIAGES BY MONTHS IN THE PROVINCE OF NOVA SCOTIA 1936

COUNTIES (Including Cities and Towns)	MONTHS												
	Total	January	February	March	April	May	June	July	August	September	October	November	December
Annapolis	128	4	11	6	5	13	13	6	18	16	15	18	3
Antigonish	68	2	1	....	2	5	6	6	5	12	20	8	1
Cape Breton	801	46	72	29	26	46	92	48	79	110	85	125	43
Colchester	222	20	11	19	17	18	20	21	19	24	20	18	15
Cumberland	311	17	16	13	18	15	41	22	37	37	32	29	34
Digby	140	3	7	6	9	7	14	14	21	17	11	23	8
Guysboro	101	6	6	2	4	3	11	11	12	13	15	13	5
Halifax	892	56	73	49	64	58	109	72	86	93	100	78	54
Hants	162	12	3	8	7	10	13	17	21	20	24	16	11
nverness	88	3	7	....	8	5	4	6	4	11	15	16	9
Kings	223	11	15	9	12	15	29	24	23	27	23	18	17
Lunenburg	271	13	8	17	16	21	29	18	34	28	27	26	34
Pictou	268	16	27	9	15	14	34	28	24	35	23	26	17
Queens	106	5	3	7	4	6	16	10	14	17	9	10	5
Richmond	49	4	5	....	1	5	5	2	2	5	3	13	4
helburne	93	6	8	6	4	5	8	10	6	14	8	11	7
Victoria	40	2	3	1	2	2	....	2	7	5	6	5	5
Yarmouth	166	10	7	6	5	7	18	19	26	26	22	16	4
Tota'	4,129	236	283	187	219	255	462	336	438	510	458	469	276

TABLE XXXIX.—MARRIAGES ACCORDING TO AGES, IN THE PROVINCE OF NOVA SCOTIA, 1936.

Counties (Including Cities and Towns)	Total	Ages of Men								Ages of Women							
		Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated	Under 21	21 to 25	26 to 30	31 to 40	41 to 50	51 to 60	Over 60	Not stated
Annapolis	128	10	55	31	19	7	5	1	.....	39	57	21	8	2	.....	1	.....
Antigonish	68	1	20	22	17	4	1	3	.....	26	21	11	7	2	.....	1	.....
Cape Breton	801	47	314	250	129	42	12	7	.....	223	363	134	57	16	6	1	1
Colchester	222	17	97	55	35	8	5	5	.....	69	91	32	20	5	4	1	.....
Cumberland	311	20	153	76	38	12	7	5	.....	116	132	34	17	8	3	1	.....
Digby	140	14	61	40	17	2	2	4	.....	60	52	15	6	2	1	4	.....
Guysboro	101	4	34	31	27	5	.....	.....	.....	37	43	9	11	1	.....	.....	.....
Halifax	892	57	329	260	174	40	19	13	.....	231	388	152	93	21	4	3	.....
Hants	162	10	62	55	23	6	6	.....	.....	48	69	30	7	5	2	1	.....
Inverness	88	1	36	19	21	7	3	1	.....	20	39	13	12	3	.....	1	.....
Kings	223	25	94	60	29	10	4	1	.....	91	92	25	4	9	1	.....	1
Lunenburg	271	17	115	81	38	10	7	3	.....	99	94	52	19	5	1	1	.....
Pictou	268	6	110	85	50	13	3	1	.....	79	108	54	21	5	1	.....	.....
Queens	106	10	51	20	19	2	3	1	.....	50	39	9	5	.....	2	1	.....
Richmond	49	2	15	19	8	1	.....	4	.....	14	23	7	1	1	2	1	.....
Shelburne	93	9	47	20	12	2	3	.....	.....	40	35	13	5	.....	.....	.....	.....
Vcitoria	40	.....	12	10	9	9	.....	.....	.....	10	15	9	4	2	.....	.....	.....
Yarmouth	166	9	75	53	19	3	4	3	.....	47	76	25	14	3	1	.....	.....
Total	4129	259	1680	1187	684	183	84	52	.....	1299	1737	645	311	90	28	17	2

TABLE XL.—MARRIAGES REPORTED IN RURAL AND URBAN PARTS OF COUNTIES, NOVA SCOTIA, 1936.

COUNTIES	Total	Rural	Urban
Total for the Province	4129	1576	2553
Annapolis	128	111	17
Antigonish	68	40	28
Cape Breton	801	136	665
Colchester	222	61	161
Cumberland	311	88	223
Digby	140	110	30
Guysboro	101	84	17
Halifax	892	221	671
Hants	162	94	68
Inverness	88	67	21
Kings	223	88	135
Lunenburg	271	126	145
Pictou	268	57	211
Queens	106	61	45
Richmond	49	49	.....
Shelburne	93	69	24
Victoria	40	40	.....
Yarmouth	166	74	92

TABLE XLI.—MARRIAGES—CONJUGAL CONDITION OF CONTRACTING PARTIES IN THE PROVINCE OF NOVA SCOTIA, 1936

	Total Marriages	Marriages between									Per cent. of bridegrooms who were			Per cent. of brides who were		
		Bachelors and			Widowers and			Divorced men and								
		Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Spinsters	Widows	Divorced Women	Bachelors	Widowers	Divorced	Spinsters	Widows	Divorced
Total for the province.....	4,129	3,715	89	18	185	76	9	31	4	2	92.6	6.5	0.9	95.2	4.1	0.7

TABLE XLII—MARRIAGES—AGES OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1936

Age of Bridegroom	Total Grooms	Age of Bride: Under 16	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50-54	55-59	60-64	65-69	70-74	75 & over	Not stated
Under 18	11	2	2	2	4	1																																					
18	29		6	2	8	4	3	3	2		1																																
19	84		4	12	22	20	8	5	6	3	1		3																														
20	135	4	8	13	26	27	21	14	9	4	2	3	3		1																												
21	316	4	11	33	53	46	39	61	29	25	6	4	4		1																												
22	359	4	13	20	49	53	38	78	42	28	17	8	4	1	2		1		1																								
23	343	3	6	26	36	42	27	68	47	32	22	19	2	4	3	1	1	1		1				1	1																		
24	327	1	7	20	25	38	43	45	32	29	35	23	11	9	5		1		1	1																							1
25	335	3	7	15	26	27	37	53	30	29	28	23	25	13	7	2	6	2		1						1																	
26	281		5	11	25	20	17	50	20	27	26	24	19	11	9	5	1	3	2	2	1	1	2																				
27	279	1		7	17	21	19	40	33	27	23	20	26	18	8	8	4	4			2				1																		
28	274	1	4	4	16	14	11	26	36	27	30	24	21	18	12	11	10	4	1	2	1				1																		
29	183			6	7	8	11	24	14	14	12	13	14	17	14	9	7	4	2	2	3	1	1																				
30	170				6	13	12	17	16	13	13	10	13	9	13	7	15	5	2	1	1		2		1																		1
31	133		3	1	7	6	6	10	14	11	10	10	10	3	6	13	7	7			2	3			2	1									1								
32	119			2	4	3	4	11	12	8	17	6	8	6	6	5	11	1	4	3	3	2	1				2																
33	83		1	2		2	8	6	7	8	2	8	6	6	2	4	2	6	5	3		1	2	1			1																
34	63		1	1	3			3	5	4	6	9	6	4	4	4	3	2	1	2	3		1								1												
35	68				3	4	3	6	4	4	1	3	6	4	2	4	7	1	6	2	4	2				1	1																
36	75			2	1	6	2	2	4	6	3	4	2	4	6	5	5	5	2	6	2	3	3		1		1																
37	37				1	1	1	1	2	3	3	1		3	1		4	3	3	1	2	1	1	1		1	1			1								1					
38	37					2		2	4	1	3	3	1	1	3	1	1	1	2		3	1	1	1	1		1			1													
39	39					1	2	5	1	4	4	1	2	1		2	2		1	2	2	3		1	2	1				1		1											
40	30				1		1		2		1	1	2	2	2	2	3	1	3		6	1		1							1												
41	22							1	1	1	1	1	1	1	1	1			2	1		2	1	1	2	1			1		1			1									
42	25				1	1		1	4	2		1	2		1		1		1	1	1		1		1	1	1	2	1		1												
43	26							1	1	2		1		4	2		1	1		1	4			2			1	1		2	1	1											
44	23								1	2	2		1		2	1	1		1	2	1			2	1		1	2			1		1				1						
45	24							2		1	1	1	2	1	2	1		2		1	1	1	3		1		1			1	1		1										
46	5								1									1								1					1			1									
47	12				1	1			2							1		1	1	1			1	1	1					1													
48	14										2	1							1		1			2	1				1	1		1			1		1			1			
49	16							1	1			1		1			1	2				1		1			1		1	1	1	1			1		1						
50-54	45						2	1		1	1	1		2		2	1		3	2	1	2	1		1			1	1	2		7	1	2			6	1					
55-59	46						1	1	1		1	1	3			1	1			3	5			3	1	2	2	1	1	1	2	2	2			1	5	3	2				
60-64	33									1					2			1	1				1				2		1	1	1	1	2	1		1	5	6	6				
65-69	12													1													2					2	1			1		2	3				
70-74	13																										1	1	1						1		3	1	2	2	1		
75-79	3																				1																		2				
80 and over																																											
Not stated																																											
Total brides	4129	23	78	179	342	361	316	538	383	317	274	225	197	144	117	90	97	58	46	41	50	25	22	18	22	10	19	8	11	13	12	16	7	5	5	3	22	14	15	3	1		2

TABLE XLIII—MARRIAGES—BIRTHPLACE OF BRIDEGROOMS AND BRIDES, NOVA SCOTIA 1936

Birthplace of Bridegroom	Total Grooms	Birthplace of bride: CANADA										British Isles					British Possessions		EUROPE															ASIA					
		Prince Edward Island	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	British Columbia	Prov. not Specified	England	Ireland	Scotland	Wales	Other	Newfoundland	Other	Austria	Belgium	Denmark	Finland	France	Germany	Holland	Hungary	Italy	Norway	Poland	Roumania	Russia (1)	Sweden	Other	China	Japan	Other	United States	Various	Not Specified
Canada	3720	25	3362	73	17	19	1	6	2	6		34	5	14	1		79	3			1	1		2			2						1				55	1	10
Prince Edward Island	37	4	29	1																																	3		
Nova Scotia	3491	16	3194	50	12	16	1	6	2	3		29	4	13	1		74	2			1	1		2			2						1				50	1	10
New Brunswick	97	1	70	20						1		1	1	1			1																				1		
Quebec	32		25	1	4					1							1																						
Ontario	50	4	34		1	3				1		3					2	1																			1		
Manitoba	5		4									1																											
Saskatchewan	1																1																						
Alberta	5		4	1																																			
British Columbia	2		2																																				
Province not specified																																							
British Isles	140	2	103	5		2			1			11		6			6			1																		1	2
England	84	2	62	4		1			1			8					3			1																		1	1
Ireland	12		10	1								1																											
Scotland	40		28			1						2		6			2																						1
Wales	4		3														1																						
Other																																							
British Possessions	115		68	1								3					37	3																			3		
Newfoundland	102		58	1								3					37																				3		
Other	13		10															3																					
Europe	53		33	1	1	1											2		1					1		2	1		4		3		2				1		
Austria	2																		1					1															
Belgium	4		3																								1												
Denmark	1		1																																				
Finland	1		1																																				
France	5		3	1																																	1		
Germany	4		2														1														1								

TABLE XLIII—Continued

Holland																																							
Hungary	2		1																						1														
Italy	7		7																																				
Norway	1		1																																				
Poland	11		7		1																							3											
Roumania	1																													1									
Russia (1)	5		2													1												1		1									
Sweden	1		1																																				
Other	8		4			1																			1							2							
Asia	3		2						1																														
China	1		1																																				
Japan																																							
Other	2		1						1																														
United States	92		82	1		1						1					3											1								3			
Various	1		1																																				
Not specified	5		3																																			2	
Total Brides	4129	27	3654	81	18	23	1	6	4	6		49	5	20	1		127	6	1	1	1	1		3		2	3		5		3		3				62	2	14

(1) Including the Ukraine.

TABLE XLIV.—MARRIAGES—DENOMINATIONS OF CONTRACTING PARTIES, NOVA SCOTIA 1936

Denomination of Groom	Total Grooms	Denomination of Bride																										
		Adventists	Anglicans	Baptists	Brethren	Christians	Christian Science	Church of Christ	Disciples	Evangelicals	Friends	Greek Catholics	Greek Orthodox	Holiness Movement	Jews	Lutherans	Mennonites	Mormons	Pentecostal	Presbyterians	Protestants	Roman Catholics	Salvation Army	Unitarians	United Brethren	United Church	Oriental Religions	No Religion	Other Sects	Not stated
Adventists	12	4	2	5																					1				
Anglicans	689	2	380	81		1		1					1			14				37		64	1			106			1	
Baptists	728		102	435		3		1	3							8			2	21		26	2			120			4	1
Brethren	2		1																						1				
Christians	6			5																					1				
Christian Science	4		1	1			1																		1				
Church of Christ	8			1				4												1					2				
Disciples	6		1	1					3																1				
Evangelicals																													
Friends	1			1																									
Greek Catholics	6											3										2			1				
Greek Orthodox	1			1																									
Holiness Movement																													
Jews	19														18										1				
Lutherans	84		10	10												50				5		1			8				
Mennonites																													

TABLE XLIV.—Continued

Mormons	1																			1											
Pentecostal	7			1														6													
Presbyterians	336		39	31											4				164		23				75						
Protestants	4																			2	2										
Roman Catholics	1259		49	22														1	24		1129	1			31			1	1		
Salvation Army	15		2	2																		8			3						
Unitarians																															
United Brethren																															
United Church	914	1	144	113		2		1	3						14			1	52		69	3	1		508			2			
Oriental Religions (1)	1																									1					
No Religion	2		1																								1				
Other Sects	23		2	1					1										2		1	1			2			13			
Not stated	1																					1									
Total brides	4,129	7	734	711		6	1	7	10			3	1		18	90			10	307	2	1317	17	1		862	1	1	21	2		

(1) (Includes Buddhists, Confucians, Mohammedans, Shintos, Sikhs, Hindus).

TABLE XLV—MARRIAGES—LITERACY OF BRIDEGROOMS AND BRIDES IN NOVA SCOTIA, CLASSIFIED BY BIRTHPLACE, 1936

BIRTHPLACE	Bridegrooms			Brides		
	Total	Illiterate	Per cent Illiterate	Total	Illiterate	Per cent Illiterate
Total	4129	87	2.1	4129	19	0.5
Canada	3720	80	2.2	3820	17	0.4
Prince Edward Island	37	2	5.4	27	.....	.....
Nova Scotia	3491	77	2.2	3654	17	0.5
New Brunswick	97	1	1.0	81	.....	.....
Quebec	32	.....	.....	18	.....	.....
Ontario	50	.....	.....	23	.....	.....
Manitoba	5	.....	.....	1	.....	.....
Saskatchewan	1	.....	.....	6	.....	.....
Alberta	5	.....	.....	4	.....	.....
British Columbia	2	.....	.....	6	.....	.....
Province not Specified	.....	.....	.....	.....	.....	.....
British Isles	140	.....	.....	75	.....	.....
England	84	.....	.....	49	.....	.....
Ireland	12	.....	.....	5	.....	.....
Scotland	40	.....	.....	20	.....	.....
Wales	4	.....	.....	1	.....	.....
Other	.....	.....	.....	.....	.....	.....
British Possessions	115	5	4.3	133	2	1.5
Newfoundland	102	4	3.9	127	2	1.6
Other	13	1	7.7	6	.....	.....
Europe	53	1	1.9	23	.....	.....
Austria	2	.....	.....	1	.....	.....
Belgium	4	1	25.0	1	.....	.....
Denmark	1	.....	.....	1	.....	.....
Finland	1	.....	.....	1	.....	.....
France	5	.....	.....	.....	.....	.....
Germany	4	.....	.....	3	.....	.....
Holland	.....	.....	.....	.....	.....	.....
Hungary	2	.....	.....	2	.....	.....
Italy	7	.....	.....	3	.....	.....
Norway	1	.....	.....	.....	.....	.....
Poland	11	.....	.....	5	.....	.....
Roumania	1	.....	.....	.....	.....	.....
Russia (1)	5	.....	.....	3	.....	.....
Sweden	1	.....	.....	.....	.....	.....
Other	8	.....	.....	3	.....	.....
Asia	3	.....	.....	.....	.....	.....
China	1	.....	.....	.....	.....	.....
Japan	.....	.....	.....	.....	.....	.....
Other	2	.....	.....	.....	.....	.....
United States	92	1	1.1	62	.....	.....
Various	1	.....	.....	2	.....	.....
Not Specified	5	.....	.....	14	.....	.....

(1) Including the Ukraine.

TABLE A—BIRTHS IN THE PROVINCE OF NOVA SCOTIA BY COUNTIES, 1936

Counties (Including cities and towns)	Sex		Still-births	Illegitimate births	Twins	Triplets	Total
	Male	Female					
Annapolis	177	146	3	17	2	.....	323
Antigonish	138	118	9	10	2	.....	256
Cape Breton	1,257	1,213	54	122	27	.....	2,470
Colchester	301	273	15	31	5	.....	574
Cumberland	419	420	20	51	8	.....	839
Digby	235	192	12	24	3	.....	427
Guysborough	165	167	9	24	4	.....	332
Halifax	1,298	1,211	80	190	30	.....	2,509
Hants	253	236	12	20	5	.....	489
Inverness	224	205	11	14	5	.....	429
Kings	318	236	10	27	3	.....	554
Lunenburg	279	265	13	40	3	.....	544
Pictou	422	364	18	58	10	.....	786
Queens	121	125	6	12	3	.....	246
Richmond	118	109	3	16	2	.....	227
Shelburne	148	142	8	16	1	.....	290
Victoria	48	68	.....	9	1	.....	116
Yarmouth	206	191	9	42	5	.....	397
Total	6,127	5,681	292	723	119		11,808

TABLE B—BIRTHS IN CITIES AND TOWNS OF NOVA SCOTIA, 1936

Cities and Towns	Sex		Still births	Illegitimate births	Twins	Triplets	Total
	Male	Female					
Amherst	101	91	10	14	4	.....	192
Antigonish	95	80	6	5	2	.....	175
Bridgetown	18	6	.....	3	.....	.....	24
Bridgewater	38	32	1	2	1	.....	70
Canso	20	16	3	2	1	.....	36
Dartmouth	71	66	1	7	1	.....	137
Digby	43	28	3	2	1	.....	71
Dominion	18	22	.....	3	1	.....	40
Glace Bay	413	390	25	37	9	.....	803
Halifax	894	861	58	146	24	.....	1,755
Inverness	80	64	.....	6	2	.....	144
Jeggins	23	9	.....	2	1	.....	32
Kentville	21	15	.....	2	.....	.....	36
Liverpool	40	48	2	5	2	.....	88
Lunenburg	17	19	1	1	.....	.....	36
Mahone Bay	8	6	.....	3	1	.....	14
New Glasgow	228	184	10	32	7	.....	412
New Waterford	160	127	8	17	3	.....	287
North Sydney	104	96	6	8	1	.....	200
Oxford	7	11	1	.....	.....	.....	18
Parrsboro	10	18	2	3	1	.....	28
Pictou	29	28	2	7	1	.....	57
Port Hawkesbury	2	1	.....	.....	.....	.....	3
Shelburne	15	15	1	3	.....	.....	30
Springhill	109	84	2	9	1	.....	193
Stellarton	22	27	.....	1	.....	.....	49
Sydney	294	308	3	26	6	.....	602
Sydney Mines	110	105	10	17	2	.....	215
Trenton	17	17	.....	6	.....	.....	34
Truro	107	112	6	17	3	.....	219
Wedgeport	14	13	2	2	.....	.....	27
Westville	19	13	.....	.....	1	.....	32
Windsor	63	49	2	5	1	.....	112
Wolfville	45	47	4	4	.....	.....	92
Yarmouth	85	73	3	26	1	.....	158
Total	3,340	3,081	172	423	78	.....	6,421

WELLCOME
LIBRARY
INSTITUTE